

66
Catalogue Bound
for Entom. Dept.
INSECTS.

A
CATALOGUE

OF THE
EXTENSIVE AND VALUABLE COLLECTION

OF
BRITISH & FOREIGN
I N S E C T S,

OF THE LATE
ADRIAN HARDY HAWORTH, Esq.

Fellow of the Linnean and Horticultural Societies; of the Casarian Society of Nat. Hist.
Moscow; of the Société Royale d'Horticulture des Pays Bas, &c.

Which will be Sold by Auction, by

MR. J. C. STEVENS,
(Late THOMAS & STEVENS,)

AT HIS GREAT ROOM,
38, *King Street, Covent Garden,*
On **MONDAY**, the 23rd Day of **JUNE**, 1834.
AND TEN FOLLOWING DAYS, (SUNDAY EXCEPTED,)
AT TWELVE O'CLOCK.

In this well known Collection (which has been almost half a Century forming and contains nearly 40,000 specimens), will be found many unique Insects, the whole in the finest preservation, and the present may be considered the most important Sale that has ever claimed the attention of Entomologists.

May be Viewed Two Days before the Sale, and Catalogues (price 2s.) had at
Mr. STEVENS' Office, 38, King Street, Covent Garden.

STIRLING, PRINTER, MILK STREET, CHEAPSIDE.

L L . .

@
QL 468
H39

9591
A14
Ent.

Ent.
26/8/17

Ent. 2151

CONDITIONS OF SALE.

FIRST. The highest bidder to be the buyer, and if any dispute shall arise between two or more bidders, the lot to be immediately put up again and re-sold.

SECOND. No person to advance less than one shilling under one pound at each bidding, and so on in proportion.


THIRD. The purchaser shall give in his name and place of abode, if required, and pay down immediately 25 per cent. on the amount of his purchase as a deposit, *and the remainder must absolutely be paid on or before the delivery.*

FOURTH. The Scrupulosity with which Mr. HAWORTH distinguished the British specimens in his Collection by a blue label, (except in the Staphylinidæ, the Foreign specimens of which are all otherwise distinguished), is well known. In the following Catalogue the rare British species are also indicated, and it is presumed that they are correctly named and noticed therein; but the lots are to be taken away with all faults and errors of every description, as marked in the various drawers, and whether correctly named or not, at the buyer's expence within **TWO** days from the last day's sale.

LASTLY. The lots must be cleared according to the third and fourth conditions, in default of which the seller shall be at full liberty to re-sell the said lot or lots, the deposit money shall be forfeited, and the deficiency (if any) attending such re-sale together with the expences attending the same shall be made good by the defaulter at this sale.

Gentlemen who cannot attend the Sale, may have their Commissions faithfully executed by their most obedient Servant,

JOHN C. STEVENS.



ORDER OF SALE.

- FIRST Day's Sale, Monday, ...23rd June, ...*Coleoptera*.
SECOND Ditto, Tuesday, ...24th June, ...*Coleoptera*.
THIRD Ditto, Wednesday..25th June, ...*Coleoptera*, *Neuroptera*
and *Diptera*.
FOURTH Ditto, Thursday, ..26th June, ..*Diptera*, *Hemiptera*,
Homoptera and *Hymenoptera*.
FIFTH Ditto, Friday,27th June, ..*Hymenoptera*, *Strepsiptera*,
Dermaptera, *Orthoptera*.
SIXTH Ditto, Saturday, ...28th June, ..*Orthoptera*, *Aptera* of
Linnaeus. *Lepidoptera*, (*Pyralidæ*, *Tortricidæ* & *Tineidæ*.)
SEVENTH Ditto, Monday, ...30th June, ..*Lepidoptera*(*Papilionidæ*)
EIGHTH Ditto, Tuesday,1st July,*Lepidoptera*(*Papilionidæ*)
NINTH Ditto, Wednesday, 2nd July,*Lepidoptera* (*Papilionidæ*,
Sphingidæ & *Bombycidæ*)
TENTH Ditto, Thursday, ..3rd July,*Lepidoptera* (*Bombycidæ*
and *Noctuidæ*.)
ELEVENTH Ditto, Friday,4th July,*Lepidoptera* (*Noctuidæ* &
Geometridæ,) and the
Cabinets, &c.
-

CATALOGUE.

FIRST DAY'S SALE,

On MONDAY, the 23rd of JUNE, 1834,

Commencing at Twelve for One o'Clock precisely.

COLEOPTERA.

LOT.		No.
1	Manticora maxillosa, a pair - - -	2
2	Megacephala Carolina, 1. Braziliensis, 1. variolosa, 1. Oxycheila tristis, 1. Euprosopus 4-maculatus, 1. Colli- uris, 2 species - - -	7
3	Cicindela lunulata 1. 20-guttata, 1. 6-punctata, 2. gra- cilis, 1. C. G. H., 3. Brazil, 3. and Cicindela, 1—1—1—1—2—1—1. - - -	19
4	Cicindela 8-guttata, 2. catenata, 1. tricolor, 2. nemo- ralis, 1. lateralis, 1. chiloleuca, 1. Capensis, 2, and and Cincidela, 1—1—2—1—1. 2—1—1—6. -	29
5	Cicindela sylvicola, 1. biramosa, 5. 4-lineata, 2. cæ- rulea, 1. Campestris, 5. soluta, 1. affinis, 1. littoralis, 1. and Cicindela, 1—1—1—1—1—1—1—1—1—1—1—1—1—1—1. - - -	30
6	Cicindela germanica, 1 British. sylvatica, 1 Br. hybrida, 2 Br. nodicornis? 8. Chinensis, 2. China, 2. Odacantha melanura, 1 Br. Polystichus fasciolatus, 1 Br. Demetrias monostrigma, 1 Br. Dromius, 9 sp. Br. - - -	41
7	Casnonia Pensylvanica, 1. Agra Brentoides, 1—1—1. Corsyra fusula, 1. Calleidadecora, 1. Lia dorsalis, 1, and 1—1—1. - - -	

LOT	No.
8 <i>Drypta emarginata</i> , 1. <i>Br. Tarus angularis</i> , 1 <i>Br. Dromius</i> , 3 species <i>Br. Lebia Crux minor</i> , <i>Lamprias cyanocephalus</i> , and var. <i>Br. 2. nigritarsis</i> , 1. <i>Br. Aptinus</i> , 3 species. <i>Brachinus</i> , 6 species - - 27	
9 <i>Galerita Americana</i> , 1. <i>Corsyra fusula</i> , 2. <i>Graphipterus</i> , 4 species. <i>Anthia thoracica</i> , 2. <i>Agra brentoides</i> , 1. -	
10 <i>Anthia fimbriata</i> , 2. <i>6-guttata</i> , 2. <i>maxillosa</i> , 2—2—1—2. - - - - 11	
11 <i>Thermophila 10-guttata</i> , 1. <i>sulcata</i> , 1—1—1—2—1—1—1. <i>Siagona Europæa</i> , 1. <i>Scarites</i> , 1. <i>Clivina arenaria</i> , 5. <i>sanguinea</i> , 2 - - - 20	
12 <i>Thermophila 6-notata</i> , 1. <i>6-maculata</i> , 2. <i>Nimrod</i> , 1. <i>tabida</i> , 1. <i>Pamborus alternans</i> , very fine, 1. - 6	
13 <i>Pasimachus</i> , 1—1. <i>Scarites sabulosus</i> , 1. <i>excavatus</i> , 2. <i>Cape G. H.</i> , 2—1. <i>G. N. ?</i> 1. <i>Dyschirius</i> , 4 species 22	
14 <i>Oxystomus</i> , 2. <i>Scarites Beckwithii</i> , 1—1. <i>subterranea</i> , 2. <i>lævigatus</i> , 1—1—1—1. <i>Distomus</i> , 1. <i>Ditomus</i> , 1. <i>Cychrus Italicus</i> , 1. <i>elongatus</i> , 1. <i>rostratus</i> , 2. 18	
15 <i>Helluo costatus</i> , 2. <i>New Holland</i> , 2. <i>Ditto</i> , 2. <i>Procrustes coriaceus</i> , 2 - - - 8	
16 <i>Carabus Gebleri</i> , 1. <i>regalis</i> , 1. <i>Goldeglii</i> , 2. <i>cyaneus</i> , 3. <i>rugulosus</i> , 1. <i>Br.</i> - - - 8	
17 <i>Carabus glabratus</i> , 1. <i>Br. violaceus</i> , 5. <i>marginalis</i> , <i>Pz. ?</i> <i>Br. purpurascens</i> , 1. <i>purpuratus</i> , 1. <i>nitens</i> , 1. <i>Br.</i> - - - 9	
18 <i>Carabus nitens</i> , 2. <i>Br. costatus</i> , 2. <i>auratus</i> , 2. <i>auro-nitens</i> , 1. <i>Eistreicheri</i> , 2. <i>catenulatus</i> , 2. <i>monilis</i> , 2. <i>consitus</i> , 2. <i>Scopolii</i> , 1. - - - 17	
19 <i>Carabus clathratus</i> , 1 <i>Br. arvensis</i> , 2 <i>Br. regalis</i> , 1. <i>Sibericus</i> , 2. <i>æreus</i> , 1. <i>Æstrecheri</i> , 1. <i>scabriculus</i> , 1. <i>excisus</i> , 2. <i>cancellatus</i> , 4 - - - 17	
20 <i>Carabus convexus</i> , 1. <i>regalis</i> , 3. <i>chrysochlorus</i> , 2. <i>Hungaricus</i> , 1. <i>depressus</i> , 2. <i>hortensis</i> , 4. <i>Calosoma sycophanta</i> , 2. - - - 16	
21 <i>Carabus Schonherri</i> , 2. <i>æreus</i> , 1. <i>Henningii</i> , 1. <i>excellens</i> , 1. <i>Besseri</i> , 2. <i>perforatus</i> , 2. <i>erythropus</i> , 2. 14	

LOT	No.
22 Calosoma inquisitor, 2 Br. scrutator, 1. alternans, 1. calidum, 1. laterale, 1. sericeum, 2. reticulatum -	
23 Harpalus brevicornis, 1. Canada, 1—1. limbatus, 2. rufimanus, 9. notatus, 1. azureus, 1. Cape G. H., 1. Harpali species - - -	50
24 Harpalus æneus, 11. signatus, 2. tarsalis, 1. lumbaris, 1. Pelcium cyanipes, 1. brevicornis, 1, and other species - - -	42
25 Ophonus purpureo-cæruleus, 1. nitidulus, 1. Germanus, 1. pubescens, 4. Trechus, 7 species. Calathus obscurus, 6. flavipes, 3, and others -	55
26 Daptus vittatus, 1. Harpalus fulvus, 1. aulicus, 1. Bradytus convexusculus, 1. convexus, 4. ferrugineus, 4. apricarius, 9. Stenolophus discophorus, 1. lateralis, 1. Vaparanorum, 1. Harpalus Orfordensis, 7, and others	34
27 Harpalus cordatus, 1. chloroticus, 1. obsoletus, 1. Cillenum laterale, 1. Blemus unifasciatus, 1. Br. Epaphius Secalis, 1. Br. Æpus fulvescens, 2. Br. n. sp.? 1. Br. Dolichus flavicornis, 1. adustus, 1. Cape G. H., 1. - - -	14
28 Cape G. H., 1—1—1—2—1. Synuchus vivalis, 2. Agonum albipes, 5. Calathus, 5 species -	34
29 Læmosthenes? Cape G. H. Sphodrus planus, 3. Tilesii, 1. Pelor? spinipes, 1. Zabrus gibbus, 2. Amara Sierra Leone, 1. Eurynota, 1. vulgaris, 2, and others	34
30 Amaræ species. Oodes Helopioides, 2. -	80
31 Genus nov., 1. Microcephalus, 1. Bz. Acinopus? Cape G. H., 1. Pæcillus Roei, 1. Pelor? spinipes, 1. Nebrites? 1, Sierra Leone. Pæcillus cupreus, 15. micans, 12. - - -	44
32 Pæcillus micans, v., 8. lepidus, 2. dimidiatus, 1. rufifemoratus, 2. crenostriatus, 1. punctostriatus, 1. Epomis cinctus, 1 Br. Chlænius holosericeus, 1. Br. melanocornis, 1 Br., and others -	39
33 Chlænius, Cape G. H., 2—1. Platysma melas, 2. Cephalotes vulgaris, 2. Stomis pumicatus, 3. Agonum metallicum? 1. Omaseus magus, 1. altaicus, 1. Aterrimus, 1 Br., and others - -	32

LOT	No.
34 <i>Steropus?</i> mauritanus, 1. <i>Cape G. H.</i> 1—1. <i>Pterostichus Drescheri</i> , 1. <i>oblongo-punctatus</i> , 2. <i>North Am.</i> , 1. 8-punctatus, 1. <i>Br.</i> <i>Anchomenus Memnonius</i> , 2, and others - - - 32	
35 <i>Anchomenus elegantulus</i> , 1. <i>Platynus longiventris</i> , 1. <i>collaris</i> , 2. <i>Agonum convexum</i> , 1. <i>austriacum</i> , 1. <i>inauratum</i> , 1. 6-punctatum, 3, and other species, <i>Br.</i> 50	
36 <i>Licinus cassideus</i> , 1. <i>Silphoides</i> , 2. <i>Sicily</i> , 1. <i>Callistus lunatus</i> , 2, (1 <i>Br.</i>) <i>Patrobus rufipes</i> , 1. <i>Badister</i> , 2 species. <i>Dicælus</i> , 1 sp., <i>North Am.</i> <i>Panagæus Crux-major</i> , 1 <i>Br.</i> 4-pustulatus, 2 <i>Br.</i> - - 24	
37 <i>Pogonus Burrelii</i> , 2. <i>Chalceus</i> , 10. <i>æruginosus</i> , 2. <i>Leistus</i> , 4 species, <i>Br.</i> <i>Argutor affinis</i> , <i>erythropus</i> and <i>strenuus</i> - - - 43	
38 <i>Nebria complanata</i> , 2 <i>Br.</i> <i>livida</i> , 1 <i>Br.</i> <i>Helobia Gyllenhalii</i> , 1 <i>Br.</i> <i>Marshallana</i> , 1 <i>Br.</i> <i>Pelophila borealis</i> , 1. - - - 13	
39 <i>Argutor tibialis</i> , 5. <i>inæqualis</i> , 3. <i>Peryphus</i> , 7 species. <i>Tachys</i> , 5 species - - - 45	
40 <i>Omophron limbatum</i> , 1. <i>Leia</i> , 9 species. <i>Notaphus</i> , 7 species. <i>Lopha</i> , 3 species - - - 50	
41 <i>Lopha</i> , 3 species. <i>Tachypus Andreæ</i> , 1 <i>Br.</i> <i>puncticollis</i> , 1. 2-punctatus, 1. <i>Bembidium paludosum</i> , 1. <i>pallipes</i> , 1. <i>Sierra Leone</i> , 1. <i>Nothiophili</i> species, <i>Elaphrus uliginosus</i> , 1, and others. <i>Blethisa multipunctata</i> , 2 - 54	
42 <i>Creophilus maxillosus</i> , 5. <i>Ocypus cyaneus</i> , 1. <i>brunnipes</i> , 1. <i>Emus hirtus</i> , 1 <i>Br.</i> <i>Schizochila Brasiliensis</i> , 2. <i>Temus erythrocephalus</i> , 2 - - - 17	
43 <i>Goerius</i> , 4 species. <i>Staphylinus hybridus</i> , 6. <i>pubescens</i> , 5. <i>murinus</i> , 3. <i>Cape G. H.</i> , 1. <i>chloropterus</i> , 1. <i>Æneocephalus</i> , 1. <i>stercorarius</i> , 1 - - - 29	
44 <i>Quedius</i> and <i>Philonthus</i> , <i>tristis</i> , 1. <i>similis</i> , 3. <i>hæmorrhous</i> , 2. <i>punctulatus</i> , 2. <i>marginellus</i> , 2. <i>fulgidus</i> , 2, and other named species - - - 65	
45 <i>Philonthus splendens</i> , 1. <i>laminatus</i> , 1. <i>dilatatus</i> , <i>æneus politus</i> , and other species. <i>Aleocharæ</i> and <i>Tachypori</i> species - - - 106	

LOT	No.
46 Raphirus attenuatus, 1. Cafius lateralis, 2. Xantholinus fulgidus, elongatus, and others. Gyrohypnus tricolor, 1. nigriceps, 2. cruentatus, 3. Lathrobium quadratum, 1. dentatum, 1. and other species named -	60
47 Sunius angustatus, 4. Rugilus orbiculatus, 7. immunis, 1. Pæderus, <i>Sierra Leone</i> , 2. littoralis, 3 Br. Diagonalis cærulescens, 1. Stenus clavicornis, 3. cindeloides, 2. biguttatus, 2. boops, 1. oculatus, 1, and other species - - -	85
48 Oxyporus rufus, 4. Bledius tricornis, 3. Siagonium, 4-corne, 3. Oxyteli various species -	26
49 Oxytelus rugosus, 9. morsitans, 1. piceus, 4. carinatus, 1. opacus, 2. bilobus, 2, and others -	38
50 Aleochara Daltoni, Tachynus cinctus, 2. rufipes, 6. latus, 2. subterraneus, 2. analis, 1. suturalis, 2, and other species - - -	58
51 Bolitobius lunulatus, 1. Atricapillus, 1. merdarius, and others. Conurus analis, and others -	50
52 Tachyporus lævigatus, 1. nitidulus, 6. Chrysomelinus, 1. suturalis, 1. marginatus, and other species. Cyphagrannum, 1. Boleti, 1, and others -	76
53 Aleochara HAWORTHII, 1. recurva, 2. Xanthoptera, 1. foveolata, 2. obscura, 1. longicornis, 1. Tricolor, 3, and others - - -	72
54 Philonthi, Quedii, Aleocharæ, &c. various species -	116
55 Ditto ditto - - -	110
56 Lomechusa emarginata, Br. 1. Goniodes sulcata, 1 Br. Falagria and Autalia, sp. Acidota, 2 Br. -	16
57 Evæsthetus scaber, 1. Megarthrus depressus, 1. Anthobium and Omalium, species. Elonium striatulum -	48
58 Lesteva species. Bryaxis sanguinea, 5. Euplectes Reichenbachii, 2. sanguineus, 2. minutus, 1. pusillus, 1, Bythinus securiger, 1. Arcopagus bulbifer, glabricollis and clavicornis - - -	24
59 Tychus niger, 4. Bryaxis longicornis, 1. impressa, 1. hæmatica, 6. Juncorum, 1. Pselaphus Herbstii, 1. Scydinæus, 5 species - - -	20

LOT		No.
60	A quantity of unexamined British Staphylinidæ, some rare - - - - -	about 200
61	A ditto ditto - - - - -	about 200
62	A ditto ditto, many very minute - - - - -	about 200
63	A ditto ditto - - - - -	about 200
64	A ditto ditto - - - - -	about 200
65	<i>Trogus acicularis</i> , 1. <i>Chinensis</i> , 3. <i>Cape G</i> , 11., 1. <i>striatus</i> , 1—1—2—1. <i>Dytiscus marginalis</i> , 3. <i>circumflexus</i> , 4. <i>punctulatus</i> , 4. <i>Leionotus circumscriptus</i> , 2.	24
66	<i>Acilius dispar</i> , 2. <i>cinereus</i> , 6. <i>caliginosus</i> , 1 <i>Br.</i> 1 <i>Ind.</i> or. <i>maculatus</i> , 1. <i>Hydaticus Hybneri</i> , 1 <i>Br.</i> <i>transversalis</i> , 2 <i>Br.</i> - - - - -	16
67	<i>Colymbetes</i> , 12 <i>Br.</i> species, some rare - - - - -	33
68	Ditto, 15 ditto ditto - - - - -	44
69	Ditto, 12 ditto ditto. <i>East Ind.</i> , 1. <i>New Holland</i> , 1. <i>Brazil</i> , 1—1—1. <i>fontinalis</i> , 1. <i>maculatus</i> , 2	34
70	<i>Hydroporus</i> , 14 <i>Br.</i> species, some rare - - - - -	45
71	Ditto, 15 ditto - - - - -	37
72	Ditto, 4 sp. <i>Hygrotus</i> , 8 <i>Br.</i> sp. <i>Noterus</i> , 2 <i>Br.</i> sp.	40
73	<i>Pælobius Hermannii</i> , 3. <i>Hyphydrus gibbus</i> , 3. <i>ovatus</i> , 4. <i>politus</i> , 2. <i>Halipus</i> , 12 <i>Br.</i> sp. <i>Laccophilus</i> , 2 ditto	68
74	<i>Dineutus</i> , 11 exotic species. <i>Potamophilus acuminatus</i> , 1.	14
75	<i>Gyrinus</i> , 9 <i>Br.</i> species. <i>G. lineatus</i> , 2. <i>Heterocerus</i> , 3 ditto. <i>Parnus</i> , 3 ditto. <i>Georyssus pygmæus</i> , 1	45
76	<i>Limnius</i> , 8 <i>Br.</i> species. <i>Helophorus</i> , 12 ditto	56
77	<i>Hydrochus</i> , 3 <i>Br.</i> species. <i>Ochthebius</i> , 6 ditto. <i>Hydræna longipalpis</i> , 3. <i>Spercheus emarginatus</i> , 1 <i>Br.</i> specimen	23
78	<i>Hydrous piceus</i> , 2. <i>olivaceus</i> , 1. <i>China</i> , 1. <i>Portugal</i> , 1. <i>Hydrophilus Caraboides</i> , 2. <i>Hydrobius</i> , 6 <i>Br.</i> species. <i>Brazil</i> , 1. <i>Sicily</i> , 1—1—1. - - - - -	40
79	<i>Spercheus emarginatus</i> , 1 <i>Br.</i> , and 17 <i>Br.</i> species of <i>Hydrobius</i> - - - - -	60
80	<i>Hydrobius</i> , 11 <i>Br.</i> species. <i>Berosus</i> , 3 ditto. <i>Limnebius</i> , 8 ditto - - - - -	60
81	<i>Sphæridium</i> , 7 <i>Br.</i> species. <i>Cercyon</i> , species	60
82	<i>Cercyon</i> , numerous <i>Br.</i> species - - - - -	110
83	Ditto ditto - - - - -	80

LOT	No.
84 Melolontha Fullo, 1. Commersonii, 1. hololeuca, 1. Orientalis, 1. Nepaul, 4. - - -	1
85 Melolontha Vulgaris, 4. castanea, 1. nitens, 1. Brazil, 1—1. New Holland, 1—1. Nepaul, 1. - -	14
86 Melolontha reflexa, 1. serrata, 2. Van Diem., 2. Java, 1. Cape G. H., 2. North Amer., 2—1—1. - -	13
87 Amphimalla solstitialis, 7. æquinoxialis, 1. grassatrix, 1, and 10 other exotic species - - -	23
88 Glaphyrus maurus, 1. Canada, 1. Monochelus, 1., Cape G. H. Anthipna? 1—1. Cephalotrychia, 1—1. Amphicomma Vulpes, 3 species? - - -	11
89 Melolontha angulata, 1. pallida, 1. Trichius zebra, 2. Rhyzotrogus bimaculatus, 1. and other exotic Melolon- thidæ - - -	13
90 Euchlora, 7 species, from China and Nepaul - -	12
91 Chalepus, 4 exotic species. Bolbocerus, 2 India. Macro- dactylus elongatus, 2. suturalis Chev. 1. Serica? 3 species - - -	14
92 Cetonia hirta, 1. Mimela sumptuosa, 2. Chinensis, 3. Chasmopterus? 2, Cape G. H., and various small Melolonthidæ, from New Holland, Brazil and North America - - -	19
93 Anisoplia horticola, 4. Julii? Br. Segetum, 2. deser- torum, 2. lineolata, 1, and other exotic species -	17
94 Serica brunnea, 4. Nepaul, 2—1. gibba, 1—1. Oc- tomeris, New Holland, 1—1—1. Hoplia squamosa, 2. farinosa, 1. polinosa, 2. graminicola, 2 -	21
95 Anomala holosericea, 3. Vitis, 1. Frischii, 4. Julii? 1. Anthipnæ, various species from Cape G. H. -	19
96 Anisonyx, Anthipna & Hoplia, numerous minute exotic species - - -	26
97 Omaloplia ruricola, 2 Br. sp. pulvurulenta, 6. aureola, 1. Cape G. H. 1—1—1—1. - -	16
98 Diphucephala, 7 species, from New Holland -	9
99 Copris hamadryas, 2 fine. Bucephalus, 2. Molossus, 1	4
100 Copris Antenor, 1. Ursus, 3. Molossus, 4. -	8
101 Copris Bucephalus, 1. Midas, 2, very fine. Molossus, 2	5

LOT	No.
102 Copris Hispanus, 1. Anceus, 2, and other species	- 16
103 Copris Jacchus, 2. Nemestrinus, 1, and other species	- 13
104 Copris <i>Brazil</i> , fine, 1. lunaris, 5 Br. Pithecius, 1, and others	- - - 13
105 Copris Hesperus, 1. Menalcas, 2, and other species	- 13
106 Phanæus Mimas, 3 rare. Carnifex, 2. festivus, 2, and other fine species	- - - 13
107 Copris Lar, 1. Phaneus festivus? 1. Onitis Amyntas, 2. Bison, 1, and other species	- - - 16
108 Oniticellus flavipes, 2. pallipes, 1. <i>Cape G. H.</i> , 1—1—1—1. Phaneus festivus, 1, and other species	17
109 Onthophagus Bonassus, 1. menalcas, 1. Rhadamistus, 1, and other fine species	- - - 9
110 Onthophagus Rhadamistus, 1. Bonassus, 1. seminulus, 1. Xiphias, 2 Br., and others	- - 20
111 Onthophagus Taurus, 2. leucostigma, 3. vitulus, 2. Xiphias, 2. nuchicornis, 4, and other exotic species	- - - 32
112 Onthophagus leucostigma, 1. nutans, 2. ovatus, 2. and numerous species from the <i>Cape G. H.</i>	- 31
113 Coprobis, 1 <i>Brazil</i> . Onthophagus thoracicus, 2. Onitis, several species, <i>Cape G. H.</i>	- - 18
114 Aphodius, 13 Br. species. bi-punctatus, 1	- 70
115 Ditto, 20 Ditto. scrutator, 1. Pecari, 2	- 65
116 Ditto, 15 Ditto. Psammodius porcatus, 3. Ægialia globosa, 4 Br.	- - - 60
117 Coprobis. Onthophagus. Aphodius & Psammodius, numerous small exotic species	- - - 31
118 Trox Gigas, 1. <i>Sicily</i> , 1. <i>Brazil</i> , 1—1—1. <i>Cape G. H.</i> 1—1—1—3. sabulosus, 2. arenarius, 2. Phoberus, 1. <i>Cape G. H.</i> 1—1. -	- - 18
119 Scarabæus Sacer, 2. morbillosus, 1. Dufresnii, 1. Pius, 1. Prometheus? 1	- - - 7
120 Scarabeus semi-punctatus, 2. laticollis, 1. Dufresnii, 1. morbillosus, 1. Pius, 1. hottentottus, 1. Palæmon, 1.	9
121 Sisyphus volvens, 2. <i>Cape G. H.</i> 1—3—2. cupreus, 1.	9

LOT	No.
122 <i>Circellium</i> , 1—9—1—1. <i>triangulus</i> , 2. <i>coronatus</i> , 2. <i>Gymnopleurus</i> , 2—1.	20
123 <i>Scarabæus rhinocerus</i> , 1. <i>Copris Paniscus</i> , 1. <i>Nemes-</i> <i>trinus</i> , 2	5
124 <i>Pachysoma Bacchus</i> , fine	1
125 <i>Scarabæus Hippocrates</i> , 1. <i>Æsculapius</i> ? 1	2
126 <i>Gymnopleurus Geoffroyii</i> , 1. <i>pilularius</i> ? and others. <i>Eurysternus</i> , 2 species	19
127 <i>Copris Molossus</i> , 2. <i>Boreus</i> , 4. <i>Onitis unguiculatus</i> , 1. <i>Gymnopleurus Geoffroyii</i> , 1. <i>minimus</i> , 1.	12
128 <i>Drepanocerus Hopei</i> , 1. <i>Kirbii</i> , 1—2. <i>Cape G. H.</i> <i>Sisyphus Kœnigii</i> , 4. <i>pilularius</i> , 1, and other spe- cies	22
129 <i>Copris Carolinus</i> , 2. <i>Lethrus cephalotes</i> , 4—6.	8
130 <i>Phanæus festivus</i> , 1. <i>Numas</i> , 1. <i>Brazil</i> , 2. <i>Sierra</i> <i>Leone</i> , 1.	5
131 <i>Æsalus scarabæoides</i> , 1. <i>Copris Mimas</i> , 1. <i>Onitis</i> <i>Nepaul</i> , 2. <i>Brazil</i> , 1. <i>Sierra Leone</i> , 1	8
132 <i>Oryctes Rhinoceros</i> , 2. <i>Augias</i> , 1. <i>Ajax</i> ? 1. <i>Mo-</i> <i>nodon</i> ?	7
133 <i>Oryctes Endymion</i> , 1. <i>nasicornis</i> , 2, (one taken at <i>Chelsea</i> .) <i>satyrus</i> , 2, and others	9
134 <i>Oryctes Monoceros</i> , 2. <i>inermis</i> , 1. <i>Juvenicus</i> , 1, and others	9
135 <i>Oryctes laborator</i> , 2. <i>bilobus</i> , 2, fine. <i>retusus</i> , 1. <i>ara-</i> <i>tor</i> , 2, and others	19
136 <i>Typhæus</i> and <i>Geotrupes</i> , <i>Br.</i> species	40
137 <i>Odontæus mobilicornis</i> , 3, (2 <i>Br.</i>) <i>Athyreus</i> , 2 fine spe- cies, <i>Bolbocerus lazarus</i> , 2	7
138 <i>Oryctes Silenus</i> , 1. <i>Ænobarbus</i> , 1. <i>Geotrupes dispar</i> , 2. <i>Syrictus</i> , 1.	6
139 <i>Phileurus Didymus</i> , 2. <i>Valgus</i> , 1, and 2 <i>Brazil</i>	3
140 <i>Dynastes Glaucus</i> , 1. <i>Titanus</i> , 1, <i>Nepalensis</i> ? 1	3
141 <i>Dynastes Hercules</i> , 1. <i>Anteus</i> , 1.	2
142 <i>Dynastes laniger</i> , fine	1
143 <i>Dynastes alcides</i> , 1. <i>Tityus</i> , 1. <i>militaris</i> ? 1.	3
144 <i>Dynastes Hardwickii</i> , <i>Nepaul</i> , very fine	1

LOT		No.
145	Dynastes Perseus, very fine and perfect - -	1
146	Dynastes Titanus, 1. Boas, 2. Agenor, 2. - -	5
147	Dynastes Actæon, male - -	1
148	Dynastes Elephas, male and female - -	2
149	Dynastes Choriæus, 1. vectarius, 1. - -	2
150	Dynastes Enema, 1. Pan, 1. - -	2
151	Dynastes Elephas, ? female - -	1
152	Dynastes militaris, 1. melampus, 1. - -	2
153	Dynastes Philoctetes, 1. Phorbanta, 2. Oromedon, 1 - -	4
154	Lucanus Cervus, and varieties - -	11
155	Lucanus Rhinoceros, 2. tricolor, 2. North America, 5. -	5
156	Lucanus Elephas, 1. anthracinus, 1. capreolus, 2. pluridens, 1. femoratus, 1 - -	6
157	Lucanus Ibex, 1. Camelus, 1, very fine - -	2
158	Dorcus parallelepipedus, 5. Platycerus Caraboides, 1 Br. chalybeus, 1. Apatæ capucina, 1 Br. - -	8
159	Lampyris, 5. Passalus, 6 - -	11
160	Passalus, various species. Paxillus interruptus, 1 -	16
161	Lampyris, 1. Pholidotus, 1. Rhyssalus, 1. Nigidius, 1. Ceruchus canalicatus? 1. - -	5
162	Synodendron cylindricum. Apatæ, various exotic species -	14
163	Anoplognathus punctatus, 3. viridi-æneus, 1—2—1 -	7
164	Anoplognathus viridi-æneus, 1. viridi-tarsis, 2. rugosus, 1. Vigorsii, 1. inustus, 1, and others, New Holland -	11
165	Leucothyreus Kirbyanus, 3. n. sp. 2. Geniates barbatus, 2. Apogonia gemellata, 1. Amblyterus species, and others - -	17
166	Pelidnota glauca, Chrysina opalina, and others -	8
167	Areoda lanigera. Pelidnota punctata, 3. Hopei, 1. Brazil, 2 fine, and others - -	13
168	Chalepus geminatus, and other Brazilian species. Pelidnota cyanipes & var? - -	16
169	Chrysophora chrysochlora & Macraspis clavata, very fine -	2
170	Chasmodia viridis, convexa. Macraspis lucida, 2. splendida, 1. cincta, 2, and others - -	15
171	Rutela Ephippium, and other species. Rhapsimus Dytiscoides, 5. - -	14

LOT	No.
172 <i>Macraspis Chrysis</i> , 1. <i>4-dactyla</i> , 2. <i>Rutela inungulata</i> , and other species - - - -	12
173 <i>Cnemida Sparshalli</i> , and 1. <i>Popillia</i> , numerous species, chiefly from <i>Nepaul</i> - - - -	27
174 <i>Goliathus serricollis</i> , 2. <i>inscriptus</i> 2. <i>Trichius eremita</i> , 2—1—1. <i>Cetonia bimaculata</i> , 2, and others -	12
175 <i>Cetonia 5-lineata</i> , and 8 other exotic species. <i>Cam-pulipus limbatus</i> , 2. - - - -	12
176 <i>Trichius nobilis</i> , 3 <i>Br. fasciatus</i> , 3, (1 <i>Br.</i>) <i>piger</i> , 1. <i>Dahuricus</i> , 1. <i>Delta</i> , 2. <i>hemipterus</i> , 4, (2 <i>Br.</i> from Francillon's <i>British Collection</i>) - - -	18
177 <i>Cetonia strigosa</i> , 1. <i>Chalca</i> , 2. <i>aulica</i> , 2, and 4 other species - - - -	10
178 <i>Cetonia</i> , 3 <i>Nepaul</i> , fine. 1 <i>Nepaul. gagates</i> 1. <i>20-punctata</i> , 1 - - - -	8
179 <i>Cetonia sinuata</i> , 2. <i>olivacea</i> , 1. <i>albo-marginata</i> , 2, and others - - - -	10
180 <i>Macronota Chinensis</i> , 2. <i>Cetonia elegans</i> , 1. <i>fasciculata</i> , 3. <i>marginata</i> , 3, and others - -	15
181 <i>Schizorhina Philpsii</i> , 1. <i>Cetonia capensis</i> , 2. <i>signata</i> , 2, and others - - - -	15
182 <i>Cetonia cuprea</i> , 1. <i>Africana</i> , 1. <i>hæmorrhodalis</i> , 2, and others - - - -	13
183 <i>Cetonia baccapinica</i> , 1. <i>Mimela, Nepaul</i> 2. <i>Cetonia, Brownii</i> , 1. <i>Australasiæ</i> , 1. <i>Corticina</i> , 1. and others - - - -	13
184 <i>Cetonia aurata</i> , and varieties. <i>Antheus</i> , 1. <i>viridis</i> , 1. <i>Volhynensis</i> , 2, and other species - -	15
185 <i>Cetonia Australasiæ</i> , 2. <i>versicolor</i> , 3. <i>alboguttata</i> , 1. <i>stictica</i> , 2, and other species - - -	15
186 <i>Cetonia lucidula</i> , 1. <i>tricolor</i> , 2, and other species -	22
187 <i>Gymnetis nitida</i> , 4, and var., and other species. <i>Cetonia Nepaul</i> , 1. - - - -	13
188 <i>Cetonia velutina</i> , 1. <i>æquinoctialis</i> , 3. <i>Gymnetis histrio</i> , 2. <i>lanio</i> , 1. <i>Bajula</i> , 1. - -	15
189 <i>Trichius variabilis</i> , 2 <i>Br.</i> <i>Cetonia stictica</i> , <i>Br.</i> -	3
190 <i>Hister major</i> , 1. <i>4-maculatus</i> , 1, and various exotic species	23

LOT	No.
191 Hister, numerous <i>Br.</i> species. semipunctatus, 2. sinuatus, 1. 4-notatus, 2. - - -	47
192 Hister, various ditto, Onthophilus, 2 <i>Br.</i> species. Platysoma pygmæa, 1 <i>Br.</i> Dendrophilus, 2 <i>Br.</i> sp. Abræus, 2 ditto	26
193 Byrrhus, Simplocaria and Chætophora. numerous <i>Br.</i> species - - -	41
194 Hololepta, 2 <i>exotic</i> species, Byrrhus gigas, 1. Trachyscelis, Sicily, 1. Dermestes, various species - -	50
195 Megatoma undatum, 2, Serra, 4. Attagenus Pello. Throscus adstrictor, 1. obtusus, 1. Anthrenus, various species - - -	45
196 Cryptophagus, Atomaria, and Ptychopteryx, numerous <i>Br.</i> species - - -	110
197 Ips 4-punctata, 1 <i>Br.</i> 4-guttata, 1 <i>Br.</i> ferrugineus, 2 <i>Br.</i> Trichodes apiarius, 2. alvearius, 2. Ips various species. Kolon? (Erotylus?) 2, and 2 others -	24
198 Clerus fasciculatus, 3. Eurypus rubens, 1. Priocera variegata, 1. Genus, nov. 1. Gen. nov. 1. and other interesting Cleridæ - - -	14
199 Clerus formicarius, 2. Ichneumoneus, 1. fasciculatus, 2. and other species. Trichodes crassipedarius, 2. bifasciatus, 2—2—2. Enoplium sanguinicolle, 1. Dasytes filusus, 2. - - -	19
200 Elicopis impressa. Necrobia, 3 species. Corynetes violaceus, 2. Opilus mollis, 3. Thanasimus formicarius, 1. Tillus ambulans, 1. elongatus, 2. Dasytes, several species. All <i>Br.</i> - - -	33

End of the First Day's Sale.

SECOND DAY'S SALE,

On TUESDAY, the 24th of JUNE, 1834,

Commencing at Twelve for One o'Clock precisely.

COLEOPTERA, continued.

LOT		No.
201	Necrophorus Americanus, 3. Germanicus, 1. bi-maculatus of Entl. Trans., 1. Vespillo & allied species Anglicanus, 1. - - - -	22
202	Necrodes littoralis, 2. Surinamensis, 1. Oiceoptoma ichthyophaga, 2. Americana, 1. thoracica, 2, and other species - - - -	18
203	Thanatophilus & Silpha, 9 Br. species. Cape G. H. 3 -	31
204	Phosphuga subrotundata, 2 Irish. atrata, 6. Silpha, 4. punctata, 2. lævigata, 2. Peltis grossa, 1. - -	15
205	Thymalus limbatus, 2 Br. Nitidula Meligethes and Campa, many Br. species - - - -	60
206	Mylæchus brunneus, 2 Br. Pria truncatella, 1 Br. Micropeplus, 2 Br. species. Meligethes, Cercus, &c. -	70
207	Scaphidium 4-maculatum, 1 Br. griseum M. (Phloeobius,) Ptomaphagus, Catops & Choleva, many Br. species - - - -	30
208	Zygia oblonga, 2. Melyris viridis, 2. Rhipicera marginata, 3. femorata, 1. Cebrio? Brazil, 1—1—1. - -	11
209	Drilus serraticornis, 1 Br. Lampyrus splendidula, 1 Br. Elodes, many Br. species - - - -	40
210	Lycus præmorsus, 1. Xanthomelas, 1. proboscideus, 1. rufipennis, 1. aurora, 1. sanguinea, 1, and other exotic species - - - -	18
211	Lycus articulatus, 1. ochraceus, 1, and other exotic species. Lampyrus Latreillii, 1, and other exotic species -	18
212	Amydetes apicalis, 1. Ægelocerus Nepaul, 1. Lycus laticsimus, 1, and other exotic species - - - -	13

LOT

213	Lycus, Omalytus and Lampyris numerous exotic species	-	22
214	Lampyris various exotic species. Dasytes, 3 ditto. Stenocorus? 4 ditto	- - -	14
215	Phengodes plumicornis, 1. Cladophorus marginalis, 1. Egelocerus, 3, <i>Nepaul</i> . Lycus 1—1	- -	9
216	Telephorus numerous exotic species	-	20
217	Ditto ditto. Silis spinicollis, 1. Gibbium Scotias, 1	-	25
218	Atractocerus Necydaloides male and female	-	2
219	Telephorus & Malthinus, 30 <i>Br.</i> species, including <i>T. violaceus</i> M.	- - -	78
220	Atractocerus brasiliensis, 1. Lymexylon navale, 1. Ptilinus <i>Georgia</i> , 1	- - -	3
221	Malachius & Malthinus 15 <i>Br.</i> species	-	40
222	Ochina Ptinoides, 1. Dryophilus Anobioides, 1. Serrocerus ater, 1. Meziom sulcatum, 3. Ptinus, Ptilinus & Anobium, 26 species. All <i>Br.</i>	- -	90
223	Elater ligneus, 2. feriatus, 2. suturalis, lineatus, 1, fine, <i>Brazil</i> , 1—1—1.	- - -	9
224	Elater pectinatus, 1, <i>Br.</i> mesomelas, 4, and other exotic species	- - -	10
225	Elater oculatus, 2. porcatus, 1. luscus, 1 & 1—1	-	6
226	Elater porcatus, 2. fuscipes, 1, and other fine species	-	10
227	Pyrophorus, numerous species	-	21
228	Ludius ferrugineus, 1. Elater sibericus, 1. Bæberi, 2, and numerous fine exotic species	- -	22
229	Elater, numerous <i>Br.</i> species	-	85
230	Elater pectinicornis, 2. chalybeus, 2. cupreus, 2. rufipennis, 1 <i>Br.</i> sanguineus, 1 <i>Br.</i> hæmatodes, 1. ustulatus, 1 <i>Br.</i> 2-pustulatus, 2, and other <i>Br.</i> species	-	28
231	Elater Ehippium, 7. balteatus, 2 <i>Br.</i> cruciatus, 1. sericeus 1, and other exotic species	-	18
232	Melasis flabellicornis, 2 <i>Br.</i> ruficollis, 1. 4-pustulatus, 1, and other <i>Br.</i> species	- -	30
233	Buprestis hirsuta, 3. Andreæ, 3. hirta, 1. fasciculata, 1, and others	- - -	9
234	Buprestis vasiabilis, 1. macularia, 1. <i>New Holland</i> , 2—1.	- - -	6

LOT	No.
235 Buprestis grandis, 1. chrysis, 2. vittata, 1	6
236 Buprestis sternalis, 1. chrysis, 1. grandis, 1. Cape G. H. 1. - - - -	4
237 Buprestis castanea, 1. interrupta, 1. chrysis, 1. New Holland, 1—1. - - - -	5
238 Buprestis sternalis, 1. interrupta, 1. New Holland, 1—1. - - - -	4
239 Buprestis grandis, 2. Mariana, 1. chrysis? 1. Brazil, 1	5
240 Buprestis castanea, 1. vittata, 1. flavo-maculata, 1. Brazil, 1. New Holland 1. - - -	5
241 Buprestis flavo-maculata, 1. acuminata, 2. rutilans, 1. Mariana, 2. tenebricosa, 2. - - -	8
242 Buprestis ocellata, 1. vittata, 1. var.? 1. - - -	3
243 Buprestis imperialis, 1. fulgida, 1. New Holl. 1—1— 1—1—3. India, 1. - - -	11
244 Buprestis Mariana, 2. fulgida, 1. imperialis, 1—1—1 1—1—2. - - - -	10
245 Buprestis, numerous species - - -	16
246 Buprestis scabra, 2. Sierra Leone, 2 fine - - -	4
247 Buprestis attenuata, 2. corruscus, 1. ventricosa, 1, and 2—2—2. - - - -	12
248 Buprestis equestris, 1, and 3 other species - - -	4
249 Buprestis rutilans, 2. Alni, 1, and 6 other species - - -	9
250 Buprestis jucunda, 1. acuminata, 1—1—2. - - -	5
251 Buprestis fulgurans, 1. elegans, 2, and 9 other species	13
252 Buprestis flavo-maculata, var. 1, and 12 other species -	16
253 Buprestis flavo-maculata, 1, and 9 other species -	12
254 Buprestis 9-maculata, 1 Br. Trachys pygmaea, 1 Br. minuta, 2 - - - -	4
255 Buprestis strigosa, 1. leucosticta, 1, and 11 other species - - - -	16
256 Buprestis 8-guttata, 1. flavo-maculata, 1, and 10 other species - - - -	14
257 Buprestis bi-guttata, 1 Br. Salicis, 1 Br. viridis, 2. -	4
258 Agrilus, numerous species, chiefly from the Cape G. H. Trachys aurulenta, 2. - - -	20

LOT	No.
259 Metallites, numerous species, chiefly from <i>Brazil</i>	- 19
260 Stenochia rufipes, 2. cyanipes, 2, and other species. Pelecotoma Braziliensis, 4, and 4 others	- 17
261 Notoxus monoceros, 3 <i>Br.</i> Aderus Boleti, 1 <i>Br.</i> Rhipiphorus paradoxus, 2 <i>Br.</i> Pyrochroa coccinea, 2 <i>Br.</i> Anthicus, 4 <i>Br.</i> species. Myodites, 1—1.	- 26
262 Rhipiphorus paradoxus, 1 <i>Br.</i> Mordella & Anaspis, numerous <i>Br.</i> and exotic species	- 36
263 Horia maculata, 2. Cissites testacea, 1. <i>Sierra Leone</i> , 1—1, very fine. mutica, 1. Tetraonyx, 1, <i>Brazil</i>	7
264 Tetraonyx 8-maculata, 1. bi-maculata, 1. cyanea, 1. <i>Bz.</i> 1—1—1, Dytillus lævis, and 2 others	- 2
265 Dices capitata? Mylabris, numerous exotic species	✓ 29
266 Mylabris ditto	- 19
267 Mylabris ditto	- 20
268 Mylabris ditto	- 25
269 Mylabris ditto. Cerocoma Schreberi, 4. Lydus algiricus, 2—2—2—1	- 19
270 Meloe scabrosus, 1 <i>Br.</i> cicatricosus, 1 <i>Br.</i> autumnalis, 1 <i>Br.</i> Maialis, 1.	- 4
271 Meloe proscarabæus, violaceus, tectus & varieties	- 28
272 Apalus humeralis, 2 <i>Br.</i> Meloe dubius, 1. violaceus	- 8
273 Cantharis vesicatoria, 5, (1 <i>Br.</i>) Apalus bi-maculatus, 1 <i>Br.</i>	- 6
274 Lytta Syriaca, Pallasii, Siberica, and other exotic species	- 20
275 Lytta erythrocephala, megacephala, Fischeri, and many other Foreign species	- 24
276 Ænas afer. 1—1—1—1. Zonitis punctata, caucasica, and others. Nemognatha, various species	- 19
277 Conopalpus testaceus, 1 <i>Br.</i> Oedemera podagrariæ, 2 <i>Br.</i> cærulea	- 12
278 Apalus humeralis, 1 <i>Br.</i> Oedemera, several <i>Br.</i> species. Salpingus, 3 <i>Do.</i> Sphæriestes, 2 <i>Do.</i>	- 29
279 Pedilus fuscus, 2. Rhysodes Europæus, 1. Cnodalon longipes, 1. cærulea, 1—1—1 Diaperis, 1. Lytta, 1, fine	- 12
280 Anthribidæ, numerous exotic species	- 14

LOT	No.
281 <i>Platyrhinus latirostris</i> , 2 <i>Br. albinus</i> , 1 <i>Br. Anthribus</i> <i>scabrosus</i> , 2. <i>varius</i> , 1. <i>Bruchus</i> , various species -	32
282 <i>Apoderus Coryli</i> , <i>Platyrhinus latirostris</i> , 2 <i>Br. Rhyn-</i> <i>cites Bacchus</i> , 2, and other <i>Br. species</i> -	32
283 <i>Rhynchites</i> , various <i>British species</i> . <i>Apion</i> , numerous <i>Br. species</i> carefully named, (some by Germar) includ- ing <i>Ap. difforme</i> ♂ & ♀ -	80
284 <i>Apion</i> , many <i>Br. ditto</i> ——ditto, including <i>Apion</i> <i>Astragali</i> -	75
285 Ditto——ditto, including <i>Apion Limonii</i> , 2 -	55
286 <i>Brenthus</i> , 5 species -	5
287 <i>Brenthus</i> , 10 ditto -	10
288 <i>Brachycerus obesus</i> , 1. <i>œdematosus</i> , 1. <i>globosus</i> , 1. <i>cristatus</i> , 1—1—1—1. -	7
289 <i>Brachycerus spectrum</i> , 1. <i>rostratus</i> , 1, and other species	11
290 <i>Brachycerus verrucosus</i> , 1. <i>cinerascens</i> , 1, and 9 other species. <i>Othiorhynchus</i> , 4 species -	20
291 <i>Orchestes</i> , <i>Cionus</i> , <i>Rhinusa</i> , <i>Sibinia</i> & <i>Falciger</i> , numerous <i>Br. species</i> -	85
292 <i>Orobitis globosus</i> , 1 <i>Cleonis punctiventris</i> , 2. <i>obsoleta</i> , 1. <i>Falciger</i> , numerous <i>Br. species</i> -	84
293 <i>Falciger</i> , <i>Cryptorhynchus</i> , <i>Camplyrhynchus</i> , numerous <i>Br.</i> species -	65
294 <i>Cryptorhynchus corruscans</i> , 1. <i>Dromedarius</i> , 1. <i>Leachii</i> , 1. and various other fine exotic species -	24
295 <i>Amerhinus Dufresnii</i> , 2, and many other exotic species of <i>Curculionidæ</i> -	26
296 <i>Cryptorhynchus Taramisci</i> , 1. <i>Curculionidæ</i> , numerous fine exotic species, <i>Eurhinus lævior</i> , 1 -	24
297 <i>Balaninus</i> , <i>Dorytomus</i> , <i>Authonomus</i> , numerous <i>Br. species</i> . <i>Gryphus Lathburii</i> , 2. <i>Equiseti</i> , 1. -	60
298 <i>Pissocles Picipes</i> , 1 <i>Br. Hylobius abietis</i> , 3 <i>Br. Liparus</i> <i>Germanus</i> , 2 <i>Br.</i> , and other <i>Br. species</i> -	36
299 <i>Magdalis</i> , <i>Hypera</i> , <i>Loborhynchus</i> , numerous <i>Br. species</i> . <i>Merionus pilosulus</i> , 2. <i>elevatus</i> , 1 <i>Br.</i> -	60
300 <i>Loborhynchus</i> , <i>Liophlæus</i> , various <i>Br. species</i> . <i>Plinthus</i> <i>carinatus</i> , 1 <i>Br.</i> -	70

LOT	No.
301 Curculio Sprengleri, and numerous exotic species of Curculionidæ - - - - -	20
302 Curculio vittatus, 2, and ditto ———ditto - - - - -	24
303 Curculio nodulosus, 1. Echidni, 1. and numerous ditto chiefly from <i>New Holland</i> - - - - -	16
304 Curculio globifer, 2. Capensis, 1, and ditto ———ditto - - - - -	28
305 Phalidura mirabilis, 2. Marshami, 2. and numerous ditto chiefly from <i>New Holland</i> - - - - -	24
306 Curculio vitulus, 1. Hypselomus, various species. Curculio imperialis, 1. - - - - -	21
307 Chrysolophus spectabilis, nitidulus, 3, Curculio elegans, Lordrops, various, and other fine species - - - - -	13
308 Entimus imperialis, 2, and varieties. nobilis, 1, nigrosparsus, 1 - - - - -	6
309 Entimus imperialis?, and varieties. rugosus, 1 - - - - -	5
310 Entimus imperialis, 1, and varieties. <i>Brazil</i> , 1. nitidulus, 2. Chlorima viridis, 1, and other exotic Curculionidæ - - - - -	18
311 Entimus splendidus - - - - -	2
312 Entimus sumptuosus - - - - -	1
313 Entimus Hancockii - - - - -	1
314 Entimus bibuloides, and allied species - - - - -	11
315 Entimus niveus, 2. lacteus, 2. cyanipes, 1. spinifex, 1, and other exotic species - - - - -	15
316 Curculio gibbus, 3, and numerous exotic species - - - - -	22
317 Callizonus spectabilis - - - - -	1
318 Polydrusus & Leptocerus, numerous exotic species - - - - -	36
319 Polydrusus, numerous <i>Br.</i> species, including <i>P. Mali</i> . Tanymecus diffinis, 6 <i>Br.</i> Orientalis, 2. aurifex, 2. and other exotic species - - - - -	55
320 Sitona & Thylacites, numerous <i>Br.</i> species - - - - -	85
321 Cleonis & Thylacites, several fine exotic species, and other fine exotic Curculionidæ - - - - -	46
322 Thylacites, numerous <i>Br.</i> species. Psalidium maxillosum Cleonis, various exotic species - - - - -	55
323 Numerous fine species of exotic Curculionidæ, chiefly Cleonides - - - - -	17

LOT	No.
324 Cleonis sulcostris, 6 Br. nebulosus, 4 Br. Rhinobatus planus, 1 Br. angulatus, 1 Br. Leptosoma producta, 4 Br. - - - - -	18
325 Numerous exotic species of Cleonis, Lixus & Rhinobatus	30
326 Rhina barbirostris, 2 fine. Acorhinus Brazil, 1, and 3 other fine Curculionidæ - - -	6
327 Calandra, numerous exotic species - - -	36
328 Calandra Africa, 1. Acorhinus, 1. Platynotus, 3. Curculio miliaris, 1. - - -	6
329 Pausus denticornis, 1. Hardwickii, 1. thoracius, 1 -	3
330 Cholus sternicornis, and another very fine species of Curculionidæ - - -	2
331 Apate muricata? Br. Platypus cylindricus, 2 Br. Hylurgus sulcatus, 2 Br. Calandra & Cerylon, Br. species	25
332 Cossonus Tardii, 2 Irish. Nemosoma cylindricum, 2 Br. Tomicus typographus. Br. Cossonus, Tomicus & Cis, various Br. species - - -	50
333 Trogosa virescens, 2. Cucujus depressus, 1. rufus, 1. Nepal, 1. Hylurgus, Brazil, 1. Brontes flavipes, 2.	15
334 Hylurgus, Bostrichus & Cis, numerous Br. species, Apate domestica, 1 Br. - - -	50
335 Brenthus, 1 Brazil, fine. Brachycerus, 5 species. Cape G. H., 1. - - -	6
336 Corticaria, Latridius, Silvanus, Triphyllus & Sychita, numerous Br. species - - -	60
337 Ditoma crenata, 2. Crypta bipunctata, 4. Triphyllus signatus, 4. Trogosa Mauritanica, 4. Mycetophagus and Cryptophagus, numerous Br. species - -	52
338 Chilocorus 2-pustulatus, 2. Cacti, 2. 4-verrucata, 2. Surinamensis, 2. imperialis, 4. dilatata, 1. reticulata, 1, and numerous exotic species - -	42
339 Coccinella, numerous Br. species, described by Mr. HAWORTH in the Entomological Transactions -	70
340 Coccinella, ditto-----ditto - - -	60
341 Coccinella, ditto-----ditto - - -	60
342 Coccinella borealis, 3. 16-punctata, 1. 28-punctata, 2, and numerous exotic species - - -	60

LOT	No.
343 Coccinella, various exotic species. Nilio, 3 species. Scymnus, 7 Br. ditto - - - -	34
344 Scymnus, 4 ditto. Strongylus, ditto. Cacicula scutellata, 1 Br. Eumorphus, 3 sp. Endomychus coccineus, 2 Br. 1—1. Lycoperdina, 2 Br. - - -	36
345 Donacia, 18 Br. species, Macroplea zosteræ, 1 Br. Equi- seti, 1 Br. Orsodachna, 3 Br. - - -	64
346 Sagra, several exotic species, Galeruca, ditto, chiefly from <i>Nepaul</i> - - - -	16
347 Megalopus Megascelis, Galeruca and Gen. nov., numerous exotic species - - - -	22
348 Alurnus grossus, 3—1—1. Auchenia 4-maculata, 2. Lema merdigera, 3, and others, exotic - -	15
349 Imatidium Mac Leayanum, Lema, various species, Crio- ceris and Crevia, ditto, 5 Br. species, and other exotic Chrysomelidæ - - - -	38
350 Hispa and Chalepus, numerous exotic species - -	19
351 Cassida inæqualis, bicornuta, and many other exotic species	27
352 Cassida, numerous ditto, some very rare - -	15
353 Cassida— ———ditto—— ———ditto - -	24
354 Cassida cruciata, miliaris, fuscata, circumdata, and many other exotic species - - - -	27
355 Cassida marginata, 1, and many other exotic species, Adorium bi-punctatum, 2—2. - - -	25
356 Cassida, numerous Br. species, including C. spergulæ, splendidula, nobilis, marcida, and others. Galeruca rustica, 2 Br., and others - - - -	22
357 Galeruca, many fine exotic species. Nov. gen. 2. Podontia, 1, and others - - - -	22
358 Galeruca, Crioceris & Cassida, numerous exotic species -	39
359 Adimonia Alni, 1 Br. Galeruca, several Br. species, Crioceris, Colaspis & Cassida, various exotic species -	48
360 Galeruca circumfusa, 2. Luperus, 2 Br. species. Po- dontia, Galeruca & Crioceris, numerous exotic species	50
361 Œdionychus, Haltica & allies, numerous exotic species, Argopus nigratarsis, 1. Gen. nov ? 1, Ditto ? 1 -	36
362 Œdionychus, Haltica, Colaspis, &c. numerous exotic species	45

LOT	No.
363 <i>Haltica</i> , numerous <i>Br.</i> species - - -	65
364 Ditto——ditto——ditto - - -	75
365 <i>Doryphora</i> & <i>Paropsis</i> , numerous fine exotic species -	20
366 Ditto——ditto——ditto - - -	20
367 <i>Paropsis</i> , numerous species, from <i>New Holland</i> -	28
368 <i>Timarcha rugosa</i> , 1 <i>Algiers</i> , 1. <i>Doryphora</i> , 1. <i>Chrysomela</i> , 3-maculata, 2 & 2. <i>Eumolpus</i> , 1, <i>Nepaul</i> , very fine, and others - - -	28
369 <i>Chrysomela Adonidis</i> , 1. <i>Philadelphica</i> , 2. <i>Doryphora cuprea</i> , <i>Colapsis</i> , <i>Nepaul</i> , 1. and other exotic species	28
370 <i>Podontia 14-punctata</i> , 2. <i>Chrysomela Philadelphica</i> , pulchra, and many other exotic species of <i>Chrysomela</i>	44
371 <i>Podontia 14-punctata</i> , 2. <i>Chrysomela hæmochlora</i> , 1. musiva, 1. basilea, 1. lapponica, 1, and many other exotic species of <i>Chrysomela</i> -	35
372 <i>Chrysomela splendens</i> , 3 <i>Br.</i> <i>Graminis</i> , 2. <i>cerealis</i> , 1. limbata, 1. fulgida, 2 <i>Br.</i> <i>fastuosa</i> , 2. <i>Hyperici</i> , <i>Quinquejugis</i> , 1, and many other <i>Br.</i> species -	46
373 <i>Chrysomela</i> , numerous <i>Br.</i> species, including <i>Chrysomela marginata</i> , 1 - - -	86
374 Ditto——ditto, including <i>Chrys. fastuosa</i> , 3. <i>fulgida</i> , 1. <i>cerealis</i> , 1 <i>Foreign</i> . <i>Hyperici</i> , 1. -	75
375 <i>Eumolpus</i> , numerous splendid exotic species -	22
376 Ditto——ditto - - -	24
377 Ditto——ditto - - -	26
378 <i>Eumolpus obscurus</i> , 1. <i>Chrysomela Curtisii</i> , 2. <i>Clythra punctulata</i> , 2. <i>Atraphaxidis</i> , 1. 2-punctata, 1. <i>cyani-collis</i> , 2, and various exotic <i>Chrysomelidæ</i> -	35
379 <i>Lamprosoma</i> , various species - - -	20
380 <i>Chlamys bacca</i> , 2. <i>nigro-ænea</i> , 1, and 8 other species -	11
381 <i>Clythra</i> and <i>Galeruca</i> , numerous exotic species -	32
382 <i>Clythra longipes</i> , 2. <i>Galeruca lineata</i> , 3. <i>Nepaul</i> , 1—1., and numerous exotic species of <i>Chrysomelidæ</i> -	31
383 <i>Cryptocephalus</i> , many beautiful small exotic species -	35
384 <i>Cryptocephalus</i> , ditto. <i>Spheniscus erotyloides</i> , 1. <i>Erotylus</i> , 3. <i>fasciatus</i> , 2—2., and other exotic species, some very fine - - -	28

LOT	No.
385 Numerous small exotic Chrysomelidæ, Galeruca, <i>Nepaul</i> , 2—1. - - - - -	22
386 Cryptæcephalus Coryli, 2. 6-punctata, 1, and other species. Clythra 3-dentata. All <i>Br.</i> - - -	32
387 Erotylus histrio, and various fine species - - -	15
388 Languria bicolor, 1—1—1. Cossyphus, 4 species. Dia- peris <i>Nepaul</i> , 2. Hydni, 2. bicolor, 1. Erotylus, 1—1—1. - - - - -	22
389 Erotylus histrio, 1. immaculata, 3. clavicornis, 1. 2-maculata, 1. 10-maculata, 1, and other fine species	19
390 Triplax russica, 3 <i>Br.</i> bicolor, 1—1. Diaperis Boleti, 2, (1 <i>Br.</i>) Tritoma bipustulata, 2. Tetratoma fungorum, 2. Agathidium, Leiodes, Phalachus, and Anisotoma, nume- rous <i>Br.</i> species - - - - -	78
391 Saperda, various fine exotic species - - -	13
392 Saperda oculata, 1. scalaris, 1. lineato-collis, 1. All <i>Br.</i> and perfect - - - - -	3
393 Saperda Seidlîi, 1. erythrocephala, 1. Dahlii, 1. sca- laris, 1. cylindrica, 1, and various exotic species -	12
394 Enicodes Fichtelii, 1. Stenocorus triangularis, <i>Hope</i> 1. Saperda populnea, 2. præusta, 2, and many fine exotic species, Gnoma purpurea, 2 - - - - -	15
395 Saperda Cardui, 1. scalaris, 1, and numerous fine exotic species of Cerambycidæ - - - - -	16
396 Cerambycidæ, numerous ditto - - - - -	11
397 Callidium clavipes, 2. gracile, 2. minuta, 3 <i>Br.</i> Pur- puricenus, 2, <i>India</i> . Clytus, <i>New Holland</i> , 1, and others - - - - -	22
398 Stenocorus, Callidium, Leptura and Clytus, numerous exotic species - - - - -	17
399 Callidium violaceum, 2. fennicum, 1. sanguineum, 1. rufipes, 2. Purpuricenus scalaris, 1. sellatus, 2. Ha- lodendri, 2, and other species. Colobothea varia, and others - - - - -	22
400 Clytus flexuosus, 2. arcuatus, 2 <i>Br.</i> floralis, 2, and others - - - - -	18

End of the Second Day's Sale.

THIRD DAY'S SALE,

On WEDNESDAY, the 25th of JUNE, 1834,

Commencing at Twelve for One o'Clock precisely.

COLEOPTERA, continued

LOT		No.
401	<i>Clytus flexuosus</i> , 2. <i>Verbasci</i> , 1. <i>Hafniensis</i> , 1. <i>Cafra</i> , 1, and other exotic species - - -	24
402	<i>Stenopterus aurulentus</i> , 1, and other exotic species. <i>Necy- dalis umbellatarum</i> , 2 <i>Br.</i> <i>Leptura interrogationis</i> , 3, and other exotic species - - -	16
403	<i>Stenoderus variegatus</i> , 3, and other exotic species -	7
404	<i>Rhagium inquisitor</i> , 3. <i>bifasciatum</i> , 2, and var. <i>Leptura variabilis</i> , 3. <i>nigripes</i> , 2. <i>Strigulata</i> , 2. <i>Smaragdula</i> , 2, <i>cincta</i> , 1. <i>Toxotus cursor</i> , 1 - - -	20
405	<i>Pachyta 6-punctata</i> , 2 <i>Br.</i> <i>collaris</i> , 2 <i>Ditto.</i> <i>Rhamnusium Salicis</i> , 1. <i>Leptura annularis</i> , 1. <i>dubia</i> , 1. <i>variabilis</i> , 3. <i>annulata</i> , 1. <i>virginea</i> , 1. <i>varicornis</i> , 1, and other species - - -	30
406	<i>Toxotus meridianus</i> , 1. <i>Leptura annulata</i> , 1. <i>zebrata</i> , 1. <i>12-guttata</i> , 1, and other <i>Br.</i> and <i>exotic</i> species -	25
407	<i>Toxotus rufiventris</i> , 3. <i>Pachyta collaris</i> , 1. <i>affinis</i> , 1. <i>sanguinolenta</i> , 1. <i>virens</i> , 1. <i>rubra</i> , 1, and others -	20
408	<i>Leptura aurulenta</i> , 1 <i>Br.</i> <i>4-fasciata</i> , 2 <i>Br.</i> <i>apicata</i> , 1 <i>Br.</i> <i>Pachyta affinis</i> , 1 <i>Br.</i> <i>Rhagium Indigator</i> , 1 <i>Br.</i> , and 3 <i>Cerambycidæ</i> reared in England - - -	9
409	<i>Saperda Carcharias</i> , 3. <i>Monochamus dentator</i> . <i>Pyrodes</i> , 3, and other fine exotic <i>Cerambycidæ</i> - - -	15

LOT	No.
410 Monochamus Sutor, var. ? 1. Saperda, &c. various exotic ditto - - -	11
411 Saperda ferrugator, fine & perfect. 4-maculata, Voet, 1. Brazil, 1 fine, and others - - -	10
412 Lamia amputator, 1. grisea, 1, and other fine exotic species - - -	11
413 Acanthocinus Ædilis, 2 Br. Lamina Textor, 2 Ditto -	4
414 Lamia Sutor, 1. Æthiops, 1. pectoralis, 1. notata, 1. ferrugator, 1, and others - - -	7
415 Lamia hottentotta, 2, and other exotic species -	10
416 Lamia fronticornis, Fab. 2. oculator, 1 fine, and others -	10
417 Dorcacerus barbatus, 1. Lamia bicincta, 1. maculata, 1. hottentotta, 1, and other fine species - -	12
418 Lamia Capensis, 1. reticulator, 1. speculifer, 1. oculator, 1. - - -	4
419 Acrocinus dentator, found alive at Hoxton, and figured in the Entomological Transactions, very fine - -	1
420 Lamia trifasciata, 1, and 6 other fine species -	7
421 Lamia vermicularis, 2. macularia, 1. hirticornis, 1, and others - - -	6
422 Lamia mutillaria, 1. hottentotta, 1. Pogonocherus, various species. Spondylus, 4. Parnena fasciata, 1. -	26
423 Tetraopes tetropthalma, 2—1—1—1. Desmocerus cyaneus, 1. Acanthocinus speculifer, 1, and female? Saperda, various fine exotic species - -	16
424 Lamia, 2 splendid exotic species - -	2
425 Lamia pulchella, 2 very fine - -	2
426 Dorcadion, numerous species - -	20
427 Hussarus imbricornis, 3. Faber, 1 & 2 -	6
428 Lissonotus equestris, 2, and other species. rufipes, 1., fine, and other exotic species - -	11
429 Prionus coriarius, 3. Lamia nubila, 1. All Br. -	4
430 Prionus serrarius, 1. Pyrodes nitidus, 2. Stenocorus festivus, 1. and 1 - - -	5

LOT	No.
431 <i>Acrocinus accentifer</i> , 1. <i>Cerambyx</i> , 1—2—1, fine -	5
432 <i>Hamaticherus</i> , 1. <i>Batus</i> , 1, and 1 <i>Sierra Leone</i> -	3
433 <i>Pyrodes nitidus</i> , 1. <i>Callichroma vittata</i> , 2. <i>farinosa</i> , 3. <i>festiva</i> , 1 & 2, fine - - -	9
434 <i>Colobotheca</i> , <i>Brazil</i> , 2. <i>Callichroma</i> , various species. <i>Lamia vittata</i> , 1 & 1 - - -	9
435 <i>Callichroma virens</i> , 1. <i>velutina</i> , 1. <i>sericea</i> , 1. <i>latipes</i> , 1. and others - - -	11
436 <i>Callichroma festiva</i> , 2. <i>Afer</i> , 1. <i>sericea</i> , 1. <i>Stenocorus spinicornis</i> , 2. <i>semipunctatus</i> , 3, and others -	11
437 <i>Stenocorus fasciatus</i> , 2. <i>Cerambyx 4-maculatus</i> , 2. <i>6-maculatus</i> , 2, and allied species - - -	9
438 <i>Callichroma festiva</i> , 2. <i>Hamaticherus cerdo</i> , 2, and other exotic species - - -	8
439 <i>Phænicocerus Dejeanii</i> , very fine - - -	1
440 <i>Cerambyx scopipes</i> , 2. <i>hirsuticornis</i> , 2, and other curious allied species - - -	6
441 <i>Trachyderes succinctus</i> , 2. <i>dimidiatus</i> , 1. <i>striatus</i> , 1, and other allied species - - -	10
442 <i>Trachyderes rufipes</i> , 2. <i>bicolor</i> , 1. <i>dimidiatus</i> , 1. <i>striatus</i> , 2, and other allied species - - -	11
443 <i>Prionus</i> , 2—1—1 - - -	4
444 <i>Prionus maxillosus</i> , 2—1—1, fine - - -	4
445 <i>Prionus crenulatus</i> , 1. <i>mandibularis</i> , 1, both very fine -	2
446 <i>Prionus damicornis</i> , 2 very fine specimens - - -	2
447 <i>Prionus</i> , 2, fine and perfect - - -	2
448 <i>Prionus giganteus</i> , 1. A noble specimen - - -	1
449 <i>Prionus cervicornis</i> , 1. <i>depsarius</i> , 1. <i>St. Domingo</i> , 1. -	3
450 <i>Prionus</i> , 3 fine <i>African</i> species - - -	3
451 <i>Prionus corallinus</i> , 1. <i>Dorysthenes rostratus</i> , 1 & 1 -	3
452 <i>Prionus unicolor</i> , 1. <i>Brazil</i> , 3—1. <i>Parandra maxillosa</i> , 1. <i>lævis</i> , 1 & 1. - - -	8
453 <i>Macropus pictus</i> , 2. <i>Megaderus Stigma</i> , 2—1—1. -	6
454 <i>Prionus lineatus</i> , 1—1—1—2. <i>fuliginosus</i> , 1. <i>Tragocerus</i> , <i>New Holland</i> , 1—1—1. - - -	9
455 A splendid and unique <i>Lamia</i> , from <i>Africa</i> - - -	1

	LOT	No.
456	Scotodes, 1. Serropalpus, 1. Xylita buprestoides, 2. Epitragus fuscus? 1—2—1. Cistela? <i>St. Domingo</i> , 3. Stenostoma, <i>New Holland</i> , 2, and others	19
457	Hypulus quercinus, 1 <i>Br.</i> Eryx niger, 1 <i>Br.</i> Cistela ceramboides, 1 <i>Br.</i> , and other <i>Br.</i> species. Allecula sulphurea, 10 <i>Br.</i> Mycetocharis humeralis, 3 <i>Br.</i>	50
458	Arthomacer Donacioides, 1. acuminatus, 2. Lagria, various exotic species. Rhaebus Gebleri, 1. Macros- celis, <i>Brazil</i> , 2. Platynotus rugosus, 1, and others	17
459	Machla villosa, 1. carinata, 2. nodulosa, 1. Gonopus, <i>Cape G. H.</i> 3. Opatrum, <i>Cape G. H.</i> , 1—1—1. sabulosum, 2.	15
460	Gonopus, 2. Opatrum, <i>Cape G. H.</i> 1—3—2. Asida obscura, 1. <i>Cape G. H.</i> , 2. unicolor, 1—2—1—1.	16
461	Gonopus, 1—1. Machla villosa, 1. Asida obscura, 1. Eledona cornuta, 1—1. Opatrinus, 3, and others	20
462	Misolampus, 1. Oxura? 1. Eurynotus muricatus, 1. Scotinus crenicollis, 2. Crypticus, <i>Cape G. H.</i> 5 species, Blapida Okeni, 2	15
463	Phylan hypolithus, 2. melas, 2. gemellatus, 12 <i>Br.</i> Platyope, 5 species. Zophosis? <i>Cape G. H.</i> 2—1—1., and others	38
464	Erodus & Pimelia, numerous exotic species	19
465	Pimelia & Moluris, numerous fine exotic species, chiefly from the <i>Cape G. H.</i>	17
466	Pimelia & Moluris, ditto, ditto. Eurychora ciliata, 4 & 1. Trachynotus vittatus, 1.	16
467	Moluris & Akis, numerous exotic species	14
468	Pimelia, Moluris, and Hegeter? various ditto. Elenophorus collaris, 1. Sepidium, 1, and 1	15
469	Blaps producta, 1. Gigas, 2. spinimana, 2. Sepidium reticulatum, 2—1. Scaurus striatus, 4—2. Tagenia filiformis, 1.	16
470	Tentyria rugulosa, 2. siberica, 1. subquadrata, 1. orbicu- lata, 1. podolica, 1. lata, 1, and other exotic species	18
471	Blaps & Eleodes, various species	15
472	Upis cornuta, 2. Gigas, 1, ceramboides, 1, and others	7
473	Chirosclis fenestrata? 1. Upis armata, 1, fine	2

LOT	No.
474 Upis ? <i>Cape G. II.</i> 2—1. fine, and other species -	11
475 Trogosita ? <i>Cape G. II.</i> 1—1. <i>Tenebrio obscura</i> , 2 <i>Br.</i> Calcar, 1—2, and other allied insects. <i>Goniadera crenata</i>	26
476 <i>Sarrotrium muticum</i> , 3 <i>Br.</i> <i>Uloma cornuta</i> , 2 <i>Br.</i> <i>Pha-</i> <i>leria cadaverina</i> , 4 <i>Br.</i> <i>Helops violaceus</i> , 2 <i>Br.</i> <i>Hypo-</i> <i>phlæus bicolor</i> , 3 <i>Br.</i> <i>depressus</i> , 2 <i>Br.</i> <i>Fagi</i> , <i>Br.</i> , and other allied insects - - -	36
477 <i>Helops gigas</i> , 4. <i>vittatus</i> , 2. <i>lanipes</i> , 2, and other exotic species - - -	24
478 <i>Strongylium chalconotus</i> , 3. <i>Sphærotus curvipes</i> , 2. <i>Adelium</i> , 7 species, <i>New Holland.</i> <i>Pytho depressus</i> , 3. <i>Antimachus furcifer</i> , 1, and others - -	24
479 <i>Lamia rubus</i> , 2. <i>Brazil</i> , 1, fine - - -	3
480 <i>Lamia tristis</i> , 1. <i>punctata</i> , 2. <i>Callidium hirtum</i> , 1, and 3 other exotic <i>Cerambycidæ</i> - - -	7
481 <i>Lamia</i> , 3 rare and perfect species - - -	3
482 <i>Lamia 3-fasciata</i> , 2. <i>Cerambyx Heros</i> , 1. <i>Cerdo</i> , 1. <i>semipunctata</i> , 1, and others - - -	9
483 <i>Hamaticherus Cerdo</i> , 2. <i>semipunctata</i> , 1. <i>Acrocinus</i> <i>accentifer</i> , 2. <i>horridus</i> , 1. <i>Betulina</i> , 1, and others -	11
484 <i>Prionus Australasiæ</i> , 3 fine specimens - - -	3
485 <i>Acrocinus cancriformis</i> , 1. <i>araneiformis</i> , 1, and 4 allied species. <i>Hypselonotus cristatus</i> , 1. <i>Lamia nubila</i> ? 1	8
486 <i>Lamia scutigera</i> , <i>perpulchra</i> , 1, and 2 other beautiful <i>Cerambycidæ</i> , from <i>Brazil</i> - - -	4
487 <i>Rhinotragus</i> , 1—1. <i>Cerambyx hirsuticornis</i> , 1. <i>semi-</i> <i>punctatus</i> , 1, and other fine <i>Cerambycidæ</i> - -	8
488 <i>Acrocinus</i> and <i>Lamia</i> , numerous <i>Brazilian</i> species -	17
489 Ditto——ditto - - -	18
490 <i>Mesosa curculionides</i> , 2. <i>Myops</i> , 1, and numerous ditto -	17
491 <i>Distichocera maculicollis</i> , 1, and various interesting small <i>Cerambycidæ</i> , chiefly from <i>Brazil</i> - -	11
492 <i>Brachycerus</i> , 4 fine species from the <i>Cape</i> - - -	4
493 <i>Brachycerus</i> , 3 ditto. <i>Heilipus lactarius</i> 1. <i>Alocorhi-</i> <i>nus clericus</i> , 2, and various interesting small <i>Brazilian</i> <i>Curculionidæ</i> - - -	13
494 <i>Curculio Rodami</i> . 1. <i>Reidi</i> , 1, very fine - -	2

LOT	No.
495 Antliarhinus rostratus, 1. Dionychus alboguttatus, 1. Brazil, 1—1, very fine, and 2 - - - 6	
496 Desmosomus longipes, and two other rare and remarkable Curculionideous insects - - - 3	
497 Eight ditto———ditto, from Brazil - - - 8	
498 Arrhenodes, Europteris & Anthribus, fine Brazilian species - - - 6	
499 Alurnus grossus, 2. Attelabus gemmatus, 2. longicollis, 1, and 9 interesting exotic species of Curculionidæ - 14	
500 Attelabus gemmatus, 2. longicollis, 1. Bruchus cruciger, 1, and various small & interesting exotic Curculionidæ - 11	
501 Apoderus bi-pustulatus, 1. Cryptorhynchus corruscans, 1, Belus semipunctatus, and various interesting exotic Cur- culionidæ - - - 0	

NEUROPTERA.

502 Æshna grandis, 2. anglicana, 2. teretiuscula, 1. Anax Imperator, 2. All Br. - - - 7	
503 Æshna Dali, 1. viatica, 3. Juncea, 2. All Br. - 6	
504 Anax Imperator, 2. Æshna teretiuscula, 1. Ludovica and Virgo, and numerous varieties, Br. - - 16	
505 Lestes autumnalis, 5. nigripes, 1. major, 1. Agrion sanguineum, 9. rufescens, 1. All Br. - 24	
506 Agrion zonatus, 6. puella, 4. albicans, 4. annularis, 2. rufipes, 3. and other Br. species - - 26	
507 Libellula, 8 exotic species, with larvæ and pupæ - 14	
508 Libellula, 8 beautiful ditto - - - 8	
509 Libellula, 7 ditto - - - 7	
510 Libellula, 7 ditto - - - 7	
511 Libellula, 9 ditto - - - 9	
512 Libellula, 7 ditto - - - 7	
513 Libellula depressa and var., cancellata, 3. conspurcata, 2. 4-maculata, 2, and varieties. All Br. - 13	
514 Libellula fugax, 2. vulgata, 2. flaveola, 2. and 2. All Br. - - - 8	
515 Libellula Donovan, 4. Scotica, 2. flaveola, 2. All Br. - - - 9	

LOT	No.
516 Libellula flava, n. sp. flaveola, 2. Cordulegaster annulatus, 1. Cordulia ænea. All Br. - -	6
517 Cordulegaster annulatus, 1. Gomphus vulgatissimus, 2. forcipatus, 1. Cordulea ænea, 1. All Br. -	5
518 Cordulia compressa, 2. vulgatissima, 1. forcipatus, var. 2. - - -	5
5188 Calepteryx longissima, 1—1. and various exotic Libellulidæ - - -	12
519 Calepteryx longissima, 1. Agrion Brightwellii, 1 & 2 -	4
520 Various exotic Libellulidæ - -	14
521 Calepteryx longissima, 1, and others -	7
522 Petalura gigantea, 1, and various beautiful Agrions -	5
523 Calepteryx longissima, 1, and various beautiful Agrions -	6
524 Various beautiful exotic species of Agrion -	9
525 Phryganea striata, flavicornis, rhombica, testacea, and other Br. species - - -	26
526 Phryganea flavicornis, 2. lineola, 2. grisea, uncinata, and other Br. species - -	24
527 Phryganea lineola, 2, and numerous ditto -	28
528 Phryganea plumbea, bi-maculata, and other Br. species -	60
529 Philopotamus, Mystacida & Hydroptila, numerous Br. species - - -	52
530 Psocus, numerous named Br. species -	65
531 Boreus hyemalis, 1. Raphidia Londinensis? 2. Ephemeræ, numerous Br. species - -	29
532 Raphidia notata, 2. Ophiopsis, 2. Panorpha communis, and germanica. Ephemeridæ, numerous Br. species -	50
533 Ephemera Georgia, 1—1. Myrmeleon erythrocephalum, 1, and other species - - -	7
534 Nemoptera lusitanica, 1. Panorpha scorpio, 2—2—2. -	10
535 Nymphes,? New Holland, 1. Myrmeleon, various exotic species - - -	10
536 Myrmeleon, various exotic species - -	7
537 Ditto——ditto - - -	10
538 Ditto——ditto - - -	9
539 Ditto, 4 beautiful species - - -	4
540 Libellula, various exotic species - -	8

LOT	No.
541 Libellula, various exotic species, very beautiful and perfect	6
542 Ditto———ditto - - - - -	10
543 Ditto———ditto - - - - -	7
544 Ditto———ditto - - - - -	7
545 Ditto———ditto - - - - -	7
546 Ditto———ditto - - - - -	11
547 Ditto———ditto - - - - -	8
548 Ascalaphus Italicus, 1. flavipes, 1, and other species	7
549 Ascalaphus, 4 fine species	4
550 Chrysopa longicornis, and other <i>exotic</i> species -	15
551 Chrysopa, numerous <i>Br.</i> species -	29
552 Hemerobius, ditto———ditto. Osmyla Chrysops, and varieties - - - - -	29
553 Chauliodes pectinata, 1—1—1, very fine. Perla, 4	7
554 Corydalis cornutus, 2, rare - - - - -	2
555 Sialis lutaria, Nemoura, numerous <i>Br.</i> species. Neuronias fusca, 1 <i>Br.</i> Acentropus albus, 1 <i>Br.</i> -	30
556 Perla bicaudata, 2. cephalotes, 1. marginata, 1, and various large <i>Br.</i> species of Phryganea -	19
557 Nymphes myrmelionides, very fine. Chauliodes? 5 species. Phryganea reticulata, 1, and 4 - - - - -	11
558 Phryganea, a splendid <i>exotic</i> species. Termes, numerous <i>exotic</i> species - - - - -	12

DIPTERA.

559 Culex, Corethra, Anopheles, and Chironomus, numerous <i>Br.</i> species - - - - -	80
560 Chironomus, ditto———ditto - - - - -	100
561 Tanypus, Lasioptera and Cecidomyia, ditto———ditto	60
562 Tanypus, Ceratopogon and Psychoda, ditto———ditto	55
563 Limnobia Xanthoptera, 1 <i>Br.</i> annulata, 1 <i>Br.</i> , and others	9
564 Limnobia oculata, 1. Pedicia rivosa, 1, and other <i>Br.</i> species - - - - -	18
565 Limnobia, various ditto - - - - -	-
566 Culex clavipes, 1. Mekistocera, 3, and other <i>exotic</i> Culi- cidæ and Tipulidæ - - - - -	16

LOT	No.
567 Limnobia, Cenophora & Nephrotoma ? various <i>Br.</i> species	24
568 Ctenophora flaveolata, 1 <i>Br.</i> , and other <i>Br.</i> species	6
569 Tipula sinuata, 4. <i>Pedicia rivos</i> a, 2 <i>Br.</i> , and others	8
570 Tipula oleracea, crocata, pratensis, and other <i>Br.</i> and exotic species	25
571 Tipula fulvipennis, 2. lunata, 1. hortorum, 1. flavo-lineata, 2, and other <i>Br.</i> species, some rare	15
572 Tipula nubeculosa, 1. nigra, 2. quadrifaria, 1. pilipes, 1, and other <i>Br.</i> species, some rare	20
573 Tipula, Ptychopteryx, &c. various ditto	25
574 Ptychopteryx & Trichocera, various ditto, <i>Macrocera fasciata</i> , 1. longicornis, 1. <i>Br.</i>	26
575 Platyura and allied genera, various ditto, some very rare	24
576 Aspistes Chelseaensis, 1. Molobrus, Rhyphus, Hirtea and Cordyla? various <i>Br.</i> ditto	85
577 Atractocera, Scatopse, Dilophus and Hirtæa, various <i>Br.</i> ditto	40
578 Aspistes Chelseaensis, 1. Molobrus and Hirtæa, various <i>Br.</i> ditto	42
579 Dioctria Celandica, 3. frontalis, 1. lateralis, 3. Asilus and Dasypogon, 6 fine exotic species	17
580 Dioctria atricapilla, 2. nigripes, 1, and various fine exotic species of Asilus, Laphria & Dasypogon	18
581 Laphria & Dasypogon. Various exotic species in fine preservation	14
582 Asilus, 4 noble species, from <i>New Holland</i>	5
583 Asilus barbarus, 1. albipennis, 1. crabroniformis, 2, and various exotic species	11
584 Asilus & Laphria, various exotic species	13
585 Ditto——ditto	15
586 Asilus, Ommatius & Gonypes, various <i>Br.</i> & exotic species	34
587 Empis, Hilara, Hybos & allied genera, various <i>Br.</i> species, some very rare	38
588 Empis, numerous <i>Br.</i> species	
589 Ploas virescens, 1—1—1. <i>Usia ænea</i> , 1. <i>Cyrtus</i> , <i>Cape G. H.</i> 1. <i>Hirmoneura</i> ? 1. <i>Mydas</i> , and other exotic Dipterous insects	14
589* <i>Mydas</i> , 5 fine species	6

LOT	No.
590 Cyrtus, 1, <i>Cape G. H.</i> Clitellaria Ephippium, 1. Henops gibbosus, 2 <i>Br.</i> Acrocera globulus, 2 <i>Br.</i> Vappo ater, 3 <i>Br.</i> Sargus, Nemotelus, and Sicus, various <i>Br.</i> species	56
591 Actinia obscura, 1 <i>Br.</i> Odontomyia tigrina, 1 <i>Br.</i> Pangonia, 6 fine <i>exotic</i> species, including Pang. longirostis of Hardwick	19
592 Pangonia, Tabanus and Silvius, numerous <i>exotic</i> species	14
593 Tabanus and Pangonia, 6 large species	7
594 Tabanus Tarandus? paganus, tropicus, borealis, ; rusticus, and other <i>Br.</i> species, some rare	24
595 Chrysops, various <i>Br.</i> and <i>exotic</i> species. Tabanus and Pangonia, several fine <i>exotic</i> ditto	28
596 Atherix Ibis, 2 <i>Br.</i> maculatus, 1 <i>Br.</i> Hæmatopota and Bibio, various <i>Br.</i> species. Tabanus, Pangonia and Atherix, various fine <i>exotic</i> ditto	26
597 Medeterus regius, 1 <i>Br.</i> Leptarthrus brevisrostris, 2 <i>Br.</i> Rhagio and Bibio, various <i>Br.</i> species	45
598 Anthrax and Stygia, various fine <i>exotic</i> species	16
599 Anthrax and Stygia, ditto ditto	11

End of the Third Day's Sale.

FOURTH DAY'S SALE,

On THURSDAY, the 26th of JUNE, 1834,

Commencing at Twelve for One o'Clock precisely.

DIPTERA, continued.

LOT.		No.
600	Anthrax and Stygia, various fine exotic species	- 10
601	Anthrax and Stygia, ditto———ditto	- 13
602	Anthrax ornata, 3 <i>Br.</i> Elzebub, 1 <i>Br.</i> Hottentotta, 1 <i>Br.</i> Bombylius, various <i>Br.</i> species	- 18
603	Bombylius, various fine and perfect <i>Foreign</i> species	- 17
604	Bombylius, ditto———ditto. <i>Ceraturgus</i> ? 2, <i>Brazil.</i> <i>Ploas</i> ? 1, <i>Georgia</i>	- 21
605	<i>Dictya</i> , <i>Scatophaga</i> , <i>Tephritis</i> , and allied Genera, numerous <i>Br.</i> species, some rare	- 95
606	<i>Hippobosca</i> , <i>Tripoli</i> , 1—2. <i>Equina</i> , and other <i>Br.</i> species, including <i>Oxypterum Kirbyanum</i> , 1	- 17
607	<i>Sophia vittata</i> , Rob. 2, and various <i>exotic</i> <i>Muscidæ</i>	- 15
608	<i>Porphyrops</i> , <i>Dolichopus</i> , and various <i>Br.</i> species of <i>Mus-</i> <i>cidæ</i> , some rare	- 70
609	<i>Musca carnaria</i> , 4. <i>corvina</i> , <i>vulpina</i> , <i>maculata</i> , and numerous other <i>Br.</i> species of <i>Muscidæ</i>	- 100
610	<i>Dolichopus nobilitatus</i> , <i>Anthomyia pluvialis</i> , and various <i>Br. Muscidæ</i>	- 50
611	A quantity of unexamined <i>Br. Muscidæ</i> , about	- 100
612	Ditto ——ditto———ditto	- 100
613	Ditto ——ditto———ditto	- 70

LOT		No.
614	A quantity of unexamined <i>Br. Muscidæ</i> , about	- 70
615	<i>Clitellaria Ephippium</i> , 1, and various exotic species. <i>Sargus</i> , 1, <i>Java</i> . <i>Conops</i> , various exotic species	- 17
616	<i>Oxycera</i> & <i>Stratiomys</i> , various <i>Br.</i> & <i>Foreign</i> species	- 34
617	<i>Doros conopseus</i> , 1 <i>Br.</i> <i>Syrphus æstraceus</i> , 1. <i>Chrysotoxum</i> , <i>Xylota</i> & <i>Cylindromia</i> , various <i>Br.</i> species	- 33
618	<i>Aphritis</i> , 3 <i>exotic</i> species. <i>Syrphus</i> , 1, <i>Georgia</i> . <i>Xylophagus</i> , 1 <i>Brazil</i> , and 6 other interesting exotic <i>Diptera</i>	12
619	<i>Aphritis auro-pubescens</i> , 3 <i>Br.</i> <i>Chrysotoxum</i> , <i>Ascia</i> , <i>Sphegina</i> & <i>Baccha</i> , various <i>Br.</i> species	- 28
620	<i>Milesia speciosa</i> , 1 <i>Br.</i> <i>Cylindromia</i> , <i>Pipiza</i> & <i>Chrysogaster</i> , various <i>Br.</i> species	- - 48
621	Various <i>exotic</i> species of <i>Syrphidæ</i>	- - 17
622	<i>Syrphus</i> & <i>Rhingia</i> , various <i>Br.</i> species	- - 45
623	Various <i>exotic</i> species of <i>Syrphidæ</i> , some very fine	- 14
624	<i>Syrphus</i> & <i>Cheilosia</i> , numerous <i>Br.</i> species	- - 60
625	<i>Criorhina Muscitanis</i> , 3 <i>Br.</i> <i>Narcissi</i> , 2 <i>Br.</i> , and various <i>Br.</i> species of <i>Eristalis</i> & <i>Syrphus</i>	- - 24
626	<i>Helophilus</i> , <i>Mallota</i> ? <i>Sericomyia</i> & <i>Eristalis</i> , various <i>Br.</i> species	- - - 30
627	<i>Eristalis</i> , numerous <i>Br.</i> species	- - 40
628	<i>Volucella</i> , various <i>Br.</i> species	- - 30
629	<i>Systropus maculatus</i> ? <i>Chrysosoma maculipennis</i> , 1. <i>Cuterebra</i> , <i>North America</i> , 1, and other interesting <i>exotic</i> <i>Diptera</i>	- - - 9
630	<i>Conops</i> & <i>Zodion</i> ? various <i>Br.</i> species, some rare. <i>Tachina grossa</i> , 4 <i>Br.</i>	- - - 25
631	<i>Siphona</i> , <i>Stomoxys</i> & <i>Myopa</i> , various <i>Br.</i> species	- 30
632	<i>Æstrus Equi</i> , 4 <i>Br.</i> <i>Bovis</i> , 1 <i>Br.</i> <i>hæmorrhoidalis</i> , 1 <i>Br. ovis</i> , 1 <i>Br.</i> , and other species	- - 13
632*	<i>Myopa</i> ? <i>Georgia</i> , 1—2. <i>Tachina</i> , various fine <i>exotic</i> species	- - - 16
633	<i>Gymnosoma rotundata</i> , 2 <i>Br.</i> <i>Phasia hemiptera</i> , 5 <i>Br. crassipennis</i> , 2 <i>Br.</i> 2 <i>Br.</i> <i>Tachina</i> & <i>Ocyptera</i> , various fine <i>Br.</i> species	- - - 32
634	<i>Eriotrix</i> ? <i>Tachina</i> & <i>Musca</i> , various <i>Br.</i> species, some rare	40
635	<i>Rutilia</i> , <i>New Holland</i> , 1—1—1. <i>Ornidia obesa</i> , 2—1. <i>Tachina</i> , various <i>exotic</i> species	- - 19

LOT	No.
636 Rutilia, <i>New Holland</i> , 1—1—1. Ornidia obesa, 7, and other fine <i>exotic</i> Muscidae - - -	18
637 Calobata, Tephritis & Oscinis, various <i>Br.</i> species -	45
638 Platystoma seminationis, Musca Grossificationis, Tephritis, Trypeta, and allied genera, numerous <i>Br.</i> species -	45
639 Musca, numerous species. Loxocera ichneumonea, Sepedon palustris, Tephritis, &c. various <i>Br.</i> species -	53
640 Diopsis apicalis - - -	2
641 Calobata, Platystoma, Tephritis, and various other <i>exotic</i> species - - -	20
642 Dolichopus, Tephritis, Ornidia, Musca, various <i>exotic</i> species - - -	27
643 Syrphidæ, various <i>Br.</i> species - - -	45

HEMIPTERA.

644 Scutellera, numerous <i>exotic</i> species, several of them rare and beautiful - - -	20
645 Ditto—ditto—ditto - - -	20
646 Ditto—ditto—ditto - - -	20
647 Ditto—ditto—ditto - - -	18
648 Ditto—ditto—ditto - - -	18
649* Scutellera, Canopus ? Œlia ? Pentatoma & Coreus, various ditto - - -	18
650 Scutellera & Pentatoma, various ditto - - -	18
651 Ditto—ditto - - -	18
652 Edessa & Pentatoma, ditto - - -	15
653 Ditto—ditto - - -	18
654 Edessa, various fine ditto - - -	14
655 Pentatoma oleracea, 3 <i>Br. festiva</i> , 2 <i>Br. cærulea</i> , 1 <i>Br.</i> Cydnus Morio, and other <i>Br.</i> species - - -	21
656 Halys, Pentatoma & Scutellera, various fine <i>exotic</i> species -	17
657 Halys, Pentatoma, ditto—ditto—ditto -	16
658 Ditto—ditto—ditto—ditto -	23
659 Tetyra maura, 1. obliqua, 2. inuncta, 2. scarabæ- oides, 2. Œlia acuminata, 2, Pentatoma melano- cephala, 3, All <i>Br.</i> - - -	12

LOT	No.
650 Halys, Pentatoma, Edessa, various fine <i>exotic</i> species -	15
661 Ælia, Pentatoma, Edessa & Pentatoma, ditto——ditto	17
662 Acanthosoma pictum, 1, and other <i>Br.</i> species. Pentatoma, Edessa & Scutellara, various <i>exotic</i> species -	18
663 Pentatoma Lynx, 3 <i>Br.</i> and other <i>Br.</i> species, Coreus Scapha, 1 <i>Br.</i> rhombeus, 2 <i>Br.</i> marginatus and various <i>exotic</i> species of Pentatoma - -	32
664 Pentatoma & Edessa, various fine <i>exotic</i> species -	24
665 Ditto——ditto - -	22
666 Pentatoma, various <i>Br.</i> & <i>exotic</i> species -	34
667 Coreus, Petalopus & Dinidor, various fine and singular <i>exotic</i> species - - -	8
668 Ditto——ditto——ditto - -	12
669 Coreus & Nematopus, ditto——ditto - -	13
670 Myctis crucifera, 4, and other <i>exotic</i> Corei - -	17
671 Various fine <i>exotic</i> species of Coreidæ - -	16
672 Oriterus destructor, G. cinnamomeus, Hahn, 1. Nematopus, <i>South America</i> , and other <i>exotic</i> Coreidæ - -	21
673 Various rare and curious <i>exotic</i> species of Coreidæ -	11
674 Several ditto——ditto——ditto -	6
675 Ditto——ditto——ditto -	9
676 Ectrichodia, Crux. Hammacerus, <i>Brazil</i> , 2, and various other rare and curious Reduviidæ -	13
677 Myctis? <i>Nepaul</i> , 2, and other fine <i>exotic</i> Coreidæ -	10
678 Petalopus foliaceus, 3., and other fine ditto——ditto -	8
679 Holhymenia, <i>Brazil</i> , 1. Nematopus, <i>Sierra Leone</i> , 2. Halys, Pentatoma, and Coreus several <i>exotic</i> species -	15
680 Various <i>exotic</i> species of Coreus - -	12
681 Nematopus, <i>Sierra Leone</i> , 1—1, and various <i>exotic</i> Coreidæ - - -	13
682 Tesseratoma ossa-cruenta, Hope, & various rare <i>exotic</i> species	15
683 Alydus, Leptocoris, various <i>exotic</i> species, Gen. nov.? <i>Nepaul</i> , 1. - - -	17
684 Tesseratoma ossa-cruenta. Alydus & Coreus, various <i>exotic</i> species - - -	18

LOT	No.
685 Coreus denticulatus, 2 Br. Alydus calcaratus, 1 Br. niger, 1 Br. Berytus clavipes, 1 Br. tipularius, 1 Br. and other Br. species - - -	22
686 Lygæus & Capsus, various exotic species - - -	16
687 Ditto——ditto - - -	15
688 Ditto——ditto - - -	17
689 Ditto——ditto - - -	20
690 Ditto——ditto - - -	35
691 Pyrrhocoris apterus, 1 Br. Pachymerus numerous Br. species - - -	34
692 Lygæus Hyoseyami, 3 Br. and various Br. species of Pachymerus - - -	60
693 Various exotic species of Capsus - - -	20
694 Various exotic species of Capsus & Lygæus - - -	17
695 Heterotomus, 2 Br. species. Azinecera, 1 Br. Capsus & Miris numerous Br. species - - -	66
696 Capsus & Miridæ various Br. species - - -	60
697 Ditto——ditto - - -	60
698 Ditto——ditto - - -	48
699 Nabis, various Br. species. Reduvius serratus? and other fine exotic Reduvii - - -	25
700 Reduvius serratus, Arilus hirtipes and other exotic Reduvii	11
701 Ditto——ditto - - -	17
702 Ditto——ditto, including Gen. nov. <i>Africa</i> & Ham-macerus perspicillaris - - -	9
703 Reduvius & Zelus various rare exotic species - - -	18
704 Ditto——ditto - - -	16
705 Ditto——ditto - - -	8
706 Ditto——ditto - - -	13
707 Zelus, various exotic species - - -	17
708 Emesa filum, 1. Syrtis, Georgia, 1—1—1. Macrocephalus, Brazil, 1 & 1 - - -	6
709 Emesa filum, 1. Macrocephalus, 1—1. Aradus, 1—1—1	6
710 Emesa filum, 1. Macrocephalus, Brazil, 1. Georgia, 1. Galgulus oculatus, 1. Reduvius, 1—1 - - -	8
711 Gerris laticauda, 1—1. Syrtis, 1—1. Reduvius, 1 - - -	5

LOT	No.
712 Velia currens, 2. rivulorum, Br. 2. and various Br species of Gerris, Hydrometra & Acanthia - -	60
713 Reduvius personatus, 2 Br. Choranus annulatus? 2 Br. Ploiaria vagabunda, 2 Br. Aradus lævis, 1 Br. corticalis, 1 Br. and various Br. species of Tingis -	28
714 Aradus lunatus and various other exotic species. Ploiaria, Cape G. H. and others - -	13
715 Belostoma rustica, 2—2—1. Galgulus oculus? and 1 -	7
716 Naucoris, various exotic and Br. species. Galgulus, 1 -	14
717 Belostoma grandis, 1—1—1. Galgulus, 1 -	4
718 Belostoma grandis, 1—1. Galgulus, 1 -	3
719 Belostoma grandis, 1. and various exotic species of Nepa -	6
720 Nepa, various exotic and Br. species -	10
721 Ranatra linearis, 3 Br. and other exotic species -	7
722 Ploa minutissima, 6 Br. Sigara minutissima, 2 Br. Noctonecta maculata, 3 Br. and other Br. and Foreign Noctonectidæ - - - -	60

HOMOPTERA.

723 Cicada, various fine exotic species - - -	7
724 Ditto ———ditto - - -	4
725 Ditto ———ditto - - -	6
726 Ditto ———ditto - - -	6
727 Ditto ———ditto - - -	7
728 Ditto ———ditto - - -	7
729 Ditto ———ditto - - -	7
730 Ditto ———ditto - - -	8
731 Ditto ———ditto - - -	8
732 Ditto ———ditto - - -	8
733 Ditto ———ditto - - -	10
734 Ditto ———ditto - - -	11
735 Cicada maculata, 2, and various exotic species of Cercopis	19
736 Cicada maculata, 1, and various fine and rare exotic Cercopidæ - - - -	23
737 Various exotic species of Cercopidæ- - -	26
738 Ditto ———ditto - - -	16

LOT	No.
739 Cicada Anglica, 1 <i>Br.</i> and various <i>Br.</i> Cercopidæ	- 34
740 Cercopis sanguinolenta, 2. Jassus, 3. fasciatus, 2. Ser- ratulæ, 2, and numerous <i>Br.</i> species of Cercopidæ	- 46
741 Numerous <i>Br.</i> species of Tettigonia, Jassus & allied genera	40
742 Ledra aurita, 3 <i>Br.</i> Centrotus cornutus, 2, <i>Br.</i> Genistæ, 2 <i>Br.</i> Cercopis sanguinolenta and other <i>Br.</i> Cerco- pidæ - - - -	- 36
743 Centrotus cornutus, 4, and various fine <i>exotic</i> species	- 15
744 Centrotus Hardwickii, 1. Heteronotus, 1 <i>Brazil</i> , and vari- ous beautiful <i>exotic</i> species of Centrotus & Tettigonia	- 20
745 Numerous <i>exotic</i> singular species of Centrotus	- 22
746 Membracis, various <i>exotic</i> species. Centrotus Hardwickii. Heteronotus furcatus - - - -	- 11
747 Jassus and allied genera, numerous <i>exotic</i> species	- 22
748 Tettigonia, numerous <i>Br.</i> species - - -	- 40
749 Tettigonia & Jassus, numerous <i>exotic</i> species - -	- 32
750 Eupteryx, Curt., numerous <i>Br.</i> species - -	- 48
751 Ulopa scanica. Asiraca clavicornis, 1 <i>Br.</i> Aleyrodes Cheli- donii. Fulgora Europæa, 2—1—1—1—1, and others	33
752 Fulgora Candelaria, 2. <i>Africa</i> , 1—1. <i>Nepaul</i> 2	- 6
753 Fulgora Candelaria, 1. diadema, 1. <i>Africa</i> , 1. <i>Nepaul</i> 1	4
754 Fulgora laternaria, 1. Candelaria, 1. Flata, <i>Brazil</i> , 2.	- 4
755 Fulgora, <i>Brazil</i> , 1. and Lystra? <i>Brazil</i> , both very rare and beautiful - - - -	- 2
756 Flata, various <i>Brazilian</i> species - - -	- 9
757 Pæcilloptera & Ricania, various <i>exotic</i> species -	- 14
758 Flata & allied genera, various beautiful <i>exotic</i> species	- 8
759 Urophora Hardwickii, 1. Ricania, Flata & Derbe, various <i>exotic</i> species - - - -	- 12
760 Cixius nervosus & other <i>Br.</i> species. Livia Juncorum, 4. Delphax Helianthemii, 1 <i>Br.</i> Issus coleoptratus, 6 <i>Br.</i> and various <i>Br.</i> species of Chermes - -	- 60
761 A valuable series of <i>Br.</i> Aphides with specimens of the Plants upon which they are found, collected with great care - - - -	-
762 Coccus, numerous <i>Br.</i> and <i>Foreign</i> species. Monopheba nigripennis, 1. Various <i>Br.</i> species of Pulex	-

LOT						No.
763	Cicada, various <i>exotic</i> species. with specimens of the Larvæ and Pupæ	-	-	-	-	12
764	Cicada ditto—ditto	-	-	-	-	5
765	Ditto—ditto	-	-	-	-	6
766	Ditto—ditto	-	-	-	-	8
767	Ditto—ditto	-	-	-	-	6

HYMENOPTERA.

770	Perga dorsalis, 1—1. Syzygonia cyanea, 1. Amasis obscura, 1. Pterygophorus cinctus, 2. cyaneus, 1. Schizocerus, 1 <i>Brazil</i> . Hylotoma, 1—1—1	-	-	-	-	11
771	Trichiosoma femorata, 1 <i>Br.</i> Lucorum, 7 <i>Br.</i> Clavellaria Vitellinæ, 2 (1 <i>Br.</i>)	-	-	-	-	10
772	Zaræa fasciata, 1 <i>Br.</i> Abia sericea, 4 <i>Br.</i> nigricornis, 6 <i>Br.</i> Athalia, various <i>Br.</i> species	-	-	-	-	36
773	Cimbex Griffinii, 1 fine, <i>Br.</i> Selandria costalis, 2, and other <i>Br.</i> species. Allantus, numerous ditto	-	-	-	-	55
774	Cimbex Europæa, 1 fine, <i>Br.</i> Allantus, numerous <i>Br.</i> species	-	-	-	-	42
775	Cimbex Europæa, 1, <i>Br.</i> and numerous <i>Br.</i> species of Allantus & Tenthredo	-	-	-	-	50
776	Schizocerus Villersii, 1 <i>Br.</i> Fenusa pumila, <i>Br.</i> , and numerous <i>Br.</i> species of Tenthredo, Dolerus & Dosytheus	-	-	-	-	46
777	Lyda Betulæ, 1 <i>Br.</i> depressa, 2, (1 <i>Br.</i>) Sylvatica, 2 <i>Br.</i> Cræsus septentrionalis, 1 <i>Br.</i> and various <i>Br.</i> species of Nematus	-	-	-	-	
778	Lophyrus Pini ♂, 1 <i>Br.</i> Cladius difformis ♂, 1 <i>Br.</i> , and various, <i>Br.</i> species of Nematus	-	-	-	-	30
779	Tarpa cephalotes, 1. Pterygophorus cinctus, 4, and cyaneus, 1, and numerous <i>exotic</i> species of Tenthredo and Hylotoma	-	-	-	-	34
780	Lophyrus Pini ♂ ♀, <i>Br.</i> and numerous species of Hylotoma	-	-	-	-	40
781	Xyphidria Dromedarius, 1 <i>Br.</i> Camelus, 3 <i>Br.</i> Evania minuta, 1 <i>Br.</i> Fænus Jaculator, 2 <i>Br.</i> assectator, 1 <i>Br.</i> , and various <i>Br.</i> species of Cephus	-	-	-	-	24

LOT	No.
782 Sirex Gigas, 1. Noctilio, 1. Juvencus 4. All Br. -	6
783 Sirex Gigas, 2. Mariscus, 1. Psyllius, 1—1. Tremex, North America, 1. Megalyra fasciipennis, 2 -	8
784 Evania, various species. Pelecinus Polycerator, 3 -	12
785 Various fine & beautiful exotic species of Braconidæ, Fæ- nus, Brazil. 1—1 - - -	14
786 Stephanus, 4 exotic species, and various fine exotic Braco- nidæ - - - -	15
787 Numerous beautiful exotic Braconidæ, Spathius clavatus, Br., and others - - -	22
788 Numerous beautiful exotic Braconidæ & Ichneumonidæ -	18
789 Ditto—ditto - - -	20
790 Three magnificent species of Pimpla -	3
791 Pimpla, Bracon and allied genera, various fine exotic species	20
792 Pimpla manifestator, 1. instigator, 1—1, and numerous other Br. species, some rare - -	56
793 Pimpla Manifestator, 2 Br. instigator, 1, and numerous ditto—ditto - -	54
794 Pimpla persuasoria, 1 Br. and ditto—ditto -	65
795 Cryptus pisorius, 1 Br. Atropos, 1, Br. and other very fine ditto - - -	10
796 Cryptus, numerous fine exotic species -	15
797 Cryptus marginatorius, desertorius and numerous other Br. species - - -	35
798 Cryptus grossorius, 2. pisorius, 1, and ditto -	40
799 Cryptus extensorius, 2. vaginatorius and ditto -	45
800 Cryptus sugillatorius, 1 Br. moratorius 2, Elpenor, 3, and ditto - - -	42
801 Cryptus ambulatorius, 1 Br. raptorius, 2, and ditto -	80
802 Pezomachus, numerous Br. species. Ophion 1, exotic, fine, and various exotic species of Cryptus -	50
803 Peltastes Vespoïdes, 2 Br. necatorius, 1 Br. and various Br. Ichneumonidæ - - -	45
804 Numerous ditto - - -	55

LOT		No.
805	Ichneumon & Ophion, various <i>Br.</i> species -	38
806	Ophion, numerous species, chiefly <i>Br.</i> -	30
807	Ditto——ditto - -	35
808	Banchus, Sigalphus & Alysia, numerous <i>Br.</i> species -	35
809	Alomyia debellator. Microgaster, various <i>Br.</i> and several fine <i>exotic</i> species of Ichneumonidæ -	35
810	Callimome, Cynips, Proctotrupes and allied genera, nume- rous <i>Br.</i> species. Sapyga 6-punctata -	66

End of the Fourth Day's Sale.

FIFTH DAY'S SALE,

On FRIDAY, the 27th of JUNE, 1834,

Commencing at Twelve for One o'Clock precisely.

HYMENOPTERA, continued.

LOT		No.
811	Leucospis gigas, 1. <i>Brazil</i> , 1—1. <i>Sicily</i> , 1. Chalcis minuta, 1. <i>Brazil</i> , 2. Cratomus megacephalus, 1 <i>Br.</i> Eulophi, and various other <i>Br.</i> Chalcididæ -	34
812	Galesus cornutus, 1 <i>Br.</i> Psilus elegans, 1 <i>Br.</i> and various Chalcididæ and other <i>Br.</i> Ichneumones minuti -	60
813	Chalcis clavipes, 3 <i>Br.</i> and various <i>Br.</i> Ditto -	60
814	Encyrtus Vitis, 1 <i>Br.</i> Mymar, various species and Ditto -	60
815	Cleptes nitidula, 1 <i>Br.</i> Elampus Panzeri, 1 <i>Br.</i> Hedy-chrum, various <i>Br.</i> species. Stilbum, various <i>exotic</i> species, and others - - -	36
816	Euchreus? (<i>Andrena</i> ?), 2. Chrysis fulgida, 1 <i>Br.</i> Stou-dera, 1 <i>Br.</i> and numerous other <i>Br.</i> species -	42
817	Ammophila pulvillata, argentea, affinis, and other <i>Br.</i> species. Pelopæus spirifex, 1 - -	20
818	Ammophila, SpheX, Eumenes & Pelopæus, various <i>exotic</i> species - - -	17
819	SpheX, Pepsis & Ammophila. various fine <i>exotic</i> species -	14
820	SpheX, various fine <i>exotic</i> species - -	12
821	Chlorion compressum, lobatum, and other beautiful <i>exotic</i> species - - -	11
822	SpheX, Pelopæus & Pepsis, various fine <i>exotic</i> species -	14

LOT	No.
823 Sphex viatica and other <i>Br.</i> species. Polopæus, various exotic ditto - - -	35
824 Pepsis, various fine <i>exotic</i> species - - -	5
825 Ditto - - -	10
826 Scolia, various very fine <i>exotic</i> species - - -	9
827 Ditto——ditto - - -	11
828 Ditto——ditto - - -	12
829 Bembex and Monedula, various <i>exotic</i> species - - -	20
830 Sphex & Pepsis, various fine <i>exotic</i> species - - -	9
831 Pronæus mandibularis, very fine. Thynnus, <i>New Holland</i> , 3 species. Larra and Scolia, various <i>exotic</i> ditto - - -	13
832 Various fine <i>exotic</i> species of Vespidae - - -	15
833 Scolia, various <i>exotic</i> species, very fine - - -	9
834 Dorylus & Labidus, various <i>exotic</i> species - - -	9
835 Euglossa, various fine <i>exotic</i> species. Anthophora cincta and other <i>exotic</i> Apidae, and others - - -	15
836 Sphex & Pepsis, various fine <i>exotic</i> species - - -	12
837 Pronæus mandibularis, 1, Stizus, 1—1. Thynnus, 1—1—1 Gorytes cruentus, 1. Scolia, 1—1—1, and other <i>exotic</i> Hymenoptera - - -	18
838 Pepsis, Ceropales & Sphex, various fine <i>exotic</i> species - - -	9
839 Andrena pulchella? Pepsis, various <i>exotic</i> species - - -	13
840 Pepsis and Larra, various ditto - - -	14
841 Astata Pompiliiformis, 1 <i>Br.</i> Ceropales, various <i>Br.</i> Nys- son trimaculata, 1 <i>Br.</i> & 2 <i>Br.</i> Sapyga & Trypoxylon, various <i>Br.</i> species - - -	20
842 Psen & Crabro, various <i>Br.</i> species - - -	42
843 Gorytes inscriptus, 1 <i>Br.</i> Crabro scutatus, 1 <i>Br.</i> and va- rious other <i>Br.</i> species. Mellinus arvensis, 1 <i>Br.</i> and others - - -	32
844 Crabro cribrarius, palmatus and others, <i>Br.</i> Mellinus, Pem- phredon & Diodontus, various <i>Br.</i> species - - -	46
845 Cerceris læta, ornata, and others. Gorytes, various species. All <i>Br.</i> - - -	34
846 Stizus Hogardi, 2 fine. Philanthus apivorus, 1. Cerceris & Scolia, various <i>exotic</i> species - - -	17

LOT	No.
847 Thynnus, <i>New Holland</i> , 2. Myzine, Scolia & Mutilla, various <i>exotic</i> species and others - -	21
848 Mutilla coccinea, and various other <i>exotic</i> Mutillæ -	19
849 Myrmosa melanocephala, 1 <i>Br.</i> atra, 1 <i>Br.</i> Tiphia fe- morata, 2 <i>Br.</i> Mutilla europæa, 6 <i>Br.</i> , and various <i>Br.</i> Formicidæ - - -	22
850 Atta cephalotes, and various <i>Br.</i> & <i>Foreign</i> Formicidæ -	65
851 Various <i>exotic</i> species Formicidæ, some rare -	40
852 Atta cephalotes, and ditto——ditto -	19
853 Cryptocerus atratus, 1 & 1. Myrmecodes, <i>New Holland</i> , 1—1, and various rare <i>exotic</i> Formicidæ -	16
854 Synagris cornuta. 2. calida? 3. and various <i>exotic</i> Po- listes - - -	13
855 Synagris calida, 2. Polistes, and various rare <i>exotic</i> species	9
856 Eumenes, Polistes & Vespa, various fine <i>exotic</i> species -	14
857 Ditto——ditto——ditto -	14
858 Epipone spinipes, Eumenes atricornis, Odynerus, nume- rous species. All <i>Br.</i> - -	48
859 Vespa, Polistes & Eumenes, various <i>exotic</i> species -	24
860 Ditto——ditto——ditto -	16
861 Ditto——ditto——ditto -	15
862 Ditto——ditto——ditto -	18
863 Vespa Crabro, holsatica, germanica, vulgaris, Britannica, and other <i>Br.</i> species - -	28
864 Vespa, Eumenes & Polistes, various <i>exotic</i> species -	16
865 Ditto——ditto——ditto -	14
866 Colletes succincta & fodiens. Hylæus & Andrena, numerous <i>Br.</i> species, some of them rare. -	64
The majority of the species in this and the following Lots of Bees have been carefully named by Mr. Kirby, whose letters to MR. HAWORTH, containing their nomenclature, will be delivered to the purchaser of the largest portion of such Lots.	
867 Andrena, numerous <i>Br.</i> species - -	50
868 Andrena and Sphecodes, numerous ditto. Cilissa chrysura, 1 <i>Br.</i> Dasypoda Swammerdamella, 2 -	48
869 Halictus, numerous <i>Br.</i> species, some rare -	76

LOT

870	Panurgus ursinus, lobatus, Chelostoma florissomnis ♂ ♀ Heriades, 2 species. Stelis punctulatissima, 2. phæoptera, Dasypoda Swammerdamella, 2, and other <i>Br.</i> Apidæ - - - - -	34
871	Osmia, Megachile, Cælioxys & Anthidium, numerous <i>Br.</i> species - - - - -	56
872	Anthidium, Megachile, Centris, &c. various <i>exotic</i> species -	25
873	Nomada, numerous <i>Br.</i> species - - - - -	32
874	Epeolus variegatus, 2. Oxybelus uniglumis, 3, and various <i>Br.</i> species of Nomada - - - - -	25
875	Melecta punctata, 7. Anthophora, Crocisa, Megachile, and various other <i>exotic</i> Apidæ - - - - -	29
876	Xylocopa, Bombus and Centris, various fine <i>exotic</i> species	13
877	Ditto——ditto - - - - -	13
878	Ditto——ditto - - - - -	13
879	Ditto——ditto - - - - -	13
880	Ditto——ditto - - - - -	15
881	Ditto——ditto - - - - -	20
882	Ditto——ditto, and Lestes muscaria, 2 - - - - -	18
883	Euglossa cordata, 2. Xylocopa, Bombus, Centris, &c. various fine <i>exotic</i> species - - - - -	16
884	Bombus, Anthophora, Xylocopa, Lestes, Crocisa, and Melipona, various fine <i>exotic</i> species - - - - -	-
885	Xylocopa, Anthophora, Bombus, and Apis, various ditto -	20
886	Apis, mellifica, 5 <i>Br.</i> ♂ ♀ ♀ and various <i>exotic</i> species; Apis, Euglossa, Bombus, Anthophora, &c. - - - - -	27
887	Eucera Euglossa, Centris Apis, Bombus, and allied genera, various <i>exotic</i> species - - - - -	24
888	Sphecodes, Andrena, Apis, Cerceris, Anthophora, &c. various small <i>exotic</i> species - - - - -	39
889	Anthophora HAWORTHIANA, 1 <i>Br.</i> Saropoda, 5 species, and others. All <i>Br.</i> - - - - -	31
890	Xylocopa latipes, and 4 other fine species - - - - -	5
891	Xylocopa and Centris, various fine <i>exotic</i> species -	10
892	Bombus, numerous <i>Br.</i> species - - - - -	56
893	Ditto——ditto - - - - -	51
894	Ditto——ditto, including B. rupestris, 1. -	34

LOT		No.
895	Bombus, numerous <i>Br.</i> species, including <i>B. rupestris</i> , 1	47
897	Ditto——ditto, including <i>B. rupestris</i> , 2.	32

STREPSIPTERA.

898	Stylops HAWORTH, Step. The first <i>Br.</i> specimen, the capture of which is recorded in the Entomological Transactions, and for which Mr. HAWORTH refused the sum of 25 Guineas.	1
-----	--	---

DERMAPTERA.

899	Labidura gigantea, ♂ & ♀ <i>Br.</i> , and various <i>Br. & Foreign</i> Forficulidæ, including a very large species from <i>Brazil</i>	36
-----	---	----

ORTHOPTERA.

900	Six very fine species of <i>exotic</i> Blattidæ	10
901	Eight ditto——ditto	9
902	Eight ditto——ditto	9
903	Blatta Americana, Germanica, <i>Br. livida</i> , <i>Br.</i> , and other Blattidæ. Gryllotalpa vulgaris, 2 <i>Br.</i>	20
904	Blatta lapponica, 4 <i>Br. Orientalis</i> , heteroclita, 2. Gryllotalpa vulgaris, <i>Br.</i> , and others	20
905	Blatta 2-maculata, 1. picta, 1—1., and various <i>exotic</i> Blattidæ. Gryllotalpa, 2. Acheta, 1	12
906	Acheta monstrosa, 1. umbraculata, 1, and other fine <i>exotic</i> species	6
907	Acheta monstrosa, 1, and other <i>exotic</i> species	19
908	Acheta campestris, 2 <i>Br. domestica</i> , 2, and various <i>exotic</i> species	18
909	Acheta sylvestris, 5 <i>Br. pellucens</i> , Pz. 1 <i>Br.</i> , very rare and others	8
910	Empusa flabellicornis, 2. India, 2, very fine	4
911	Gryllus citrifolia, 1, and 3 others	4
912	Locusta cristata? 1, and 1 <i>Brazil</i> , very fine	2
913	Gryllus, <i>Brazil</i> , 1. India, 1, very fine	2
914	Mantis, 1, India, and 2 singular Grylli	3

LOT	No.
915 Mantis <i>Gongyloides</i> , 1. Locusta, 1. <i>Brazil</i> , very fine, and 1 - - - - -	3
916 Mantis, 1, <i>India</i> , and <i>Gryllus citrifolia</i> ? 1 - - -	2
917 Mantis, 1, <i>India</i> , a remarkable species, 1 <i>India</i> , and 1 -	3
918 Mantis, <i>Brazil</i> , 1—1, and <i>Gryllus</i> , 1, very fine -	3
919 <i>Gryllus</i> , <i>India</i> , a beautiful pair of Insects -	2
920 <i>Gryllus</i> , <i>Canada</i> , 3—1. <i>Bradyporus</i> Pupa, 1, and 1 <i>Cape</i> <i>G. H.</i> , very curious - - - - -	6
921 <i>Bradyporus</i> Pupa, 1. <i>Amphiscepa reticulata</i> , 1. <i>Gryl-</i> <i>lus</i> , 1—1 - - - - -	4
922 <i>Amphiscepa reticulata</i> , 1. <i>Gryllus</i> , 5 species -	6
923 <i>Gryllus</i> , a splendid and perfect insect, and 1 -	2
924 <i>Gryllus camelifolia</i> ? and 5 other <i>exotic</i> <i>Gryllidæ</i> -	6
925 <i>Gryllus myrtifolia</i> ? 1 fine and perfect, and 4 other <i>exotic</i> <i>Grylli</i> - - - - -	-
926 <i>Gryllus</i> , 4 fine <i>exotic</i> species - - - - -	4
927 <i>Gryllus</i> , <i>East India</i> ; a splendid insect, and 4 others -	5
928 <i>Acrida viridissima</i> , <i>Br. grisea</i> , <i>Br.</i> , and other species -	11
929 <i>Acrida</i> , 2 <i>exotic</i> species. <i>Scaphura</i> , 2 ditto, <i>Gryllus</i> , 1—1	6
930 <i>Acrida verrucivora</i> , 1 <i>Br. Bingleii</i> , 1 <i>Br. grisea</i> , 2 <i>Br.</i>	6
931 <i>Gryllus</i> , <i>Java</i> , 1 fine species. <i>Conocephalus</i> , 2 <i>exotic</i> species - - - - -	5
932 <i>Gryllus</i> , 1, very fine. <i>Conocephalus</i> , 2—1 -	4
933 <i>Conocephalus</i> , various <i>exotic</i> species -	7
934 <i>Acrida Kirbii</i> , aptera, fusca, and other <i>Br. species</i> -	24
935 <i>Acrida</i> , various <i>exotic</i> species - - - - -	11
936 Locusta, 4 fine <i>exotic</i> species - - - - -	4
937 Locusta, ditto - - - - -	4
938 Locusta, ditto - - - - -	4
939 Locusta, ditto - - - - -	4
940 Locusta, 2 ditto, very fine - - - - -	2
941 Locusta, 4 ditto - - - - -	4
942 Locusta, 5 ditto - - - - -	5
943 Locusta, 3 ditto, very fine and perfect -	3
944 Locusta migratoria, 1. <i>Gryllus</i> , 4. Several fine <i>exotic</i> species - - - - -	5
945 Locusta, 3 fine species - - - - -	3

LOT	No.
946 Locusta, 3 ditto, Gryllus, 1 ditto - - -	4
947 Locusta, 3 very fine species - - -	3
948 Locusta migratoria, 1., and 3 other fine species -	4
949 Locusta, 4 ditto - - -	4
950 Locusta, 4 fine species - - -	5
951 Locusta morbillosa, 1, and 3 very fine species -	4
952 Gryllus Monticollis, Gray, 1, & 1, both very fine and perfect	2
953 Locusta morbillosa, 1, very fine, and 2 - -	3
954 Locusta morbillosa, 1. Ephippiger macrogaster, 1. -	2
955 Locusta morbillosa, 1, and pupa, and 3 other fine species -	6
956 Pneumora, several fine species - - -	6
957 Locusta, various fine species - - -	7
958 Locusta, ditto - - -	8
959 Locusta cærulescens, 1. picta, 1, and other fine and beautiful species - - -	7
960 Locusta picta, 1, and ditto——ditto - -	7
961 Ditto——ditto——ditto - - -	5
962 Locusta stridula, 1, and other beautiful species -	6
963 Locusta, 6 very beautiful species - - -	6
964 Locusta, 4 ditto - - -	4
965 Locusta, 5 ditto - - -	5
966 Locusta, various ditto - - -	7
967 Locusta, various <i>exotic</i> species - - -	11
968 Locusta, ditto——ditto - - -	9
969 Locusta, ditto——ditto - - -	11
970 Locusta, ditto——ditto - - -	9
971 Locusta flavipes, 3 Br., and other Br. and <i>Foreign</i> species	20
972 Locusta, numerous Br. species - - -	37
973 Locusta Siberica, 1. Acrydium, <i>India</i> , 1. <i>Brazil</i> , 1—2—1. Acheta, <i>Brazil</i> , 1—1. - -	8
974 Acrydium and Gomphocerus, various Br. species -	28
975 Locusta Australasiæ, 1. <i>Brazil</i> , 1, very fine, and 1 -	3
976 Ditto, 2, and 3 other fine species - - -	5
977 Locusta Dux, 1, and 1 - - -	2
978 Locusta, 1, <i>Cayenne</i> , and 1, very curious - -	2
979 Locusta, 1 very fine, and 1 - - -	2
980 Locusta, 4 fine species - - -	4

LOT	No.
981 Locusta, 3 fine species - - -	3
982 Prosopis, <i>Brazil</i> , 1. Conocephalus, 4 species -	5
983 Locusta and Conocephalus, various -	7
984 Conocephalus? 1—1. Truxalis, <i>New Holland</i> , 2. -	4
985 Gen. nov? <i>India</i> , a splendid insect -	1
986 Gryllus, <i>India</i> ; an exquisite and perfect insect -	1
987 Truxalis, 4 species - - -	4
988 Locusta, 2 fine and perfect exotic species -	2
989 Truxalis, various species - - -	5
990 Mantis, a beautiful <i>Brazilian</i> species. Monachidium acro- pyrinon, very fine - - -	2
991 Truxalis, various fine and beautiful species -	6
992 Truxalis, 2 ditto. Gryllus, a remarkable <i>Brazilian</i> species	3
993 Truxalis, various beautiful species - - -	5
994 Ditto——ditto - - -	7
995 Mantis, several fine species - - -	4
996 Mantis, ditto - - -	4
997 Mantis, 2 ditto very fine - - -	2
998 Mantis Australasiæ, a fine pair - - -	2
999 Mantis, 3 fine species - - -	3
1000 Ditto, several ditto - - -	5

End of the Fifth Day's Sale.

SIXTH DAY'S SALE,

On SATURDAY, the 28th of JUNE, 1834,

Commencing at Twelve for One o'Clock precisely.

ORTHOPTERA, continued

LOT		No.
1001	Empusa pectinata, 1., and 2 other fine Mantidæ	- 3
1002	Several fine species of Mantidæ	- 4
1003	Ditto——ditto	- 3
1004	Ditto——ditto	- 6
1005	Ditto——ditto	- 7
1006	Phyllium siccifolium, 1., and 2 Mantidæ	- 3
1007	Empusa, and other Mantidæ	- 6
1008	Mantis gongyloides, very fine	- 1
1009	Several fine species of Mantidæ	- 4
1010	Ditto——ditto	- 6
1011	Ditto, some very fine. Mantispa, 3 species	- 10
1012	Three curious species of Mantidæ	- 3
1013	Several ditto	- 4
1014	Several ditto	- 4
1014*	Mantis, a beautiful pair from Georgia	- 2
1015	Phasma, a fine species from Bengal	- 1
1016	Podacanthus Typhon, Gray	- 1
1017	Trigonoderus Childrenii, Gray, very fine	- 1
1018	Prisopus, Brazil, very fine	- 1
1019	Phasma Titan	- 1
1020	Mantis, New Holland, 2. Phasma rosea, 1—1—1.	- 5
1021	Phasma violacea, and 1 very fine	- 2

LOT			No.
1022	Phasma violacea ? very beautiful	- - -	1
1023	Trigonoderus Childrenii	- - -	1
1024	Phasma Necydaloïdes, very beautiful	- - -	1
1025	Diura Chronus, Gray, and 1, very fine	- - -	2
1026	Prisopus, <i>Brazil</i> , 1.	- - -	1
1027	Diura, n. sp.? and 1	- - -	2
1029	Diura Chronus, 1, and 1, very fine	- - -	2
1030	Diura Typhæus, Gray, 1. D. Violacea, 1	- - -	2
1031	Phasma, <i>Brazil</i> , 2 fine species	- - -	2
1032	Phasma, nov. sp.? <i>New Holland</i> , 1. <i>Brazil</i> , 1.	- - -	2
1033	Phasma, 2 fine species	- - -	2
1034	Phasma, a magnificent species	- - -	1
1035	Ditto——ditto	- - -	1
1036	Bacteria, 1, and Gen. nov.? <i>Brazil</i> , 1.	- - -	2
1037	Eurycanthus horribilis, Boisduval, Voy d'Astrolabe, a magnificent specimen	- - -	1
1038	Bacteria, 2 fine and perfect species	- - -	2
1039	Ditto——ditto	- - -	2
1040	Phasma Gigas	- - -	1
1041	Bacteria squalida, 1, and other curious Phasmidæ	- - -	4
1042	Bacteria, 2 fine species	- - -	2
1043	Phasma Titan, very fine	- - -	1
1044	Phasma, <i>New Holland</i> ; n. sp., very fine	- - -	1
1045	Phasma, n. sp. <i>New Holland</i> , 1—1. Mantis, 1.	- - -	3
1046	Diura, n. sp.? very fine	- - -	1
1047	Extatoma tiaratum	- - -	1
1048	Diura, n. sp.? - - -	- - -	2

APTERA OF LINNÆUS.

1049	Dysdera erythrina, Aranea marginata, Argyroneta aquatica, Clubiona, Theridion, and other allied genera of Spiders, numerous <i>Br.</i> and <i>exotic</i> species	- - -	48
1050	Epeira, Linyphia, Thomisus, and other genera of Spiders, various <i>Br.</i> and <i>exotic</i> species	- - -	56

LOT	No.
1051 Thomisus heterogaster, Guer, Gasteracantha, various remarkable species. Galeodes fatalis and others -	9
1052 Dolomedes, various exotic species. Gonyleptes horridus 2 fine. Scorpio 1. - - - -	9
1053 Buthus, 2 species, numerous Br. species of Salticus, Chelifer and Obisum - - - -	70
1054 Trombidium, various fine exotic and Br. species, and numerous Br. species of the various genera of the Acaridæ and Hydrachnidæ - - - -	100
1055 Petrobius maritimus, 2 Br., and numerous Br. species of the Lepismidæ, Poduridæ, Pediculidæ and Nirmidæ	80
1056 Phalangium, a splendid species from Brazil - - - -	1
1057 Limulus cyclops, 1—1. Argulus, Caligus, and allied genera of Entomostracous Crustacea, various Br. species and others - - - -	40
1058 Cermatia longicornis, 2. Nephila clavipes, 1. Argyope, Brazil, 1. and various other exotic Arachnida -	14
1059 Scorpio, 2 large and fine species - - - -	2
1060 Scorpio, various ditto - - - -	8
1061 Ditto—ditto - - - -	11
1062 Thelyphonus caudatus, 1, fine and perfect. Phalangium, Brazil, 1. Gonyleptes acanthura, 1. horrida, 2. Phrynus, 2 - - - -	7
1063 Mygale Avicularia, 2. Blondii, 1. Nephila maculata, 1—1, and various species of Br. Phalangiidæ, and others - - - -	28
1064 Glomeris, Julus, and allied Genera, various Br. and exotic species, some very fine; Scorpio, 1 - - - -	38
1065 Scolopendra, various fine exotic species. Scorpio, 1. -	10
1066 Scolopendra, Lithobius, Geophilus, &c. various exotic and Br. species - - - -	32

LEPIDOPTERA.

BRITISH PYRALIDÆ, TORTRICIDÆ AND TINEIDÆ.

LOT		No.
1067	<i>Pyralis tetragonalis</i> , <i>stratiotalis</i> and <i>Lemnalis</i> - -	24
1068	<i>Pyralis Potamogetalis</i> , <i>Nymphæalis</i> , <i>flavalis</i> , <i>arcualis</i> , <i>sambucalis</i> and <i>litalis</i> - - -	29
1069	<i>Pyralis clutalis</i> , <i>pallidalis</i> , <i>verbascalis</i> , <i>ochrealis</i> , <i>sericealis</i> , <i>ferrugalis</i> - - -	18
1070	<i>Pyralis longalis</i> , <i>hyalinalis</i> , <i>angustalis</i> , <i>terminalis</i> , <i>lutealis</i> and <i>cinalis</i> - - -	26
1071	<i>Crambus verticalis</i> , <i>palealis</i> , <i>margaritalis</i> , <i>glabralis</i> , and others - - -	20
1072	<i>Hypena proboscidalis</i> , <i>achatalis</i> , <i>crassalis</i> , <i>lucernalis</i> -	15
1073	<i>Scopula palpalis</i> , <i>undulalis</i> , <i>dentalis</i> , <i>fascialis</i> , <i>longipedalis</i> , all very rare - - -	5
1074	<i>Crambus rostralis</i> , <i>angustalis</i> , <i>bombycalis</i> , <i>albistrigalis</i> , <i>costæstrigalis</i> , <i>flamealis</i> - -	17
1075	<i>Crambus derivalis</i> , <i>cribralis</i> , <i>salicalis</i> , <i>tarsicrinalis</i> , <i>nemoralis</i> , <i>uliginalis</i> - - -	23
1076	<i>Crambus caprealis</i> , <i>dimidialis</i> , <i>glaucinalis</i> , <i>costalis</i> , <i>bistrigalis</i> , <i>Steph.</i> very rare, and others -	26
1077	<i>Crambus obscuralis</i> , <i>monochalis</i> , <i>fascialis</i> , <i>cingulalis</i> , <i>angulalis</i> , and others - - -	28
1078	<i>Crambus ostrinalis</i> , <i>sordidalis</i> , <i>porphyralis</i> , and others -	43
1079	<i>Tortrix cruciana</i> , <i>decimana</i> , <i>Grotiana</i> , <i>tesselana</i> , and others	29
1080	<i>Tortrix Xylosteana</i> , <i>Roborana</i> , <i>pulchellana</i> , &c. -	27
1081	<i>Tortrix 3-fasciana</i> , <i>crociana</i> , <i>Juliana</i> , &c. -	26
1082	<i>Tortrix Oxyacanthana</i> , <i>Viburnana</i> , <i>Rosana</i> , &c. -	26
1083	<i>Tortrix Modeerana</i> , <i>costana</i> , <i>sericiana</i> , &c. -	25
1084	<i>Tortrix Fosterana</i> , <i>Avellana</i> , <i>obliquana</i> , &c. -	33
1085	<i>Tortrix oporana</i> , <i>4-maculana</i> , <i>4-punctana</i> , <i>inopiana</i> , <i>ictericana</i> , &c. - - -	38
1086	<i>Tortrix maurana</i> , very rare, <i>Bentleyana</i> , <i>Pinetana</i> , <i>concana</i> , &c. - - -	25
1087	<i>Tortrix Hastiana</i> , <i>sylvana</i> , <i>asseclana</i> , &c. -	18
1088	<i>Cnephasia bellana</i> , <i>longana</i> , <i>Logiana</i> , &c. -	27

LOT	No.
1089 Tortrix furfurana, rectifasciana, politana, &c.	- 26
1090 Tortrix graminana, Mitterbachana, 4-maculana ♀, &c.	25
1091 Tortrix bifidana, plumbeana, Schalleriana, &c.	- 30
1092 Tortrix Gnomana, rhombana, ciliana, &c.	- 35
1093 Tortrix contaminana, Cerusana, rufana, &c.	- 28
1094 Tortrix favilana, asperana, and varieties	- 19
1095 Tortrix reticulana, Hyemana, variegana, &c.	- 22
1096 Tortrix Boscana, latifasiana, castaneana, borana, &c.	- 19
1097 Peronea cristana, albipunctana, striana, padiceana, bistriana, profana, crystallana, fulvimargana, Desfontiana, &c.	14
1098 Peronea Byrtingerana, squamana, literana, tricolorana, &c.	16
1099 Tortrix emargana, effractana, Illicana, &c.	- 22
1100 Sarothrips Afzeliana, dilatana, undulana, degenerana, &c.	- 26
1101 Tortrix hamana, alternana, Zægana, ferrugana, &c.	- 25
1102 Tortrix unitana, bistriana, rare, margaritana, Roseana, æneana, &c.	- 21
1103 Peronea basifasciana, centrovitana, radiana, combustana, albistriana, ramistriana, autumnana, umbrana, &c.	- 17
1104 Tortrix purpurana, fulvipunctana, Christiernana, Turion- ana, &c.	- 17
1105 Tortrix Baumanniana, Smeathmanniana, griseana, &c.	22
1106 Tortrix arcuana, Hoffmannseggiana, Rheediana, Daldorfiana, &c.	25
1107 Tortrix harpana, subocellana, decorana, angustana, &c.	- 28
1108 Tortrix nigromaculana, sodalana, albana, trigonana, and others, rare	- 20
1109 Tortrix nævana, sociana, Paykullana, incarnana, &c.	- 32
1110 Tortrix Gentianana, pruniana, oblongana, pullana, &c.	- 27
1111 Tortrix Betuletana, corticana, nubiferana, semifasciana, &c.	- 29
1112 Tortrix Fænella, Phlugiana, Stræmerana, trimaculana, rus- ticana, sticticana, costi-punctana, &c.	- 21
1113 Tortrix maculana, piceana, Sparrmaniana, &c.	- 23
1114 Tortrix Ehippium, communana, Pomonana, cuspidana, &c.	- 24
1115 Tortrix Trauniana, aurana, fimbriana, populana, dorsana, composana, Gundiana, nitidana, &c.	- 35

LOT		No.
1116	<i>Tortrix Solandriana</i> , marmorana, Rubiana, Bæberana, stictana, rhombifasciana, cinerana, &c. - -	24
1117	<i>Anchylopera uncanana</i> , siculana, diminutana, unculana, obtusana, &c. - - -	25
1118	<i>Tortrix retusana</i> , unipunctana, 4-quetrana, angulana, &c.	28
1119	<i>Tortrix pupillana</i> , cana, Pomonana, Absinthiana, subsequana, fraterana, strobilana, &c. - -	31
1120	<i>Tortrix simpliciana</i> , proximana, Ulicitana, striana, perlepidana, &c. - - -	28
1121	<i>Anthophila Mylleri</i> , lutosana and other species, <i>Tinea Cardui</i> , two fine - - -	25
1122	<i>Depressaria apiosana</i> , badia, albipuncta, characterosa, applanana, &c. - - -	32
1123	<i>Depressaria Umbellatarum</i> , putrida, Yatesii, nervosa, liturosa, flavosa, <i>Alstroemerii</i> , &c. - -	37
1124	<i>Phycis verruceana</i> , marmorea, obtusa, bistriga, gemina, angustana, rufana, semi-rufana, &c. - -	32
1125	<i>Depressaria contubernea</i> , formosa, cryptea, diluta, nebuleana, pinguis, similis, major, &c. - -	37
1126	<i>Palparia falsana</i> , barba, aurifera, baccastrina, &c.	33
1127	<i>Palparia Ericetorum</i> , Camporum, geniculeana, pygmæana, roreana, &c. - - -	38
1128	<i>Palparia arbustorum</i> , argenteana, argyrea, margaritella, radiella, tristis, tristior, &c. - -	33
1129	<i>Palparia culmorum</i> , albicostana, argyropus, tetrina, &c. -	34
1130	<i>Palparia carneana</i> , venosa. <i>Chilo rhombeana</i> , fumeana, depressaria, caudeana, acuminella, acmacideana, cultreana, &c. -	29
1131	<i>Pterophorus galactodactylus</i> , miga-dactylus, lunæ-dactylus, ochra-dactylus, palli-dactylus, &c. - -	26
1132	<i>Pterophorus pterodactylus</i> , fusco-dactylus, bipuncti-dactylus, mono-dactylus, tetra-dactylus, tri-dactylus, pulveri-dactylus, citro-dactylus, &c. - -	20
1133	<i>Pterophorus trigono-dactylus</i> , rhodo-dactylus, tessero-dactylus, puncti-dactylus, di-dactylus, micro-dactylus, carpodactylus, <i>Alucita poly-dactyla</i> , &c. - -	30
1134	<i>Yponomenta compta</i> , cæsiana, curvana, semifusca, ossiana, bifasciella, ambigua, &c. - - -	49

LOT	No.
1135 Yponomenta irrorea, rorea, plumbea, dodecea, Curtisii, Diuræa Novembris, &c. - - -	39
1136 Diuræa Steinkellneri, gelatæa, Tortricæa, Salicis, &c. -	30
1137 Scopea Cembræ, murana, Curt., pallida, Resinæa, &c. -	35
1138 Ypsolophus sequellus, bicostellus, asperellus, pterodactellus, mucronellus, &c. - - -	33
1139 Ypsolophus subfalcatus, marginellus, palpellus, Hesperidis, &c. - - -	27
1140 Ypsolophus varians, and a fine suite of varieties -	32
1141 Ypsolophus lutosus, 5-punctatus, flaviciliatus, ochroleucus, &c. - - -	30
1142 Ypsolophus ustulosus, ermineus, costellus, fissellus, &c. -	35
1143 Recurvaria alterna, albimaculea, angusta, 3-puncta. 4- puncta, Recurvaria falciformis, Lambda, lunaris, &c. -	33
1144 Recurvaria subcinerea, rusticella, rustica, Listeri, &c. -	34
1145 Recurvaria lutarea, nebulea, punctifera, n. s., n. s., dodeca, interrupta, fulvescens, fuscescens, &c. - -	38
1146 Recurvaria nigra, domestica, ustella, albipunctata, medio- punctinella, &c. - - -	35
1147 Recurvaria Hubneri, affinis, diffinis, sequax, proxima, de- corella, &c. - - -	32
1148 Recurvaria tricolorella, guttifera, marmorea, atra, nana, nivea, &c. - - -	32
1149 Recurvaria oleæ, triatomea, bicolor, rufipennis, Gryphi- pennis, lineola, &c. - - -	-
1150 Depressaria grandipennis, Picæpennis, obscura, meleagri- penella, lutarea, floslactis, &c. - -	30
1151 Porrectaria ornata, spissicornis, fusco-ænea, Gallipennis substriga, albicosta, &c. - - -	35
1152 Gracillaria cylindrea, scissella, Merianæ, guttea, nebulea, &c. - - -	33
1153 Gracellaria hemidactyla, signipennis, sulphurella, ochracea, eximia, Fuesslii, Seppella, &c. - -	39
1154 Chelaria conscripta. Capillaria Swammerdami, pilea, tessellea, pubicornis, versicolor, &c. - -	28
1155 Capillaria cuprea, fascia, Sultzii, Freschii, &c. -	26

LOT		No.
1156	<i>Dasycerus sulphureus</i> , flavus. <i>Incurvaria muscularia</i> , peccatinea, Oelmanni, spurca, &c. - - -	28
1157	<i>Tinea semifulvella</i> , parasitella, fuscipunctella, flavescentella, Linnaella, &c. - - -	32
1158	<i>Tinea cloacella</i> , nigri-punctella, fusco-aurella, fuscocuprella, &c. - - -	27
1159	<i>Tinea rubro-aurella</i> , sanguinella, corticella, rubrifasciella, &c. - - -	35
1160	<i>Tinea I-W-ella</i> , literella, aurivittella, &c. - - -	29
1161	<i>Tinea Seppella</i> , Leuwenhoekella, 4-guttella, Sulzella, miscella, Corylifoliella, &c. - - -	31
1162	<i>Tinea Sylvella</i> , hortella, punctaurella, Cydoniella, Schreberella, &c. - - -	27
1163	<i>Tinea Clerkella</i> , 3-strigella, 3-fasciella, Mespilella, Forsterella Raiella, &c. - - -	29
1164	<i>Tinea rupella</i> , flavipunctella, atrella, cinctella, rufipunctella, &c. - - -	29
1165	<i>Tinea cerusella</i> , minutella, guttella, Gleichella, pulchella, stipella, &c. - - -	28
1166	<i>Tinea subbistrigella</i> , cinereo-punctella, nigrella, 2 strigella, trimaculella, floslactella, violacella, &c. - -	31
1167	<i>Tinea</i> , 1-fasciella, mediofasciella, aurella, sequella, atrocapitella, pygmella, &c. - - -	27

EXOTIC PYRALIDÆ, TORTRICIDÆ, AND TINEIDÆ.

1168	Gen. nov. 1. <i>Hypæna</i> , various beautiful species in fine preservation, chiefly from <i>Georgia</i> - - -	12
1169	<i>Crambus</i> , <i>Aglossa</i> , &c., various ditto - - -	12
1170	<i>Pyralis</i> , various beautiful species, chiefly from <i>Georgia</i> - -	15
1171	Ditto——ditto - - -	12
1172	Ditto——ditto - - -	12
1173	Ditto——ditto - - -	13
1174	Ditto——ditto, very fine - - -	10
1175	Ditto——ditto - - -	12

LOT	No.
1176 Botys Pyralis, &c. various very fine species - -	10
1177 Ditto——ditto, including Pyralis marginata, Sw.	11
1177* Ditto——ditto——ditto - - -	11
1178 Pyralis, several exquisite species. Gen. nov., <i>Georgia</i> , ♂ & ♀, &c. - - -	12
1179 Pyralis, ditto——ditto - - -	10
1180 Pyralis, ditto, some very curious - - -	10
1181 Pyralis, various beautiful species, from <i>Georgia</i> -	11
1182 Ditto——ditto - - -	12
1183 Crambus, various. Noctua lagopus, very rare, Gen. nov. l	9
1184 Crambus, various fine species - - -	10
1185 Ditto——ditto, some very curious - - -	12
1186 Gen. nov. ♂ ♀, <i>Georgia</i> . Gen. nov. ♂, <i>Georgia</i> . Crambus, various species - - -	10
1187 Desmia maculalis, and various fine Pyralides - -	17
1188 Scopula, &c. various fine species - - -	19
1189 Ditto——ditto - - -	18
1190 Ditto——ditto, some very beautiful - - -	11
1191 Ditto——ditto - - -	14
1192 Crambus, Asopia, &c., ditto - - -	10
1193 Asopia, Crambus, &c., ditto - - -	13
1194 Crambus, Pyralis, &c., ditto - - -	12
1195 Hydrocampi, Pyralis, &c., some very beautiful -	13
1196 Ditto——ditto - - -	14
1197 Ditto——ditto, some very remarkable - - -	12
1198 Crambus, Gen. nov., ♂ ♀, &c. various species -	13
1199 Crambus, Depressaria, &c. various species - -	12
1200 Hydrocampa, Crambus, &c. ditto - - -	14
1201 Hydrocampa, various ditto - - -	12
1202 Crambus, Geometra, Pyralis, &c. ditto - - -	19
1203 Ditto——ditto, some very beautiful - - -	22
1204 Gen. nov., l., and numerous fine species of Tortricidæ	26
1205 Ditto l—l., and ditto - - -	22
1206 Various fine and beautiful species of ditto - -	22
1207 Ditto——ditto - - -	28

LOT		No.
1208	Pterophorus, numerous beautiful exotic species, chiefly from Georgia - - -	22
1209	Crambus, various exotic species - - -	17
1210	Crambus gigantellus, <i>North America</i> ; and numerous other exotic species - - -	24
1211	Crambus and allied Genera, various ditto -	20
1212	Crambus, Pyralis, Depressaria, &c. various fine species	22
1213	Tortricidæ, various species, some very beautiful and rare	14
1214	Ditto——ditto. 'Tinea lithospermella, a fine pair	14
1215	Ditto——ditto - - -	24
1216	Various exquisite species of Tortricidæ and Tineidæ	16
1217	Tortrix and Tinea, various fine species -	22
1218	Ditto——ditto - - -	26
1219	Ditto——ditto - - -	29

End of the Sixth Day's Sale.

SEVENTH DAY'S SALE,

On MONDAY, the 30th of JUNE, 1834,

Commencing at Twelve for One o'Clock precisely.

LEPIDOPTERA, continued.

LOT.				No.
1220	Papilio Panthous, very fine	-	-	1
1221	Papilio Priamus	-	-	1
1222	Papilio Hippolythus	-	-	2
1223	Papilio Helenus	-	-	2
1224	Papilio Amphrisius, very fine	-	-	1
1225	Morpho Adonis, 1 very perfect, and 2	-	-	3
1226	Morpho Perseus, 1. Metellus, 1.	-	-	2
1227	Morpho Perseus	-	-	1
1228	Papilio Homerus, very fine	-	-	1
1229	Papilio Ulysses, ditto	-	-	1
1230	Papilio Helenus, 1. Cyrus, 1.	-	-	2
1231	Papilio Belus, 1. Numitor, 1.	-	-	2
1232	Papilio crassus. 1 fine, and variety	-	-	2
1233	Papilio crassus, 2 varieties	-	-	2
1234	Papilio Helenus, 2. Cyrus, 2.	-	-	4
1235	Papilio Paris, 2. <i>Java</i> , 2.	-	-	4
1236	Papilio Paris, 2 very fine	-	-	2
1237	Papilio Cyrus	-	-	3
1238	Papilio Pammon, 2. <i>Brazil</i> , 2.	-	-	4

LOT		No.
1239	Papilio Polycaon, 1. Pammon, 2.	3
1240	Papilio Menesthenus, 1, and 3 others	4
1241	Papilio Polycaon - -	2
1242	Papilio Cresphontes, 1. Anthæus, 1 & 1.	3
1243	Papilio Cresphontes, 1. Thoas, 1 & 1.	2
1244	Papilio Androgæus, 1. Zuthius, 2.	3
1245	Papilio Thoas, 1. torquatinus 1 & 1.	3
1246	Papilio Androgeus, 1. Demoleon, 1.	2
1247	Papilio torquatus, 1. torquatinus, 1 & 2 other species	4
1248	Papilio Antipathes, 1. Swainsonius, Langd. 1.— <i>Java</i> , 1. - - - -	3
1249	Papilio Protesilaus, a very fine pair	2
1250	Papilio Podalirius, 2. <i>Brazil</i> , 1. Merope, 2.	5
1251	Papilio Alexanor, 1 fine. Ajax, 1. Brutus 1	3
1252	Papilio Asteris, 1. Nomius, 1. Dolicaon, 1. Merope 1	4
1253	Papilio Chalcas, 1. Merope, 1, very fine	2
1254	Papilio Anthæus, 1. Tyndareus, 1. Polyxenes, 1.	3
1255	Papilio Asterias, 2 very fine. Chalcas, 1 Ditto	3
1256	Papilio Machaon, 3, <i>Br.</i> Pompilius, 1.	4
1257	Papilio Agamemnon, 2. Chalcas, 1. <i>Brazil</i> , 2.	5
1258	Papilio Philenor, fine - - -	3
1259	(Papilio) Rhetus, 2. Leptocircus Curius, 1. (Papilio) Dorilas, 1. - - -	4
1260	Papilio Troilus, 2 fine. Doreus, 1. <i>Java</i> , 1.	4
1261	Papilio Sarpedon, 1, and varieties, <i>Java</i> , 1 very fine	6
1262	Papilio <i>Java</i> , fine - - -	3
1263	Papilio Glaucus, 1. Troilus, 1 very fine	2
1264	Papilio Troilus, 1. Sarpedon, 1. Mac Leayanus, 1. Stelenes, 1, and <i>Brazil</i> , 1, fine - -	5
1265	Papilio Marius, 1. Chiron, 1, and other allied species	5
1266	Papilio Turnus, and varieties - - -	3
1267	Idea, <i>Java</i> , 1, very fine. Papilio, <i>Java</i> , 1. Pontia Thi- ria, Horsf., and 1 - - -	4
1268	Papilio Stelenes, 1 Dido, 2, and others - -	5

LOT				No.	
1269	Euplæa, Java, 2.	Paphia, Java, 2	-	4	
1270	Papilio Æneas, 2.	Evander, 2.	-	4	
1271	Papilio Evander, 2.	Pompeius, 2.	-	4	
1272	Papilio Memnon, 3.	Polymnestor, 1.	-	4	
1273	Papilio Memnon, 3.	Ægeus, 1.	-	3	
1274	Papilio Laomedon, 2.	Protenor, 1.	-	3	
1275	Papilio Erechtheus, 2.	Ægeus, 2.	-	4	
1276	Papilio Egealea, 1.	Niareus, 2.	Zenobia, 1.	Cynorta, 1.	5
1277	Papilio Hippocoon, 1, and 1, very fine	-	-	2	
1278	Papilio Cynorta, 1.	Niareus, 1.	Ceneus, 1, and 1—1.	5	
1279	Papilio Epilus, 3.	Cynorta, 1.	Sarpedon, 1	-	5
1280	Papilio Demoleus, 2.	Hephestion, 1.	Epilus, 1.	-	4
1281	Papilio Demoleus, 2.	Egealia, 1.	Nireus, 1.	similis, 1.	5
1282	Papilio Ursula, very fine, with the larva and pupa	-	-	2	
1283	Danaïs, Java, 1—2, very fine	-	-	3	
1284	Papilio Polydamas, 2.	Sarpedon, 2	-	4	
1285	Papilio Ascanius, 1.	Lysander, 1—1—1.	Eurimides, Esp. (Euterpe Terea, Sw.)	-	5
1286	Papilio Lysander, 2.	Eurimedes, 1.	-	3	
1287	Papilio Lysander, 1.	Æneas, 1.	Hector, 1, and 1	-	4
1288	Papilio Lysander, 1.	Lysithous, 1, and 1	-	3	
1289	Papilio, 2—1, fine	-	-	3	
1290	Papilio Eurysteus, 1.	Astyanax, 1.	Æneides, 1, and 1	4	
1291	Papilio Astyanax, 1.	Hector, 1.	Lysithous, 1.	-	3
1292	Papilio Polydorus, 1, and 1, very fine	-	-	2	
1293	Papilio Polybius, 1.	Polytes, 1.	Idæus, 1, and 1	4	
1294	Papilio Polymetus	-	-	2	
1295	Papilio Ariarthe, 1.	Cressida, 1.	Polymetus, 1, and 1	4	
1296	Papilio Ariarthe, 2.	Tullus, 1.	Anchisiades, 1.	Arbates, 1, and 1	6
1297	Papilio Lacedemon, 1.	Panope, 3.	Jacintha, 2	-	6
1298	Danaïs superbus, 3.	Mulciber, 1.	Hunteri, 1.	-	5
1299	Papilio dissimilis, 2 & 1	-	-	3	
1300	Papilio Cleona, 1.	dissimilis, 1 & 2	-	4	

LOT		No.
1301	Ismene Limniace, 2. Papilio dissimilis, 1 & 1	4
302	Ismene Aventina, 1. Aglæa, 1. Simius, 1 & 2	5
1303	Asmene? Midamus, 1. Claudius, 2. Papilio assimilis, 2 & 1.	6
1304	Danaïs pluripunctator, 1. Hunteri, 1. Maurus, 2 & 1.	5
1305	Danaïs Midamus, 1. Cora, 1. Juventa, 2.	4
1306	Danaïs Claudius, 2. aventina, 2.	4
1307	Euplæa Hegesippus, a very fine pair	2
1308	Euplæa Diocippus, 2, and other species	6
1309	Euplæa Eresimus, 3. Chrysippus, 2, and others	8
1310	Euplæa Diocippus, 1. Alcippus, 2. Melanippus, 1. Plexippus, 2.	6
1311	Euplæa Archippus, 2. Genutius, 1. Misippus, 1, and others	7
1312	Euplæa Berenice, very fine	3
1313	Euplæa Misippus, 3. Cidippe, 1. Eriippus, 1, and others	7
1314	Euplæa, <i>New Holland</i> , 1. Plexippus, 1. Argynnis Niphe, 3 & 1.	6
1315	Euplæa Archippus, 1. Gilippus, 1. Protopenia, 1. Argynnis Niphe, 1. Hippias	6
1316	Argynnys? Cyane, 2. Euplæa chrysippus, 1. <i>East India</i> 2, very fine	6
1317	Argynnis Vanillæ, very fine, with the larva & pupa	5
1318	Argynnis Vanillæ? 4. Cybele? 1.	5
1319	Argynnis, 3 fine exotic species	3
1320	Argynnis Cybele, very fine	2
1321	Argynnis Idalia, ditto	3
1322	Argynnis Cybele, 1. Pandora, 2	3
1323	Argynnis Paphia, 5. Aglaia, 4. All Br.	9
1324	Argynnis Caroletta of HAWORTH, 1 Br. Lathonia, 2, (1 Br.)	3
1325	Argynnis adippe, Br., 8. Cinxia var. Br.?	9
1326	Argynnis Niobe, and other exotic species	7
1327	Castnia, 3 fine species	3
1328	Melitæa Eos of HAWORTH, 1 Br. Euphrasia, 2 Br. Euphrosyne, 6 Br.	9

LOT	No.
1329 Melitæa Isis, Phœbe, Illythia, and others	- 8
1330 Melitæa murina, Frigga, and others	- 9
1331 Melitæa Dictynna, 5 Br. Artemis, 5 Br. Thalia, 1 Br.	11
1332 Melitæa Freya, Daphne, Dia, and others	- 12
1333 Melitæa Selene, 5 Br. Cinxia, 1 Br. Lucina, 4 Br.	- 12
1334 Melitæa, Georgia, 4, very fine, with larva & pupa, and M. Levana, 2.	- 6
1335 Melitæa Tharos, Prorsa, Dia, Levana, and others	- 11
1336 Melitæa Thymetus, Prorsa, Sophia, and others	- 12
1337 Argynnis Thais, 2. Georgia, 2—2	- 6
1338 Argynnis Columbina, 2—2, Arsinous, 2.	- 6
1339 Cynthia cardui, and its varieties, from the Cape G. H., New Holland, & Nepaul,	- 5
1340 Cynthia Cardui, 4 Br. fine. C. album, var. 3.	- 7
1341 Cynthia Cardui, varieties, from Sirrea Leone, Brazil and New Holland	- 5
1342 Vanessa Atalanta, 4. Urticæ, 4. Polychloros, 3. C. album, 3. All Br.	- 14
1343 Vanessa Atalanta, var. indica, 2. Huntera, 2. Antiopa, var. Americana, 2.	- 6
1344 Vanessa Itca, 3. Charonia, 1—2—1.	- 7
1345 Vanessa V. album, and exotic varieties of Urticæ, Cardui and Atalanta	- 7
1346 Vanessa Antiopa, 2 Br. very fine	- 2
1347 Vanessa, 3 splendid species	- 3
1348 Paphia Periander ? Vanessa, 2—2	- 6
1349 Vanessa, L. album, and various exotic varieties of C. album	- 7
1350 Hecarge Carinenta, 2. Astina, 1, very fine	- 3
1351 Vanessa C. aureum, 1. Paphia Liberia, 1, and others	- 6
1352 Paphia Liberia, 1. Isidore, 1. Hecarge, Brazil, 1, and others	- 6
1353 Paphia Chorenæus, 1. Gertruda, 1. Africa, 2.	- 4
1354 Paphia Astina, 1, and other fine species	- 7
1355 Paphia Clytemnestra, 2. Varanes, 2. Banksia, 1.	- 5
1356 Hipparchia Leda, 2. Thero, 1, and others	- 7

LOT		No.
1357	Hipparchia Phocys, 1. Ismene, 1. Chetys, 1. Althæa, 1. Leda, 1. Mardania, 1. Cacaliæ, 1. - - -	7
1358	Paphia, 2 splendid species - - -	3
1359	Vanessa Almanæ, Cœnone, Cortes, Io, and others -	16
1360	Vanessa Cœnone, 2—1., Asterie, 3. - - -	6
1361	Vanessa Cortes, 1. Clueria, 2. Brazil, 1. India, 1. Java, 1. - - - -	6
1362	Vanessa Orythea, and numerous varieties - -	12
1363	Vanessa Genoveva, 4. Villida, 1. Hetera Nerei, 2. -	7
1364	Vanessa Jatrophæ, 2. Lemonias, and other species -	7
1365	Vanessa Laomedea, 2. Amestris, 2—1. - - -	5
1366	Vanessa Laomedea, 1. Lemonias, 2. Europa, 1, and others - - - -	7
1367	Hætera Lena, 1. Dyndimene, 2. Philoctetes, 2, and others - - - -	7
1368	Vanessa Dirce, 2, very fine. Java, 1, ditto - -	3
1369	Heliconia Piera - - - -	4
1370	Limenitis Amatheæ, 1. Iphicles, 1. Orithea, 1. Biblis, 1, and others - - - -	5
1371	Limenitis Camilla, 1. Amatheæ, 1. Iphicles, 1, and others - - - -	7
1372	Limenitis Iphicla, 1. Cytherea, 1. Opis, 1. Amatheæ, 1, and others - - - -	8
1373	Limenitis Coccyz, 1. Dyrope, 1. Cythareus, and others -	6
1374	Limenitis Amatheæ, 1. Iphicles, 1. Biblis, 1 & 1 -	4
1375	Neptis Leucothoe, 3. Sulpitia, 1. Columella, 1. Blan- dena, 1. Vikasi Horsf., 1. - - -	8
1376	Limenitis, Canada, 2. Iphicles, 1. Neptis Plautilla, 2, and others - - - -	9
1377	Limenitis Sybilla, 2. Medea, 1, and other fine species -	7
1378	Limenitis Eleus, 2. Brazil, 2, very fine. Apatura Laura, 1. - - - -	5
1379	Paphia ? Arethusa, Vanessa, Brazil, 1—1, very splendid -	3
1380	Vanessa Lais, 1. Neptis Lucilla, 1. Vikasi, 1. undu- laris, 2, and other species - - -	8
1381	Vanessa Loadamia, 2. Amphimone, 2. Feronia, 2. Neptis, Java, 3. - - - -	9

LOT	No.
1383 Paphia Tiridates, 1. Jason, 1. Castor, 1, very fine -	3
1384 Paphia Jasuis, 2—1 - - -	3
1385 Paphia Sempronius, 1. Australis, Sw., and other species	5
1386 Apatura Iris, 2 splendid Br. specimens ♀ ♂ -	2
1387 Apatura Iris, ♀ Br., very rare. Limenitis Camilla, 4 Br.	5
1388 Paphia Eupalemon, 1. Maja, 1. Enotrea, 1, and others	7
1389 Apatura Gnidia, 1. Ilia, 1, and other fine species -	6
1390 Apatura Ilia, rubescens, and varieties, Brazil, 1. -	7
1391 Limenitis Populi, 1. Maia, and varieties. Æthiopia, and varieties - - -	7
1392 Paphia Numilia, 1. Apatura, Brazil, 2, very fine, and 1	4
1393 Erycina Polymenus, 1. Paphia Cupidavius, 2, Eupalemon, 2, and others - - -	8
1394 Paphia, various fine species - - -	7
1395 Paphia Eupalemon, 2 very fine. Antiochus, 1, and 2 others, very fine - - -	5
1396 Paphia Obrinus, 1. Brazil, 1, very fine - -	2
1397 Paphia, Brazil, 1—1—1, very fine - -	3
1398 Paphia Medon, and others - - -	6
1399 Paphia Medon, Ceres, and others - - -	6
1400 Paphia Cato, 1. obrinus, 1. Eupalus, 2, and others -	6
1401 Paphia? Omphale, 2. Lyssianassa, 2, and others -	5
1402 Paphia? Eurynome, 1. Lyssianassa, 2 & 1—1. -	5
1403 Paphia? Alcithoe, 2. Bolina, 3 & 1. - -	6
1404 Paphia? Hydaspes, Clymene, and allied species -	10
1405 Paphia? Pyramus, 1. Clymene, 1, and others allied, very splendid - - -	5
1406 Paphia Calista, 1. Pipleis, 1. Orion, 1. - -	6
1407 Paphia Demophoon, 2. Brazil, 1—1. - -	4
1408 Paphia Menander, 1, and 2, very fine - -	3
1409 Paphia, Java, Papilio, Brazil, 1, and 1, very fine -	3
1410 Paphia Orion, 2. Acheronta, 1. Morpho Cassiæ, 1—1.	5
1411 Morpho Cassiæ, 2, and others - - -	5
1412 Paphia Orion, 2—1. Vanessa Hesperus, 1. -	5
1413 Paphia, Brazil, 1—1, fine - - -	2
1414 Morpho Eurylochus, 1. Ilioneus, 1. - -	2
1415 Morpho Eurylochus, very fine - - -	1

LOT			No.
1416	Morpho Eurylochus, 1. Ilioneus, 1.	- -	2
1417	Morpho Reinwardtianus, 2	- -	2
1418	Morpho Teucer, 1—1, and 1.	- -	3
1419	Morpho Achilles, 1 & 1.	- -	2
1420	Morpho Pelides, 1. Idomineus, 2.	- -	3
1421	Morpho Laertes, a fine pair	- -	2
1422	Idia Gaura, 1. Java, 1, very fine	- -	2
1423	Morpho Achilles, very fine	- -	1
1424	Noctua Strix, very perfect	- -	1
1425	Morpho ———? Automedon, 1.	- -	2
1426	Morpho Automedon, 2. Idomeneus, 1.	- -	3
1427	Acræa, Brazil, 3—1—4—1.	- -	9
1428	Acræa Euterpe, 1. Thalia, 2. Catillina, 2, and others	- -	7
1429	Acræa Lybia, 1. Phæthus, 1, Thalia? 2, and others	- -	8
1430	Acræa Juno, 1. Alcyonia, 1, and others	- -	8
1431	Acræa Julia, 2. Delila, 2 Cillene, 1. Thalia, 2.	- -	8
1432	Acræa Charithonia, 2 Doris, 2. Ricini, 2, and others	- -	9
1433	Acræa Sappho, 2. Thalia, 1. Ricini, 1, and others	- -	9
1434	Acræa Melpomene, 3, Erythræa, 2. Alcyone, 1, and others	- -	9
1435	Terias, various species. Acræa Thalia, 1. Cynthia, 1.	- -	12
1436	Terias and Acræa, various species	- -	11
1437	Terias Elathea, and other species. Acræa Serena, 1. Heliconia Euritea, 1.	- -	11
1438	Terias Hecabe, 2. Brigitta, 1, and others. Heliconia diaphana, 2, and others	- -	12
1439	Terias nicippe, and other species. Acræa, 2. Thalia, 1. Heliconia Diaphana, 1.	- -	13

End of the Seventh Day's Sale.

EIGHTH DAY'S SALE,

On TUESDAY, the 1st of JULY, 1834,

Commencing at Twelve for One o'Clock precisely.

LEPIDOPTERA, continued.

LOT		No.
1440	Idea Lynceus - - -	1
1441	Heliconia diaphana, 2. Unzerina, 1, and other fine species - - -	11
1442	Heliconia Psidii, 1. Illione, 1. Karsobina, 1, and others	11
1443	Heliconia Flora, Aegle, diaphana, and others -	9
1444	Heliconia diaphana, Karsobina, and others -	8
1445	Heliconia diaphana, and others. Acræa camæna, Horta, and other species - - -	10
1446	Acræa Zetes, Violæ, and others - -	8
1447	Pieris Harpalyce, nigrina, Acræa Andromache, and others	8
1448	Pontia Chloris, Meta, Hanna, Arethusæ, and others -	9
1449	Pontia Glaucippe, 3. Leucippe, 2 & 1. -	6
1450	Pontia, various fine species - -	7
1451	Pontia Evippe, Eucharis, Danaæ, Genutia, Eupheno, and others - - -	8
1452	Pontia Cardamines, and var. <i>Br.</i> 7. Sinapis, 4 <i>Br.</i> Erysimi? <i>Br.</i> Daplidice, 2. - -	15
1453	Terias Elvina, Dorothea? and other fine species -	6
1454	Terias agave, albula, Pontia glauce, ausinea, and others	10
1455	Terias Xiphia, Phiale, Raphani, and others -	10
1456	Pieris Lycinnia, Drusilla, Coronnis, and others -	6

LOT		No.
1457	Pieris Coronnis, Evagete, and others - -	8
1458	Pieris Missentina, Aurota, and others - -	6
1459	Pieris Aurota, and other fine species - -	8
1460	Pieris, various fine species - -	7
1461	Pieris Castalia, and others - -	7
1462	Pieris Sylvia, Hyparete, Autonoe, and others - -	8
1463	Pieris Autonoe, 4. <i>Domingo</i> , 1, very fine, and others -	5
1464	Pieris Paulina, 4. Poppea, Autonoe and varieties, & others	9
1465	Pieris Pasithoe, 3, fine, and variety, and other species -	8
1466	Pontia <i>Nepaul</i> , 1, and other fine species - -	5
1467	Pontia Drusilla, 1. <i>Brazil</i> , 2 & 1 fine - -	4
1468	Pontia Argea ? 2. <i>Brazil</i> , 1. <i>New Holland</i> , 1, and others - - - -	6
1469	Pontia Calypso, Alcyone, and others - -	7
1470	Pontia Monesta ? and various fine species from <i>Java</i> -	6
1471	Pontia <i>Java</i> , 3. <i>New Holland</i> , 3 & 1 - -	7
1472	Pontia Gliciria, Coronea, and various fine species -	9
1473	Pontia, various fine species - -	6
1474	Pontia Coronea, and others - -	6
1475	Pontia Gædartiana, Argante, Crocale, and others -	6
1476	Pontia Philea, and others, fine and perfect - -	4
1477	Pontia Scilla, 3 fine. Alcyone, 1, and others - -	6
1478	Pontia Aricie, Melanippe, Alcmeone, 2. - -	4
1479	Pontia Fauna, Trite, and others - -	4
1480	Pontia Hersilia, very fine. Alcmeone, 3. - -	4
1481	Pontia Marcillina, 1. Nepthe and others. Gonepteryx Merula, 1. - - - -	7
1482	Pontia Alcmeone, Lalage, Pyrene, and others - -	8
1483	Gonepteryx Gleopatra, Pontia, <i>Brazil</i> , fine and others -	6
1484	Pontia Jugurtha, and other species - -	9
1485	Colias Cypræa, Amata, Europome, and others -	10
1486	Colias Chrysotheme, 2 Br. and variety, 2 Br. -	4
1487	Colias Edusa, 3 Br. Helice, 2 Br. - -	5
1488	Colias Hyale, 1 Br. var. (<i>Lewinii</i>). 2 Br. and Philodice ? 1 from Francillon's British Cabinet - -	4
1489	Colias Edusa, Myrmedone, and other allied exotic species -	8

LOT	No.
1490 <i>Pieris Cratægi</i> , 3 <i>Br.</i> <i>Gonepteryx Rhamni</i> , 2 <i>Br.</i> and variety figured by Curtis - - -	6
1491 <i>Colias Phicomone</i> , and 3 other beautiful species - - -	5
1492 <i>Colias Calais</i> , 2. <i>Philippa</i> , 3. - - -	5
1493 <i>Enterpe Swainsoni</i> , 1—1. <i>Acræa Nepaul</i> , 2. - - -	4
1494 <i>Colias Philodoce</i> , and allied species - - -	8
1495 <i>Colias Leachii</i> , 2. <i>Swainsonia</i> , 1. - - -	3
1496 <i>Colias</i> and <i>Acreæ</i> , various <i>exotic</i> species - - -	7
1497 <i>Colias Nicippe</i> , <i>Libithea</i> , and other ditto - - -	9
1498 <i>Hipparchia Hyperbius</i> , <i>Zangis</i> , and other <i>exotic</i> species - -	12
1499 <i>Hipparchia Sosybius</i> , 1. <i>Eurytus</i> , 2. <i>Cymela</i> , 2, and others - - -	10
1500 <i>Hipparchia Irius</i> , and other <i>exotic</i> species - - -	9
1501 <i>Hipparchia Irius</i> , <i>Salome</i> , <i>Pasiphæ</i> , and others - - -	15
1502 <i>Hipparchia Typhon</i> , 6 <i>Br.</i> <i>Laidion</i> ? 2 <i>Br.</i> and others - -	12
1503 <i>Hipparchia Arcanius</i> , <i>Hero</i> , <i>Philea</i> , and others - - -	10
1504 <i>Hipparchia Polydama</i> , 3 <i>Br.</i> <i>Davus</i> , 2 <i>Br.</i> and others - -	10
1505 <i>Hipparchia Irius</i> ? <i>Areolatus</i> , <i>Zangis</i> , and others - - -	13
1506 <i>Hipparchia Mylitta</i> , <i>Melissæ</i> , <i>Galathea</i> , & other <i>exotic</i> species -	13
1507 <i>Hipparchia Psyche</i> , <i>Clotho</i> , <i>Ocirrhoe</i> , and others - - -	6
1508 <i>Hipparchia Melissæ</i> , <i>Lysidice</i> , and others - - -	8
1509 <i>Hipparchia Tolumnia</i> , <i>Cornelius</i> , <i>Sosybius</i> , and others - -	9
1510 <i>Hipparchia Abeona</i> , <i>Merope</i> , <i>Xiphia</i> , and others - - -	9
1511 <i>Hipparchia Merope</i> , <i>Acanthia</i> , <i>Bansii</i> - - -	6
1512 <i>Hipparchia Abeona</i> ? <i>Talbachius</i> , <i>Ægeria</i> , and others - - -	7
1513 <i>Hipparchia Mæra</i> , <i>Cassus</i> , <i>Arethusa</i> , <i>Æropus</i> , and others -	15
1514 <i>Hipparchia Clytus</i> , <i>Evadne</i> , <i>Lybia</i> , and others - - -	6
1515 <i>Hipparchia Lybia</i> , <i>Clytus</i> , <i>Mineus</i> , and others - - -	7
1516 <i>Hipparchia Medusa</i> , <i>Medea</i> , <i>Ligea</i> , <i>Mergus</i> , and others - -	9
1517 <i>Hipparchia Blandina</i> , 4 <i>Br.</i> <i>Mnemon</i> , 2 <i>Br.</i> - - -	6
1518 <i>Hipparchia Mnestra</i> , <i>Cassiope</i> , <i>Ianthe</i> , <i>Pirene</i> , and others -	16
1519 <i>Drusilla Horsfieldii</i> - - -	2
1520 <i>Hipparchia Proserpina</i> , 2. <i>Fidia</i> , 2, fine - - -	4
1521 <i>Hipparchia Hermione</i> , 2, and others - - -	5
1522 <i>Drusilla Horsfieldii</i> , 1, fine, <i>Hipparchia Circe</i> , 2. - - -	3
1523 <i>Hipparchia Alcyone</i> , <i>Eudora</i> , <i>Circe</i> , and others - - -	6
1524 <i>Hipparchia Briseis</i> , 2. <i>Semele</i> , and others - - -	6

LOT		No.
1525	Hipparchia Fauna, Semele, and others - -	8
1526	Hipparchia Portlandia, Actæa, and others - -	7
1527	Hipparchia Portlandia, Laches, and others - -	7
1528	Hipparchia Alope, Phædra, and others - -	6
1529	Licinia Amphione, and 5 other <i>Brazilian</i> species. Neptis, Nepaul, 1. - - -	7
1530	Neptis, various species from <i>Nepaul</i> . Licinia, 3 <i>Brazilian</i> species, and others - - -	9
1531	Licinia, Acræa, Papilio, &c. several fine exotic species -	9
1532	Urania Leilus, 2. Argynnis Penthesilea, 1. Cyane, 2. Machaon - - -	6
1533	Morpho Odana, 2. Phidippus, 1. - - -	3
1534	Paphia and Hipparchia, various species chiefly from <i>Java</i>	7
1535	Paphia Sylvia, 2 & 1. - - -	3
1536	Paphia Franck, and other fine <i>Javanese</i> species -	4
1537	Paphia, &c. various fine ditto - - -	5
1538	Papilio Vertumnus, 1. Paphia, <i>Brazil</i> , 1, very fine -	2
1539	Euterpe Terea, 2. Arcas imperialis, 1. Erycina, <i>Brazil</i> , 1, all very fine - - -	4
1540	Papilio, <i>Brazil</i> - - -	2
1541	Pieris Belisama, 2—1. Hipparchia Gripius, 1, and others	6
1542	Pieris Belisama, 2. Colias Glaucippé, Vanessa, 1—1—1.	6
1543	Paphia, <i>China</i> , 1. Hipparchia, 1—1. Argynnis, 1. -	6
1544	Castnia, 2 fine species - - -	3
1545	Urania ? Empedocles - - -	2
1546	Urania ? Lunus, 1. Papilio, <i>Brazil</i> , 1 very fine -	2
1547	Papilio, <i>Paris</i> , 2. <i>New Holland</i> , 2. - - -	4
1548	Morpho Nestor, 1. Helenor, 1 & 2 - - -	4
1549	Morpho Helenor - - -	2
1550	Morpho Anaxibia, 1. Menelaus, 1. - - -	2
1551	Morpho Anaxibia - - -	2
1552	Morpho Menelaus, 1. Rhetenor, 1. - - -	2
1553	Morpho Anaxibia, 1. Telemachus, 1. - - -	2
1554	Morpho Rhetenor - - -	2
1555	Papilio Memnon, 2. <i>Java</i> , 1—1. - - -	4
1556	Papilio Polydorus, fine - - -	2
1557	Papilio Amphrisius, 1. Memnon, 1. Agenor, 1. -	3

LOT		No.
1558	Papilio Agenor, 1. Amphrisius, 2.	3
1559	Papilio Astinous	2
1560	Papilio Bianor, 1. Java, 1.	2
1561	Papilio Agenor, 2, and others	5
1562	Papilio Achates, a fine pair	2
1563	Papilio Memnon, 1. Achates, 1. Agenor, 1.	3
1564	Heliconia Udalica, Erato, and others	6
1565	Heliconia Erato, Pamela, and others	7
1566	Heliconia Mneme, Equicola, and others	7
1567	Marius Thetys, Fabius, Heliconia Mneme, and others	6
1568	Heliconia, various Brazilian species	6
1569	Heliconia Mneme? Egina, and others	7
1570	Heliconia Isabella, Rosalia, Langsdorfii, Sw., and others	8
1571	Heliconia Polymnia, Calliope, and others	8
1572	Heliconia, 2—3. Pontia Iphigenia, 2.	7
1573	Heliconia Phyllis, and others, Pontia Pyrrha	7
1574	Erycina Melicerta, Nauplia, Ianthe, Ophion, and others	9
1575	Erycina Hersilia, Lamis, and others	8
1576	Erycina Pelops, Athemon, and others	9
1577	Erycina Egea, Sagaris, Lamis, and others	9
1578	Erycina Hisbon, and others	10
1579	Nymphidium? Carice, Menalcas, Regulus, and others	11
1580	Erycina Isarchus, Æmiluis, and others	9
1581	Erycina, 8 splendid species	9
1582	Erycina micalia, Meleander, and others	10
1583	Erycina Perion, Lycæna Thyra, and others	12
1584	Erycina Laches, and others, Polyommatus, various species	13
1585	Erycina, various species, Polyommatus Protumnus, Thysbe, and others	11
1586	Nais splendens, 2. Erycina and Polyommatus, several species	9
1587	Erina pulchella, Sw., 5. Erycina and Lycæna, various species	14
1588	Six splendid species of Erycinidæ from Brazil	6
1589	Lycæna Chryseis, 2 Br. Phlæas and var. Br.	12
1590	Erycina and Lycæna, various species	14
1591	Lycæna Lempetie, Hiere, and others	10

LOT					No.
1592	<i>Paphia Perianther</i> ?	-	-	-	3
1593	<i>Lycæna Virgaureæ</i> , 4, (3 <i>Br.</i>)	-	-	-	4
1594	<i>Lycæna dispar</i> , <i>Br.</i>	-	-	-	4
1595	<i>Lycæna Phædrus</i> , <i>Xanthe</i> , <i>Esopus</i> , <i>Eupulus</i> , and others	-	-	-	10
1596	<i>Lycæna Hippothoe</i> , <i>Br.</i>	-	-	-	1
1597	<i>Thecla Betulæ</i> , <i>Br.</i>	-	-	-	5
1598	<i>Lycæna Euridice</i> , <i>Thecla</i> , various fine exotic species	-	-	-	8
1599	<i>Thecla Pruni</i> , 3 <i>Br.</i> <i>Spini</i> , 1 <i>Br.</i> <i>Quercus</i> , 5 <i>Br.</i>	-	-	-	9
1600	<i>Thecla Galathea</i> , <i>Amor</i> , and other fine species	-	-	-	18
1601	<i>Thecla</i> , various exotic species in fine preservation	-	-	-	12
1602	<i>Thecla Simethis</i> , and other fine species	-	-	-	15
1603	<i>Thecla Echion</i> , and other beautiful species	-	-	-	6
1604	<i>Thecla Hesiodus</i> , <i>Syncellus</i> , <i>Mars</i> , and others	-	-	-	8
1605	<i>Thecla</i> , various exotic species	-	-	-	9
1606	<i>Lycæna Erylus</i> , <i>Anacreon</i> , <i>Bæticus</i> , and others	-	-	-	14
1607	<i>Thecla Syncellus</i> , and others	-	-	-	9
1608	<i>Lycæna Boeticus</i> , and numerous other species	-	-	-	10
1609	<i>Lycæna Parrhasius</i> , and others	-	-	-	12
1610	<i>Hesperia Gnidus</i> , <i>Cupido</i> , and allied species	-	-	-	7
1611	<i>Thecla Halesus</i> , <i>Marsyas</i> , <i>Hymen</i> , and others	-	-	-	8
1612	<i>Thecla Endymion</i> , 2. <i>Marsyas</i> , 2—4.	-	-	-	4
1613	<i>Thecla Evagoras</i> , 2. <i>Ægeus</i> , 2. <i>Halesus</i> , 1.	-	-	-	5
1614	<i>Thecla Halesus</i> , 2. <i>Gerontes</i> , 1.	-	-	-	3
1615	<i>Thecla Polybetes</i> , and others	-	-	-	6
1616	<i>Thecla Acmon</i> , and other fine species	-	-	-	6
1617	<i>Thecla Melibæus</i> , <i>Linus</i> , and others	-	-	-	8
1618	<i>Thecla Bathis</i> , <i>Aetolus</i> , <i>Vulcanus</i> , <i>Pholeus</i> , and others	-	-	-	13
1619	<i>Lycæna</i> and <i>Thecla</i> , several beautiful species	-	-	-	8
1620	<i>Lycæna Hylax</i> . <i>Thecla</i> , various exotic species	-	-	-	13
1621	<i>Thecla Titus</i> , <i>Romulus</i> , <i>Herodotus</i> , <i>Pericles</i> , and others	-	-	-	9
1622	<i>Thecla Rubi</i> , and others. <i>Lycæna</i> , various species	-	-	-	15
1623	<i>Thecla Plautus</i> , <i>Battus</i> , <i>Tespis</i> . <i>Lycæna Parsimon</i> , <i>Amin-</i> <i>tas</i> , and others	-	-	-	9
1624	<i>Lycæna Moncus</i> , <i>Ericus</i> , <i>Rosimon</i> , and others	-	-	-	9
1625	<i>Lycæna Plinius</i> , <i>Theophrastus</i> , and others	-	-	-	12
1626	<i>Polymnatus Cymon</i> , 5. <i>Argiolus</i> , 5. <i>Alsus</i> , 3. All <i>Br.</i>	-	-	-	15
1627	<i>Pol. Argiolus</i> , 4. <i>Adonis</i> , 6. <i>Corydon</i> , 8. All <i>Br.</i>	-	-	-	18

LOT		No.
1628	Pol. Arion, <i>Br.</i> - - -	2
1629	Pol. Arion, 2 <i>Br.</i> Alcon, 1 <i>Br.</i> - -	3
1630	Pol. Icarus & var., 15. Amantus, 2. Tithonus, 1 <i>Br.</i>	18
1631	Pol. Hyacinthus, 3 <i>Br.</i> Idas, 11 <i>Br.</i> Artaxerxes, 1 <i>Br.</i>	16
1632	Pol. Artaxerxes, 2 <i>Br.</i> Argus, 11 <i>Br.</i> -	13
1633	Paphia, and allied Genera, various species from <i>Java</i>	7
1634	Polyominatus Diomedea, 1. Erabus Arion, and others	11
1635	Pol. Daphnis, minimus, and others -	14
1636	Polyommatus and Erycina, various species	13
1637	Lycena ignita, Damon, Hylax, Morpheus, and others	17
1638	Hesperia Phocion, Alphonsus, Talaus, Neleus, Puranus, Aracanthus, and others -	11
1639	Hesperia Salvianus, Oileus, and others -	13
1640	Hesperia Galenus, Arsalte, and others -	8
1641	Hesperia Oileus, Arsalte, and others -	12
1642	Hesperia tessellatum, Syrichtus, and others -	12
1643	Hesperia Altheæ, Malvæ, Oileus, and others -	12
1644	Hesperia Paniscus, 4 <i>Br.</i> Lavateræ, 3 <i>Br.</i> Tages, 5 <i>Br.</i> and 1 from General Davis' Sale, <i>Br.</i> ? -	18
1645	Hesperia Busiris, Sibaldus, Mithridates, &c. -	7
1646	Hesperia Mithridates, Catullus, Thrasybulus, and others	16
1647	Hesperia Thrasybulus, and other species -	9
1648	Hesperia Flesus, and var., and other species -	8
1649	Hesperia Helopidas, and other fine species -	12
1650	Hesperia Eunius, and other fine species -	8
1651	Hesperia Verbius, ornus, and ditto -	13
1652	Hesperia, various species -	10
1653	Ditto ——— ditto - - -	10
1654	Ditto ——— ditto - - -	12
1655	Hesperia Enotus, Mercatus, and others -	9
1656	Hesperia Muretus, and other fine species. -	7
1657	Tamyrus, various beautiful species -	8
1658	Hesperia Pisistratus, Amyntas, Corydon, and others -	10
1659	Hesperia Momus, and other beautiful species -	5
1660	Hesperia Tityrus, and others -	8

End of the Eighth Day's Sale.

NINTH DAY'S SALE,

On WEDNESDAY, the 2nd of JULY, 1834,

Commencing at Twelve for One o'Clock precisely.

LEPIDOPTERA, continued.

LOT		No.
1662	Hesperia Chemnis, and other fine Hesperiidæ -	8
1663	Eudamus Proteus, &c. Tamyris Acastus, and others -	9
1664	Eudamus Proteus, and var. and other species -	12
1665	Hesperia Catullus, Cerealis, Orion, &c. -	12
1666	Hesperia, various species -	13
1667	Hesperia pygmæus, and other allied species -	17
1668	Peleus Gentius ? and other species of Hesperiidæ -	9
1669	Numerous species of Hesperiidæ -	11
1670	Eudamus Doryssus, Sw., and numerous species of Hesperia -	15
1671	Hesperia Niso, and other species -	11
1672	Hesperia Thrax, Salus, Pisistratus, and others -	8
1673	Hesperia ornata, picta, and others -	12
1674	Hesperia Bucephalus, and others -	9
1675	Hesperia Numitor, and others -	11
1676	Hesperia, numerous exotic species -	14
1677	Hesperia Vitellus, Proteus, and other species -	17
1678	Hesperia Sylvanus, Comma, Linea, all Br. Actæon, 2 foreign -	28
1679	Castnia, 2 fine species -	3
1680	Ditto, 3 ditto -	3

LOT	No.
1681 Patroclus, very fine - - -	1
1682 Thais Hypsipyle, Medesecas, Rumicis, and others -	8
1683 Ariadne Coryta, Horsf, Laodice, and others -	7
1684 Urania Sloaneus, 2. Hipparchia Cariolanus, and others -	6
1685 Egistus, 2, very fine - - -	2
1686 Doritis Apollo, and other allied species -	5
1687 Erycina Perditus, and other beautiful species, Hipparchia Terea - - -	10
1688 Erycina Petronius, Ptolomeus, and others -	10
1689 Erycina, several fine species - -	9
1690 Ariadne Coryta, Erycina Nicæus, and others fine -	7
1691 Argynnis Erymanthis, Thyelia, and others -	7
1692 Argynnis Illythia, and others - -	7
1693 Cynthia Cyane, 3. Satyrus, 2, and others -	7
1694 Urania Leilus, 1. Ariadne Coryta, 1. Hipparchia, Java, 3, and others - - -	8
1695 Heleona Militaris, Don. Euplæa, 6. Colias, Java, 1 & 1	9
1696 Papilio Paris, 1. Argynnis, Nepaul, 2. Ariadne Coryta, 3, and others - - -	8
1697 Papilio, Nepaul, 2—2. Paris, 1, very fine -	5
1698 Danaïs, Nepaul, 1—1. Pieris, 1. Vanessa, 2, and others, Nepaul, fine - - -	8
1699 Euterpe, Nepaul, and other fine Papilionidæ from Java -	8
1700 Ariadne Coryta, 3. Danaïs, Nepaul, and other fine Papilionidæ, from the East Indies -	9
1701 Papilio Memnon, 2. Bombyx, China, 1. Paphia, Ba- tavia, very fine and others - - -	6
1702 Cynthia, Euplæa, Neptis, Ariadne Coryta, &c. -	11
1703 Ditto—ditto - - -	7
1704 Colias, various exotic species - - -	9
1705 Colias, ditto—ditto - - -	9
1706 Colias, ditto—ditto - - -	9
1707 Bombyx, 2—2. Danaïs, Jacintha, 2, and others -	8
1708 Various exotic Papilionidæ - - -	16
1709 Sphinx Atropos, 2 Br., fine - - -	2
1710 Ditto—ditto 2, and Pupa - - -	3
1711 Sphinx Hydaspus, 1. Atropos, 1 & 1. -	3

LOT

1712	<i>Sphinx rustica</i> , 1.	<i>Paphus</i> , 1.	-	-	-	2
1713	<i>Sphinx rustica</i> , 1.	<i>Paphus</i> , 1.	-	-	-	2
1714	<i>Sphinx Chionanthe</i> , 1 fine,	Carolina, 1.	-	-	-	2
1715	<i>Sphinx Carolina</i>	-	-	-	-	2
1716	<i>Sphinx 5-maculata</i> , taken at	Chelsea, 1.	<i>Ligustri</i> , 1.	-	-	2
1717	<i>Sphinx Ligustri</i> , very fine,	Br.	-	-	-	3
1718	<i>Sphinx Paphia</i> , and 1,	-	-	-	-	2
1719	<i>Sphinx Convolvuli</i> , 2	Br.	-	-	-	2
1720	<i>Sphinx affinis</i> , 1.	Hasdrubal, 1 & 2.	-	-	-	4
1721	<i>Sphinx Convolvuli</i> , 2,	India, Circe, and 1.	-	-	-	4
1722	<i>Sphinx Convolvuli</i> , 1 very fine	-	-	-	-	1
1723	<i>Sphinx Milnei</i> , 1—1—1.	-	-	-	-	3
1724	<i>Sphinx</i> , a very remarkable cornuted species,	5-maculata, 1.	-	-	-	3
1725	<i>Sphinx equestris</i>	-	-	-	-	2
1726	<i>Sphinx Gnoma</i> , 2.	Batus, 1.	Alope, 1.	-	-	4
1727	<i>Sphinx HAWORTHII</i> , very fine,	Alope, ditto	-	-	-	2
1728	<i>Sphinx CEnotrus</i> , 2.	fuscata, 1.	Ello, 1.	-	-	4
1729	<i>Sphinx Chionanthe</i> , 1 very fine.	Ello, 1 ditto	-	-	-	2
1730	<i>Sphinx afra</i> , 1.	Cinerea, 1 very fine.	oblonga, 2	-	-	4
1731	<i>Sphinx Pinastris</i> , (1 Br.)	-	-	-	-	2
1732	<i>Sphinx Eilo</i> , 1.	Atropos, 1.	Coniferarum, 3,	(1 very fine)	-	5
1733	<i>Sphinx Hylæus</i> , 2.	subfusca, 1 fine, and 1 ditto	-	-	-	4
1734	<i>Sphinx subfusca</i> , 1.	lineolata, 1 very perfect, 1—1.	-	-	-	4
1735	<i>Sphinx Caricis</i> , 1.	Similis, 1, both in a fine state of preservation	-	-	-	2
1736	<i>Sphinx Battus</i> , 1.	Nechus, 1.	Gorgon, 1.	maculata, 1, a magnificent specimen	-	4
1737	<i>Sphinx Hasdrubal</i> , very fine	-	-	-	-	2
1738	<i>Sphinx triangularis</i> , very rare	-	-	-	-	2
1739	<i>Sphinx apicalis</i> , 2 fine	-	-	-	-	2
1740	<i>Sphinx Ficus</i> , 1.	Caffiæ, 2,	Erotus, 1.	-	-	4
1741	<i>Sphinx strigilis</i> , 1.	Ganascus, 1, and a curious hook-winged species	a	-	-	3
1742	<i>Smerinthus Princeps</i> , a splendid species,	1. excæcata, 1.	-	-	-	2
1743	<i>Smerinthus Myops</i> , 2.	Kirbii, 2.	-	-	-	4
1744	<i>Smerinthus Tiliæ</i> .	Populi & Ocellata, Br.	-	-	-	8

LOT		No.
1745	<i>Smerinthus Quercus</i> , 1. <i>Pronuba</i> , 1 & 1.	3
1746	<i>Smerinthus Tiliæ</i> & <i>Populi</i> , <i>Br.</i>	5
1747	<i>Sphinx Satellita</i> , 1. <i>Alecto</i> , very beautiful	2
1748	<i>Sphinx Nerii</i> , 2. <i>Satellita</i> , 1. <i>Olivacea</i> , 1.	4
1749	<i>Sphinx Vitis</i> , 2 & 1.	3
1750	<i>Sphinx Achemon</i> , in perfect preservation, 1. <i>virescens</i> , 1.	2
1751	<i>Deilephila lineata</i> , <i>Br.</i>	2
1752	<i>Deilephila Celerio</i> , <i>Labruscæ</i> , and others	6
1753	<i>Deilephila Celerio</i> , <i>Br.</i> fine	2
1754	<i>Deilephila Galii</i> , 2, (1 <i>Br.</i>) <i>Elpenor</i>	3
1755	<i>Deilephila Euphorbiæ</i> , 1 <i>Br.</i> <i>Elpenor</i> , 3.	4
1756	<i>Spectrum Ænothæræ</i> , 3. <i>Stygia australis</i> ? 1. <i>Thyris</i> <i>Pyradiformis</i> , <i>Thyreus Abdominalis</i>	6
1757	<i>Thyreus Abbottii</i> , very fine	2
1758	<i>Thyreus lugubris</i> , 2. <i>Macroglossa Ceculus</i> , 1. <i>Pyradi-</i> <i>formis</i> , 1.	4
1759	<i>Macroglossa rapida</i> , 1. <i>Idriaus</i> , 2. <i>Belis</i> , 1. <i>Sesia</i> <i>Thisbe</i> , 1.	6
1760	<i>Macroglossa Titan</i> , 1. <i>Sepulchralis</i> , 1. <i>Belis</i> , 1, and others	7
1761	<i>Spectrum Ænothæræ</i> , 1. <i>Sesia Hylas</i> , 1. <i>Thisbe</i> , 1.	3
1762	<i>Macroglossa Ceculus</i> , 2. <i>Gauræ</i> , 1. <i>Sesia Hylas</i> , 1, and others	7
1763	<i>Sesia Thisbe</i> , <i>Hylas</i> , and others	7
1764	<i>Sesia Bombylifformis</i> , 2, <i>Br.</i> fine. <i>Macroglossa Stellata-</i> <i>rum</i> , 1 <i>Br.</i>	3
1765	<i>Sesia Fuciformis</i> , and various fine <i>exotic</i> species	9
1766	<i>Sesia Bombylifformis</i> , 1 <i>Br.</i> , <i>Fuciformis</i> , 2, <i>Br.</i> <i>Stella-</i> <i>tatum</i> , 1 <i>Br.</i> all fine	4
1767	<i>Hecatesia Fenestrata</i> , <i>Bdv.</i> 2. <i>Ægeria</i> & <i>Sesia</i> , various <i>exotic</i> species	7
1768	<i>Sesia hæmorrhoidalis</i> , 2 fine, and other <i>Brazilian</i> species	6
1769	<i>Hecatesia</i> , 1. <i>Sesia</i> , various splendid species	9
1770	<i>Ægeria Crabroniformis</i> , 1. <i>Apiformis</i> , 2. <i>Stellatarum</i> , 1, all <i>Br.</i> and perfect	4
1771	<i>Ægeria Apiformis</i> , 3. <i>Stellatarum</i> , 1. <i>Fuciformis</i> , 1, all <i>Br.</i>	5

LOT			No.
1772	<i>Ægeria</i> & <i>Sesia</i> , various fine <i>exotic</i> species	- -	9
1773	<i>Deilephila</i> <i>Æas</i> , and others	- -	8
1774	<i>Deilephila</i> <i>unipuncta</i> , and others	- -	7
1775	<i>Deilephila</i> <i>Porcellus</i> , <i>Br.</i>	- -	4
1776	<i>Sphinx</i> <i>Azaliæ</i> , 2 fine, and others	- -	5
1777	<i>Sphinx</i> <i>Pampinatrix</i> , 1. <i>Obscurus</i> , 2, and others	-	7
1778	<i>Sphinx</i> <i>Butus</i> , 1. <i>torsa</i> , 1, in splendid condition	-	2
1779	<i>Sphinx</i> <i>didyma</i> , and others	- -	5
1780	<i>Ægeria</i> <i>tibialis</i> , 1, very fine, and other species	-	8
1781	Ditto——ditto	- - -	8
1782	<i>Ægeria</i> <i>chrysidiformis</i> , 1, extremely rare. <i>formiciformis</i> , <i>Stomoxiformis</i> , and <i>culiciformis</i> , all <i>Br.</i>	- -	9
1783	<i>Ægeria</i> <i>Cestriiformis</i> , 2. <i>Tenthrediniformis</i> , 1. <i>vespiformis</i> , 1. <i>Tipuliformis</i> , 2. All <i>Br.</i>	- -	6
1784	<i>Ægeria</i> <i>chrysidiformis</i> , 1. <i>Stomoxiformis</i> , 2. <i>Typhieformis</i> , and other species	- -	11
1785	<i>Syntomis</i> , various splendid <i>exotic</i> species	- -	8
1786	<i>Syntomis</i> <i>Phegea</i> , 1. <i>Fenestrata</i> , 1, and other fine ditto	-	11
1787	<i>Syntomis</i> <i>Cerbera</i> , <i>Creusa</i> , and others	- -	8
1788	<i>Syntomis</i> <i>Assaricus</i> , 2, and others	- -	9
1789	<i>Syntomis</i> <i>Eryx</i> , <i>Phegea</i> , and other beautiful species	-	9
1790	<i>Syntomis</i> , and allied genera, various fine species	-	10
1791	<i>Syntomis</i> <i>Assaricus</i> , 1. <i>Polynema</i> , 2, and others, very fine	- - -	9
1792	<i>Procris</i> <i>Cassandra</i> , and various fine allied species	-	17
1793	<i>Procris</i> , various fine species, chiefly from <i>Brazil</i>	-	13
1794	<i>Syntomis</i> <i>Lethe</i> , <i>Polynema</i> , and 3 other splendid species	-	5
1795	<i>Syntomis</i> , 3 magnificent species	- -	4
1796	<i>Ægeria</i> <i>Asiliformis</i> , 2 <i>Br.</i> <i>Ino</i> <i>statices</i> , 9 <i>Br.</i>	-	11
1797	<i>Syntomis</i> , <i>Atychia</i> , <i>Ino</i> , &c. numerous <i>exotic</i> species	-	23
1798	<i>Zygæna</i> <i>Hippocrepides</i> , <i>Scabiosæ</i> , <i>Orobi</i> , <i>Lonicæræ</i> , <i>Filipendulæ</i> . All <i>Br.</i>	- - -	14
1799	<i>Zygæna</i> <i>Minos</i> , <i>Loti</i> , <i>Onobrychis</i> , <i>fausta</i> , <i>faustina</i> , and other <i>exotic</i> species	- - -	12

LOT		No.
1800	Numerous interesting species of exotic Zygaenidæ	- 11
1801	Chimera lugubris, Aglaope infausta, and other interesting exotic Zygaenidæ, including (Papilio) Rhodope	- 11
1802	Thyris, <i>N. Amer.</i> , and various interesting Zygaenidæ	- 11
1803	(Papilio) Rhodope, Cr. Anthomyza Tiresia, Sw. Gymnautocera papilionaria Guer., and other interesting species	7
1804	Barbicornis, Brazil, 1. numerous exotic Zygaenidæ	- 13
1805	Barbicornis, <i>Brazil</i> , 1. Thyris, 1, and ditto	- 16
1806	Numerous interesting Zygaenidæ	- - 15
1807	Numerous ditto. (Sphinx) Thallo, <i>Nepaul</i> , very fine, and others	- - - 12
1808	Ditto—ditto	- - - 13
1809	Numerous ditto, in fine condition	- - - 12
1810	Ditto—ditto, including (Sphinx) Capys, 1, and pectinicornis, 2, and others	- - - 9
1811	(Sphinx) Thallo, 2. Pectinicornis, 2 & 1.	- - 5
1812	Bombyx Luna, very fine	- - 2
1813	Bombyx Luna, 1. Selene? 1.	- - 2
1814	Bombyx Cynthia, a very fine pair	- - 2
1815	Bombyx Atlas, 1. <i>America</i> , 1. <i>China</i> , 1. Aurotas, 1.	3
1816	Bombyx Argus, exceedingly rare	- - 2
1817	Bombyx Selene, very fine	- - 2
1818	Bombyx Argus	- - 2
1819	Bombyx, 1—1—1.	- - 3
1820	Bombyx Prometheus, 2, splendid specimens, with the Lava & Pupa	- - - 4
1821	Bombyx Saturnia, 1. Cecropia, 1.	- - 2
1822	Bombyx Hesperus, very fine	- - 2
1823	Bombyx Epimethea, a very fine specimen	- - 1
1824	Bombyx Erythrina, 1 & 1—1.	- - 3
1825	Bombyx Promethea, very fine	- - 3
1826	Bombyx Pavonia Major, 2. Spini, 2, fine	- - 4
1827	Bombyx imperialis, very fine	- - 2

LOT		No.
1828	<i>Bombyx regia</i> , a very splendid pair - -	2
1829	<i>Bombyx Dumeti</i> , 2 & 2—1. - -	6
1830	<i>Bombyx Dumeti</i> , and 2, <i>Brazil</i> , very fine and perfect -	4
1831	<i>Bombyx Tau</i> , a very fine pair - -	2
1832	<i>Bombyx Io</i> , and 1. - -	2
1833	<i>Bombyx Io</i> , and 1. - -	3
1834	<i>Bombyx Io</i> ? <i>Gamma</i> , and 2. - -	4
1835	<i>Bombyx Quercus</i> , 6. <i>Spartii</i> , 4. <i>Medicaginis</i> , 1. All <i>Br.</i> - - -	11
1836	<i>Bombyx Rubi</i> , 4, <i>Trifolii</i> , 2. All <i>Br.</i> - -	6
1837	<i>Bombyx Catax</i> , <i>Medicaginis</i> , <i>castrensis</i> , and other exotic species - - -	12
1838	<i>Bombyx opercularis</i> , <i>Everta</i> , <i>Pitheocampa</i> , and other <i>exotic</i> species - - -	12
1839	<i>Bombyx castrensis</i> , 2. <i>Neustria</i> , 4. <i>lanestris</i> , 3. All <i>Br.</i> - - -	11
1840	<i>Bombyx Populi</i> , 3. <i>pallidus</i> , 7. <i>Cratægi</i> , 5. All <i>Br.</i>	15
1841	<i>Bombyx</i> , various beautiful <i>exotic</i> species -	12
1842	Ditto——ditto - -	10
1843	Ditto——ditto - -	10
1844	<i>Apoda Testudo</i> , 4. <i>Clostera reclusa</i> , 1. <i>curtula</i> , 2. All <i>Br.</i> - - -	7
1845	<i>Clostera Anastomisis</i> , <i>Anachoreta</i> , and other exotic species of <i>Bombycidæ</i> - - -	13
1846	<i>Clostera reclusa</i> , 3 <i>Br.</i> <i>Curtula</i> , 1 <i>Br.</i> <i>Testudo</i> , 2 <i>Br.</i> <i>Asellus</i> , 1 <i>Br.</i> - - -	7
1847	<i>Bombyx Brasiliensis</i> , 1 & 1. - -	2
1848	<i>Bombyx Polyphemus</i> , a fine pair - -	2
1849	<i>Bombyx Cecropia</i> , a very fine pair - -	2
1850	<i>Bombyx Paphia</i> , 1. <i>Polyphemus</i> , 1. - -	2
1851	<i>Bombyx Mylitta</i> , 1. <i>Georgia</i> , 1, very fine - -	2
1852	The Silk Worm, <i>Bombyx Mori</i> , in its different states -	4
1853	<i>Pombyx Paphia</i> - -	2
1854	<i>Bombyx Proserpina</i> , a fine pair, <i>Rivulorum</i> , 1. -	3

LOT		No.
1855	Endromis versicolor. 2. Odonestis Pini, 2.	- 4
1856	Endromis Versicolor, a very fine Br. pair -	- 2
1857	Bombyx Pruni, and other fine exotic species -	- 6
1858	Smerthus, several remarkable and very fine species -	- 6
1859	Bombyx stigma, with the Larva and Pupa, in a very fine state of preservation - - -	- 6
1860	Bombyx Stigma, and allied species -	- 5
1661	Smerinthus Torrefacta, and several curious Bombycidæ -	- 6
1862	Bombyx Betulæfolia, 3 with the Larva. Repanda, 1 fine	5
1863	Bombyx Illicifolia, 2. Capensis, 2.	- 4
1864	Gastropacha Quercifolia, Br. -	- 4
1865	Odonestis Potatoria, 4. Pavonia Minor, 3 Br.	- 7
1866	Stauropus fagi, 1 Br. Notodonta ziczac, 3 Br.	- 4
1867	Notodonta perfusca, 2. tritophus, 3. Dromedarius, 3.	
	All Br. - - - -	- 8
1868	Notodonta Dromedarulus, Capucina, and other exotic species - - -	- 10
1869	Notodonta Tremulæ, 2. Dictæoides, 2. Cucullia, 2.	
	All Br. - - - -	- 6
1870	Notodonta Cassinea, 2 Br. palpina, 4 Br. Camelina, 7 Br. - - -	- 14
1872	Notodonta bicoloria, 2, very fine. Austera, 2 & 1.	- 5
1873	Notodonta torva, 2 Br. plumigera, 2 Br. -	- 4
1874	Notodonta lobulina, and various exotic species -	- 16
1875	Notodonta Sphinx, 1 Br. Dodonæus, 3 Br. Querneus, 3 Br. Roboris, 3 Br. - -	- 10
1876	Six singular species of Bombycidæ, chiefly from New Holland - - -	- 6
1877	Numerous ditto, from Ditto - -	- 15
1878	Liparis Monacha & Laria dispar, and varieties, Br.	- 14
1879	Cerura, a beautiful pair of exotic insects -	- 2
1880	Laria Ulmi, and various exotic allied species - -	- 10

End of the Ninth Day's Sale.

TENTH DAY'S SALE,

On THURSDAY, the 3rd of JULY, 1834,

Commencing at Twelve for One o'Clock precisely.

LEPIDOPTERA, continued.

LOT.		No.
1881	Laria V. nigra and denudata, an extremely rare pair of Br. insects - - - - -	2
1882	Laria Chrysorrhea, phæorrhea, Salicis and cænosa, 2. All Br. - - - - -	16
1883	Various exotic species of Arctiidæ - - - - -	15
1884	Cerura minax, Vinula, erminea, bifida, fuscina & furcula, All Br. - - - - -	17
1885	Bombyx velutina, leucophæa, and 3 other beautiful species of Bombycidæ - - - - -	5
1886	Orgyia Lathyrilla, and other fine Arctiidæ - - - - -	10
1887	Laria fascelina, pudibanda, Orgyia gonostigma. All Br. -	15
1888	Three splendid species of Gymnautocera from <i>Nepaul</i> -	3
1889	Orgyia gonostigma, 3 Br. antiqua ♀ & ♂, and Laria tas- celina, 2 Br. - - - - -	16
1890	Colocasia Coryli, Capreæ, Cæruleocephala & Pygera buce- phala. All Br. - - - - -	17
1891	Three splendid species of Gymnautocera from <i>Nepaul</i> -	3
1892	Heleona militaris, and varieties - - - - -	5

LOT	No.
1893 Hepialus, 1, very fine, and 2. -	3
1894 Hepialus labyrinthicus, very beautiful -	1
1895 Hepialus, various exotic species -	10
1896 Hepialus Humuli, Vellida, and carna, Br. -	16
1897 Hepialus lupulinus, and varieties, obliquus, fuscus, Br. -	25
1898 Hepialus hectus, angulosus, nebulosus, obliquus, Br. -	27
1899 Cossus grandis, 1. Zeuzæra Brazil, 1, very fine -	2
1900 Cossus Crassus, 2. Ligniperda, 2. -	4
1901 Arctia ? oculatissima, 1—1—1, very beautiful -	3
1902 Various exotic species of Bombycidæ -	7
1903 Arctia ? Oculata, 2—1. Brazil, 2, very fine -	5
1904 Cossus ligniperda, 2 Br. Zeuzera Æsculi, 2 Br. ♀ ♂ -	5
1905 Zeuzera, various fine exotic species -	5
1906 Various fine exotic Arctiidæ & Bombycidæ -	9
1907 Arctia Oculata ? and 3 other beautiful Bombycidæ -	4
1908 Various beautiful species of Zygaenidæ & Bombycidæ -	8
1909 Arctia Paphos and allied exotic species -	9
1910 Arctia Acria, Eugenia, and allied species -	10
1911 Arctia papyritia, 3, lubricipeda & var. Eulepia cribrum, 1. All Br. -	9
1912 Arctia, various beautiful exotic species -	9
1913 Arctia Urticæ, 1 Br. mendica, 3 Br. Russiua, 1 Br. ♀ -	13
1914 Arctia radiata, 1 Br. Eulepia cribrum, 1 Br. gram- mica, 2. -	4
1915 Euthemonia Russula, 9 Br. (3 ♀) Arctia mendica, 3, and various Br. -	13
1916 Arctia Plantaginis, 5 Br. mendica, 1 Br. Eulepia cri- brum, 2 Br. -	8
1917 Various beautiful species of Arctiidæ -	9
1918 Ditto ditto -	11
1919 Ditto—ditto -	9
1920 Ditto—ditto -	8
1921 Ditto—ditto -	6
1922 Ditto—ditto -	6

LOT	No.
1923 Ditto———ditto - - - -	7
1924 Callimorpha Dominula, 5 Br. pulchella, 1. Jacobææ, 6, with the larva & pupa - - -	15
1925 Arctia Crotolariaæ, with the larva & pupa, and other exotic species - - - -	9
1926 Lithosia pulchella, and various allied species - - -	9
1927 Ditto———ditto, and others - - -	9
1928 Ditto———ditto———ditto - - -	15
1929 Arctia matronula, 2. purpurea, 1. Hebe, 1, very fine	4
1930 Arctia Caja, 5. villica, 6, and fuliginosa, 4 Br. -	15
1931 Agarista, various fine species, from <i>New Holland</i> -	8
1932 Arctia pudica, aulica, maculosa, and other exotic species	10
1933 Arctia gratiosa, 2. Casta, 2, and other fine species -	11
1934 Agarista picta, agricola, and other fine species -	5
1935 Agarista and Coronis, various ditto - - -	7
1936 Agarista and Coronis, various ditto - - -	12
1937 Ditto———ditto and Arctia, ditto - - -	11
1938 Lithosia muscerda, 1. griseola, 4. depressa, 2, and others. All Br. - - - -	20
1939 Lithosia ochreola, 1. caniola, 2. aurantina, 3. helvola, 1. eborina, 4. flavescens, 5, and others. All Br. -	19
1940 Setina roscida, 2 Br. irrorella, 2 Br. Tinea? alvea, 4 Br. - - - -	8
1941 Lithosia rubricollis, 4. Falcaria curvula, 1. Lacertula, 4. scincula, 4. All Br. - - -	12
1942 Lithosia, various beautiful <i>exotic</i> species - - -	9
1943 Lithosia miniata, 7. Falcaria falcula, 5. var. 4. ungui- cula, 5. All Br. - - - -	14
1944 Various <i>exotic</i> species of Lithosiidæ - - -	14
1945 Falcaria Hamula, 3. uncula, 2. Cilix compressa, 5. Nudaria munda, 6. rotunda, 3. Hemerobia, 4. Psyche fusca, 1. All Br. - - - -	24
1946 Fumea morio, 2, fine, and various <i>exotic</i> Lithosiidæ -	8

LOT					No.
1947	Fumea muscea, 2. pectinea, 2. plumistrea, 2. nitida, 3. plumea, 1. Galleria cerealis, 2. colonea, 5. socia, 4. Anomala, 2, and others. All Br.	-	-	-	25
1948	Erebus, several fine exotic species	-	-	-	4
1949	Ditto——ditto	-	-	-	4
1950	Ditto——ditto	-	-	-	5
1951	Ditto——ditto, including Noctua strix	-	-	-	3
1952	Erebus odora, 1 & 1.	-	-	-	2
1953	Erebus, 2 fine species	-	-	-	2
1954	Ditto, several ditto	-	-	-	4
1955	Ditto, various ditto	-	-	-	4
1956	Ditto——ditto	-	-	-	4
1957	Ditto——ditto	-	-	-	5
1958	Ditto——ditto	-	-	-	6
1959	Ditto——ditto	-	-	-	7
1960	Ditto——ditto	-	-	-	8
1961	Ditto——ditto	-	-	-	5
1962	Ditto——ditto	-	-	-	5
1963	Ditto——ditto	-	-	-	5
1964	Ditto——ditto	-	-	-	5
1965	Noctua Fraxini, Br. very rare	-	-	-	2
1966	Noctua, various fine exotic species	-	-	-	5
1967	Ditto——ditto	-	-	-	6
1968	Catocala, 5 beautiful exotic species	-	-	-	5
1969	Ditto, various ditto	-	-	-	7
1970	Catocala paranymphe, and 2 other very fine ditto	-	-	-	4
1971	Catocala vidua, very beautiful	-	-	-	3
1972	Catocala nupta, 2. sponsa, 2. Maura, 1 Br.	-	-	-	5
1973	Catocala electa, sponsa, and other allied Foreign species	-	-	-	6
1974	Catocala Amatrix, 1. Georgia, 1 very fine with the larva and pupa, and others	-	-	-	6
1975	Catocala, a splendid pair of exotic insects	-	-	-	2
1976	Catocala promissa, 2 Br. conjuga ? 1 Br. Fraxini, 1 Br. maura, 1.	-	-	-	5

LOT	No.
1977 Catocala nupta, 2. sponsa, 2 Br. maura, 2 Br., and various - - - - -	7
1978 Catocola marita, and other <i>exotic</i> Noctuidæ - - - - -	6
1979 Noctua auricularis, 2, and other ditto - - - - -	8
1980 Noctua lunaris, 1, and others ditto - - - - -	9
1981 Noctua lunaris, 1, and others ditto - - - - -	12
1982 Noctua paralellaris, 2, and other ditto - - - - -	7
1983 Various fine <i>exotic</i> Noctuidæ - - - - -	8
1984 Ditto——ditto - - - - -	11
1985 Noctua triangularis, 2, fine, and other fine ditto - - - - -	11
1986 Ditto——ditto - - - - -	14
1987 Noctua cingularis, 1. grandirena, 2, and other <i>exotic</i> species - - - - -	12
1988 Noctua marginata, and other ditto - - - - -	13
1989 Noctua peltigera, Barbara, leucomelas, and others - - - - -	12
1990 Noctua dipsacea, and various <i>exotic</i> species of Noctuidæ - - - - -	12
1991 Noctua leucomelas, 1. dipsacea, 2. luctuosa, 5. All Br. - - - - -	8
1992 <i>Ægocera venulia</i> , Latr. Noctua nionogramma, 2. Spuria, 1, and other fine <i>exotic</i> Noctuidæ - - - - -	12
1993 Noctua luctuosa, 1. Parthenias, 1. Nothus, 3. Glyphica, 1. Mi, 4. All Br. - - - - -	9
1994 Various fine <i>exotic</i> species of Noctuidæ - - - - -	12
1995 Noctua Glyphica, 5. luctuosa, 2. Mi, 4. lusoria, 1. - - - - -	12
1996 Various beautiful species of <i>exotic</i> Noctuidæ - - - - -	13
1997 Ditto——ditto - - - - -	12
1998 Ditto——ditto - - - - -	10
1999 Ditto——ditto - - - - -	15
2000 Noctua Arbuti, 3. ænea, 5. sulphurealis, 1. Glyphica, 2. Ail Br. - - - - -	11
2001 Noctua nigrireana, atratula, and other fine <i>exotic</i> species - - - - -	12
2002 Noctua arcuosa, 3. venustula, 1. Banksii, 1. unca, 1. rufula, 1. lutescens, 1. All Br. and very rare - - - - -	8

LOT	No.
2003 Noctua Banksii, 2. apicosa, 2. Glyphica, 2. luctuosa, 1. All Br. and rare - - - 7	
2004 Noctua lusoria, 2. albilinea, 2. fuscula, 1. minuta, 1. very rare, and others. All Br. - - - 10	
2005 Noctua scopulipes, 2. cæcimagula, 1, and other exotic species - - - 13	
2006 Various fine and rare exotic species of Noctuidæ - 14	
2007 Noctua lusoria, 6. fuscula, 2. Banksii, 1. Mi, 1. All Br. - - - 10	
2008 Various species of exotic Noctuidæ, including Gen. nov. <i>Georgia</i> , 1. - - - 12	
2009 Various ditto including Gen. nov.. 1, with pectinated An- tennæ - - - 14	
2010 Noctua Orichalcea, 1. Festucæ, 4. Iota, 5. All Br. - 10	
2011 Noctua Orichalcea, 2 Br. bractea, 3 Br., very rare - 5	
2012 Noctua Chrysitis, Gamma, Iota, var. Br. - - 20	
2013 Noctua interrogationis, 1 Br. Iota, and varieties, Chry- sites - - - 10	
2014 Noctua Comes, interrogationis, Chalcites, aurifera, circum- flexina, and other exotic species - - - 17	
2015 Noctua moneta, various splendid exotic species - 12	
2016 Noctua illustris, argentifera, and various ditto - 11	
2017 Noctua monilis, circumflexa, aurichalcea, and other ditto 9	
2018 Noctua fimbria, 2 Br. illustris, 2, (1 Br.), and other Br. species - - - 15	
2019 Noctua subsequa, 3. consequa, 3. Myrtilli, 3. inter- jecta, 3. All Br. - - - 12	
2020 Noctua Myrtilli, 3. interjecta, 3. Ianthina, 3, and other Br. species - - - 11	
2021 Noctua Ianthina, 3. fimbria, 1. Cytherea, 3. All Br. 7	
2022 Noctua pyramidea, 6. Tragopoginis, 2. tetra, 4. All Br. - - - 12	
2023 Noctua Lactucæ, 4. Chamomillæ, 2. umbratica, 2. Tanacæti, 1. lucifuga, 1. fissina, 1. All Br. - 11	

LOT	No.
2024 Noctua Conformis, Absinthii, livida, molochina, and various exotic species - - -	10
2025 Noctua perfusca, 2. nigra, 2. Asteris, 2. Verbasci, 2. All Br. - - -	8
2026 Noctua Verbasci, 4. Schrophulariæ, 2. Absinthii, 3. semibrunnea, 1. Lithoxylea, 1. All Br. -	11
2027 Noctua ramosa, perspicillaris, 1. Artemisiæ, 1, and other exotic species - - -	11
2028 Noctua Pinastri, 4. Conspicillaris, 2. abbrevina, 1. petrificata, 1. All Br. - - -	8
2029 Noctua Abrotani, hepatica, 1, and other exotic Noctuidæ	11
2030 Noctua combusta, 3. exoleta, 3. lithoxylea, 6. All Br.	12
2031 Noctua hepatica, 4. Epomidina, 3. impudens, 1. punctina, 1. putris, 4. All Br. - - -	13
2032 Noctua pallens, 4. Arundinis, 2. punctilinea, 3. nervosa, 4. fulva, 4. pygmina, 2, and other Br. species	32
2033 Various exotic species of Noctuidæ -	15
2034 Noctua fagana, 3. pudorina, 2. Alni, 2 & 1. All Br.	8
2035 Noctua fagana, 3. prasinana, 2. leporina, 2. All Br. and very rare - - -	7
2036 Various fine exotic species of Noctuidæ -	13
2037 Ditto—ditto—ditto -	12
2038 Ditto—ditto—ditto -	11
2039 Noctua bradyporina, 2. prasinana, 2. fagana, 2. Lambda, 7. All Br. - - -	13
2040 Noctua Aceris, infusca, Psi & tridens, numerous varieties	18
2041 Various fine & perfect exotic species of Noctuidæ -	9
2042 Ditto—ditto - - -	8
2043 Noctua megacephala, Rumicis & Euphorbiæ, and various Br. varieties - - -	22
2044 Noctua Auricoma, Menyanthidis, similis & Rubi, and various ditto - - -	26
2045 Noctua solaris, and other beautiful exotic species -	9
2046 Noctua Chi, scripta, flavo-cincta & Ranunculina. All Br.	20

LOT	No.
2047 <i>Noctua serena</i> , coronula, 1, rare. corrupta, Ligustri & citrina, 1 rare. All Br. - - - 11	
2048 <i>Noctua citrina</i> , 3 Br. spreta, 3. operosa, 3. - 9	
2049 <i>Noctua aprica</i> , caloris, and other fine exotic species - 9	
2050 Ditto——ditto——ditto - - - 7	
2051 Various exotic species of Noctuidæ - 7	
2052 <i>Noctua trimaculea</i> , 1 rare. rectilinea, 4. remissa, 5. suboblonga, 4. All Br. - - - 14	
2053 <i>Noctua oblonga</i> , 1. secalis & furva. All Br. - 18	
2054 <i>Noctua Secalina</i> , 5. Dens canis, lucipara, 5, fine. All Br. - - - 16	
2055 <i>Noctua obscura</i> , 1. Dives, various varieties, duplicata, 3. All Br. - - - 15	
2056 <i>Noctua Echii</i> , leucophæa, and other exotic species - 12	
2057 <i>Noctua nitens</i> , 2 fine & rare: valida, 2. humeralis, 10. All Br. - - - 14	
2058 <i>Noctua lunulina</i> , 1. oleagina, 1, both rare, and other Br. species - - - 16	
2059 <i>Noctua occulta</i> , 2, (1 Br. rare.) herbida, 1 Br. & polyodon - - - 16	
2060 <i>Noctua grandis</i> , 3 Br. Argentina, 3 Br. rare. herbida, 2, (1 Br.) - - - 8	
2061 <i>Noctua grandis</i> , 3 Br. fine & rare. advena, 3 Br. chenopodii, 8. - - - 14	
2062 <i>Noctua satura</i> , 2, (1 Br. rare) Chenopodii, 3. Cucabali, 2 Br. Capsincola, 3. - - - 10	
2063 <i>Noctua argentina</i> , 1 Br. ochracea, 2 fine Br., and other Br. species - - - 13	
2064 <i>Noctua popularis</i> , 2 Br. marginosa, 2 Br. Typhæ - 17	
2065 <i>Noctua popularis</i> , 3 Br. atriplicis, 2 Br. rare. fissipuncta, 5 - - - 10	
2066 <i>Noctua leucophæa</i> , Suasa, and other exotic species - 9	
2067 <i>Noctua glauca</i> , 3. dentina, 3, and other Br. species - 21	
2068 <i>Noctua leucostigma</i> , 2. Aprilina, 3. seladonia, 9 Br. - 14	

LOT	No.
2069 <i>Noctua Aprilina</i> , 3 <i>Br.</i> rare, and others - - -	10
2070 <i>Noctua Orion</i> , <i>ludifica</i> , <i>Celsia</i> , and other <i>exotic</i> species -	9
2071 <i>Noctua præcox</i> , <i>Br.</i> 2, very rare. <i>Oxyacanthæ</i> , 11. -	13
2072 <i>Noctua Lichenis</i> & <i>Perla</i> , and numerous varieties -	17
2073 <i>Noctua præduncula</i> , 4. <i>Latruncula</i> , 4, and other <i>Br.</i> species - - - - -	29
2074 <i>Noctua rufuncula</i> , 2. <i>sciuncula</i> , 4, & varieties, and many other <i>Br.</i> species - - -	25
2075 <i>Noctua trimacula</i> , 3. <i>vava</i> , 5. <i>Pisi</i> & <i>basilinea</i> , <i>Br.</i> -	22
2076 <i>Noctua unca</i> , <i>bilobina</i> , 2 <i>Br.</i> and other <i>Br.</i> species -	16
2077 <i>Noctua X-notata</i> , 1 <i>Br.</i> rare, <i>lunato-strigata</i> , 5, and others	14
2078 <i>Noctua I-niger</i> & <i>oculea</i> , and a fine series of varieties -	20
2079 <i>Noctua ambigena</i> , 2 <i>Br.</i> <i>lugens</i> & <i>I-niger</i> - -	19
2080 Numerous <i>exotic</i> speices of <i>Noctuidæ</i> - -	17
2081 <i>Noctua obsoletissima</i> , 1 <i>Br.</i> rare, <i>blanda</i> , <i>cubicularis</i> , and a long series of varieties - - -	18
2082 <i>Noctua redacta</i> , 4. <i>egens</i> , 3, and <i>sepii</i> , <i>Br.</i> -	25
2083 <i>Noctua tetragona</i> and <i>punicea</i> , with numerous <i>Br.</i> varieties	21
2084 <i>Noctua subrufa</i> , 3. <i>festiva</i> & var., 6. <i>6-strigosa</i> & n. s.? <i>Br.</i> - - - - -	16
2085 <i>Noctua Xanthographa</i> , 1. <i>lævis</i> , 1. <i>sordida</i> , 1. <i>ery-</i> <i>throcephala</i> , 1. All <i>Br.</i> , very rare - -	4
2086 <i>Noctua brunnea</i> , <i>fuliginosa</i> & <i>Baia</i> , and varieties, <i>Br.</i> -	21
2087 <i>Noctua Sigma</i> , <i>Br.</i> 4. <i>glareosa</i> , 1 <i>Br.</i> , very fine and rare, <i>gothica</i> , 9. - - -	14
2088 <i>Noctua subgothica</i> , 1 <i>Br.</i> <i>pupillata</i> , 1 <i>Br.</i> both very rare, <i>sagittifera</i> , 5. <i>C-nigrum</i> , 6. -	13
2089 <i>Noctua lineolata</i> , 1 <i>Br.</i> fine. <i>radius</i> , 2 <i>Br.</i> <i>radiolus</i> , 2 <i>Br.</i> , and others - - -	10
2090 <i>Noctua Hibernica</i> , 2, very fine and rare, <i>albilinea</i> & var. -	10
2091 <i>Noctua valligera</i> , 4. <i>fumosa</i> , 2. <i>ruris</i> , and other <i>Br.</i> sp.	12
2092 <i>Noctua sordida</i> , 1. <i>obeliscata</i> , 1. <i>nigricans</i> , and varieties. All <i>Br.</i> - - - - -	12

LOT					No.
2093	Noctua denticulata, 2.	plœa, 3.	fusca, 1.	spinula & var.	
	All Br.	-	-	-	13
2094	Noctua mujuscula, 1.	margaritosa, 1.	connexa, 1.	venosa, 2, all rare, Br.	6
2095	Noctua spinifera, 2.	subatrata, 2.	nigriconis, 8.	All Br.	13
2096	Noctua clavigera, 2.	exclamationis, 3.	monilea & var.	12 Br.	17
2097	Noctua subfusca, 2.	catenata, 3.	pectinæa, 3.	All Br.	8
2098	Noctua picea, 1.	exclamationis, 4.	Cespitis, 2.	lunina, 3. cinctina, 6. All Br.	16
2099	Noctua Crassa, 2.	pyrophila, 2.	renigera, 1, fine, all rare.	exclamationis, 6. All Br.	10
2100	Noctua sublunina, 4.	fulvofusca, Erica, 5, and others,	Br.	-	13

End of the Tenth Day's Sale.

ELEVENTH DAY'S SALE,

On FRIDAY, the 4th of JULY, 1834,

Commencing at Twelve for One o'Clock precisely.

LEPIDOPTERA, continued.

LOT		No.
2101	Various fine exotic species of Noctuidæ - -	13
2102	Ditto——ditto - - -	15
2103	Noctua Satellita, 2. Croceago, 2. Graminis, 2. helvola, 2. All Br. - - -	8
2104	Noctua Satellita, 1. helvola, 3. Croceago, 2. Graminis, 2. All Br. - - -	8
2105	Ditto——ditto. All Br. - - -	9
2106	Noctua lunosa, 2, rare. Spadicea var. 2. subnigra, 2. and others. All Br. - - -	12
2107	Noctua Vaccinii, 1. polita, 1, rare. Venosa, 3. litura, 2. All Br. - - -	10
2108	Noctua Vaccinii, litura, sphærolutina, 2. leneola, 2. fer- rea, 1. All Br. - - -	11
2109	Noctua Vaccinii, 4. Spadicea, 3. ferrea, 2. pistacina, 2. All Br. - - -	11
2110	Noctua auricula, 3. marginago, 2. var. 2. Aurago, 2. All Br. - - -	9
2111	Noctua Aurago, 1. Centrigo, 2. renago, 2, ferrugi- nago, 2. All Br. and rare - - -	7

LOT					No.
2112	Noctua ferruginago, 2.	erythrostigma, 1.	fulvago, 5.		
	Cornigera, 3.	All Br.	-	-	11
2113	Noctua flavago, 6.	gilvago, 2.	fulvago var. 2.	All Br.	10
2114	Noctua flavago, 6.	angulago, 3.	nervosa, 2.	All Br.	11
2115	Noctua fulvago, 5.	citrago, 2.	macilenta, 3.	All Br.	10
2116	Noctua gilvago, and other exotic Noctuidæ	-	-	-	12
2117	Various ditto	-	-	-	13
2118	Noctua Miniosa, 2.	albidior, 1.	rufannulata, 3.	Cerasi,	
	3, and var.	All Br.	-	-	12
2119	Noctua juncta, 5.	concolor, 1.	pallida, 2.	flavilinea,	
	2. lota, 3.	All Br.	-	-	13
2120	Noctua Nana, 5.	parva, 3.	pusilla, 1.	sparsa, 2.	All Br. 11
2121	Noctua atomea, 3.	rufipuncta, 1.	rare. lota, 2.	All Br.	6
2122	Noctua geminata, 3.	subplumbea, 3.	plumbeola, 2.		
	All Br.	-	-	-	8
2123	Noctua instabilis and a suite of varieties.	Batis, 1.	All Br.		11
2124	Noctua Batis, 1.	rufa, 2.	instabilis and var.	Br.	- 14
2125	Noctua Batis, 2.	derasa, 2.	libatrix, 3.	diffinis, 3.	Br. 10
2126	Noctua derasa, 3.	meticulosa, 4.	libatrix, Br.		- 10
2127	Noctua pyralina, 1, very fine and rare.	Asclepiadis, tri- placea, diffinis.	All Br.	-	- 12
2128	Noctua Delphinii, 2 (1 Br.)	affinis, 7		-	- 9
2129	Noctua approximans, 3.	trilinea, 3.	trapezina and va- rieties, Br.	-	- 19
2130	Noctua turca, 2.	bilinea, 1.	semifuscans, 1.	Cypriaca, 2.	
	grisea and varieties, 8,	Br.	-	-	- 14
2131	Noctua Linariæ.	luteicornis, 1.	sericana, 2, and other fine exotic Noctuidæ, &c.	-	- 15
2132	Noctua luteicornis, 2.	diluta, 5.	flavicornis, 3.	Br.	- 10
2133	Noctua ridens, 2, very fine and perfect.	fluctuosa, 2.	du- plaris, 4,	Br.	- 8
2134	Noctua chrysoglossa, 1, very rare.	duplaris, 3.	subtusa and varieties, Br.	-	- 10

LOT					No.
2135	Noctua luteicornis, 4.	dealbata, 2, very rare.	gracilis, 2.		
	retusa, 2, <i>Br.</i>	-	-	-	10
2136	Various very fine <i>exotic</i> Noctuidæ	-	-	-	9
2137	Ditto——ditto	-	-	-	12
2138	Noctua polyodon, 1.	ravida, 1.	Delphinii, 1.	suffusa, 1,	
	and various <i>exotic</i> species of Noctuidæ	-	-	-	13
2139	Various fine <i>exotic</i> species of Noctuidæ & Pyralidæ	-	-	-	13
2140	Noctua hieroglyphica, 2, and various ditto	-	-	-	14
2141	Various ditto	-	-	-	17
2142	Ditto——ditto	-	-	-	12
2143	Ditto——ditto	-	-	-	18
2144	Several very fine and singular Geometridæ ? from <i>Brazil</i>	-	-	-	6
2145	Various singular <i>exotic</i> Nocturnal Lepidoptera	-	-	-	8
2146	Ditto——ditto, very curious	-	-	-	9
2147	Ditto——ditto	-	-	-	7
2148	Ditto——ditto	-	-	-	9
2149	Geometra virgularia, 7.	osseata, 3.	dilutata, 7, and other		
	<i>Br.</i> species	-	-	-	21
2150	Geometra, various <i>exotic</i> species in fine preservation, allied				
	to the last lot	-	-	-	14
2151	Ditto——ditto	-	-	-	16
2152	Geometra dilutata, trigeminata, lividata, <i>Br.</i>	-	-	-	15
2153	Geometra, various fine <i>exotic</i> species	-	-	-	15
2154	Geometra candidulata, 2.	arenosata, 1.	sublactata, 1, and		
	others, <i>Br.</i>	-	-	-	19
2155	Geometra fuliginata, 1.	inornata, remutata, aversata, and			
	var. <i>Br.</i>	-	-	-	24
2156	Geometra lactata, floslactata, subroseata and others, <i>Br.</i>	-	-	-	17
2157	Various fine <i>exotic</i> Geometridæ & Pyralidæ, including Gen.				
	nov. 1	-	-	-	11
2158	Various ditto, very beautiful	-	-	-	11

LOT				No.
2159	Geometra inæquaria, 2. strigillaria, 2. respersaria, 2, and other species, <i>Br.</i>	-	-	20
2160	Geometra 2-maculata, 2. approximaria, 2. rotundaria, 2, and others, <i>Br.</i>	-	-	15
2161	Geometra limbo-undata, 2. nubeculata, 5. Sylvaria, 1. 2-maculata, 1, very rare, <i>Br.</i>	-	-	16
2162	Geometra luteata, 2. heparata, 4, and other species, <i>Br.</i>			25
2163	Various fine exotic species of Geometridæ	-	-	16
2164	Geometra equestrata, 1. auroraria, 4, <i>Br.</i> Chærophy- lata, 7, <i>Br.</i>	-	-	12
2165	Various exotic Geometridæ	-	-	15
2166	Geometra equestrata, 1, and other fine exotic Geometridæ			12
2167	Various exotic ditto	-	-	12
2168	Ditto——ditto	-	-	16
2169	Ditto——ditto	-	-	15
2170	Ditto——ditto	-	-	14
2171	Ditto——ditto	-	-	18
2172	Ditto——ditto (some very singular)	-	-	13
2173	Ditto——ditto	-	-	12
2174	Geometra rectangulata and a fine suite of varieties. <i>Br.</i>			20
2175	Geometra Vauata, nigro-sericeata, linariata, similata, nebulata, 3-maculata, and other allied <i>Br.</i> species	-	-	34
2176	Geometra rufifasciata, 1. bistrigata, 2. Absintheata, an- gustata & subfuscata, <i>Br.</i>	-	-	36
2177	Geometra albipunctata, 1. elongata, 2. pusillata, con- signata, succenturiata, and other allied <i>Br.</i> species	-	-	30
2178	Geometra Venosata, hexapterata, viretata, 6-alata, <i>Br.</i>	-	-	18
2179	Geometra hexapterata, 6. incanaria, 3. contiguaria, 2, and other <i>Br.</i> species	-	-	18
2180	Various exotic species allied to the last lot	-	-	18
2181	Ditto——ditto	-	-	17

LOT	No.
2182 <i>Geometra orbicularia</i> , 2. <i>linearis</i> , 2. <i>omicronaria</i> , 4. <i>pendularia</i> , 9, <i>Br.</i> - - - -	17
2183 Various fine and rare exotic species of <i>Geometridæ</i> -	22
2184 <i>Geometra operaria</i> , 1, <i>Br.</i> <i>ocellaria</i> & <i>punctaria</i> and va- rieties - - - -	19
2185 <i>Geometra obscuraria</i> , 7. <i>Pullaria</i> , 3. <i>dilucidaria</i> , 2. <i>undulata</i> , 7 <i>Br.</i> - - - -	20
2186 <i>Geometra velutata</i> , 4. <i>incompletaria</i> , 1. <i>bilineata</i> , and var., <i>Br.</i> - - - -	16
2187 <i>Geometra elata</i> , 3. <i>flavo-strigata</i> , and numerous var., <i>Br.</i>	21
2188 <i>Geometra impluviata</i> , 4. <i>horridaria</i> , 2. <i>præcociaria</i> , 2. <i>autumnaria</i> , and others, <i>Br.</i> - - -	22
2189 <i>Geometra incompletaria</i> , 1. <i>incognitaria</i> , 1. <i>apteraria</i> , 3. <i>omicrata</i> , and numerous var., <i>Br.</i> - -	21
2190 <i>Geometra primaria</i> , 4. <i>Hippocastanaria</i> , 4. <i>Æscularia</i> , 4. <i>brumaria</i> , and var., <i>Br.</i> - - -	36
2191 <i>Geometra Grossulariata</i> & <i>Ulmata</i> , with numerous var., <i>Br.</i>	17
2192 <i>Geometra pantaria</i> , 1 <i>Br.</i> , very rare. <i>adustata</i> , 2. <i>albi-</i> <i>cillata</i> , 6. <i>procellata</i> , 5, and others, <i>Br.</i> - -	20
2193 <i>Geometra trigonata</i> , 1 <i>Br.</i> , rare. <i>hastata</i> & <i>marginata</i> , with numerous varieties - - -	23
2194 <i>Geometra tristata</i> , 2 rare, <i>imbutata</i> , 1, rare. <i>rivulata</i> , 3, &c. All <i>Br.</i> - - - -	18
2195 <i>Geometra sinuata</i> , 2. <i>rufata</i> , 3. <i>Berberrata</i> , 4, and other species, <i>Br.</i> - - - -	21
2196 <i>Geometra simulata</i> , <i>propugnata</i> , <i>ferrugaria</i> , and numerous var., <i>Br.</i> - - - -	26
2197 <i>Geometra bifasciata</i> , 3. <i>unifasciata</i> , 2. <i>salicata</i> , <i>uniden-</i> <i>dentaria</i> , and 4-fasciaria, with numerous varieties, <i>Br.</i>	26
2198 <i>Geometra munitata</i> , 2. <i>Ericetaria</i> , 1 rare. <i>didymaria</i> , and var., <i>Br.</i> - - - -	20
2199 <i>Geometra variata</i> , and a long suite of varieties, <i>Br.</i> -	19

LOT	No.
2200 <i>Geometra hastulata</i> , <i>pantaria</i> , <i>melanaria</i> , and various other fine exotic <i>Geometridæ</i> - - -	
2201 <i>Geometra melanaria</i> , and numerous ditto - -	19
2202 <i>Geometra populata</i> , <i>fulvata</i> , <i>cometata</i> & <i>spinachiata</i> and varieties, <i>Br.</i> - - -	20
2203 <i>Geometra testata</i> , <i>comma-notata</i> , <i>marmorata</i> , <i>Br.</i> -	22
2204 <i>Geometra perfuscata</i> , 2. <i>immanata</i> & <i>centum notata</i> , <i>Br.</i> -	23
2205 <i>Geometra 100-notata</i> , and a long series of varieties, <i>Br.</i> -	24
2206 <i>Geometra suffumata</i> , <i>insulata</i> , <i>ruptata</i> , <i>prunata</i> -	22
2207 <i>Geometra cæsiata</i> , 2. <i>infrequentaria</i> , 1. <i>flavo cincta</i> , 2. <i>Olivieri</i> , 5. All <i>Br.</i> rare - - -	10
2208 <i>Geometra Miata</i> , <i>Psittacata</i> , <i>biangulata</i> , <i>unangulata</i> , sub- <i>tristata</i> , <i>denegenerata</i> . All <i>Br.</i> - -	29
2209 <i>Geometra viridaria</i> , <i>biangulata</i> , <i>sylvaticata</i> , <i>Galeata</i> , <i>Br.</i> -	20
2210 <i>Geometra ocellata</i> , 9. <i>unilobata</i> , 1. <i>4-annulata</i> , 1, <i>Br.</i> both rare, <i>Br.</i> - - -	11
2211 <i>Geometra implicaria</i> and a long suite of varieties -	24
2212 <i>Geometra costovata</i> , 2. <i>rusticata</i> , 2. <i>fluctuata</i> , with nu- merous varieties, <i>Br.</i> - -	25
2213 Numerous unexamined <i>Br.</i> <i>Noctuidæ</i> & <i>Geometridæ</i> , some rare - - -	50
2214 Ditto——ditto - - -	60
2215 <i>Geometra Devonaria</i> , 2, rare, <i>Br.</i> and a long series of varieties of <i>Rhomboidaria</i> - - -	19
2216 <i>Geometra roboraria</i> , rare, a fine pair. <i>cinctaria</i> , 1 fine, <i>r.</i> -	3
2217 <i>Geometra piperitaria</i> , 2, fine. <i>consobrinaria</i> and varie- ties, <i>Br.</i> - - -	10
2218 <i>Geometra Abietaria</i> , with numerous varieties - -	23
2219 <i>Geometra crepuscularia</i> , 4 <i>consonaria</i> , 1. <i>tetragonaria</i> , 2. <i>viduaria</i> , 1, all rare <i>Br.</i> - -	9
2220 Various fine exotic species allied to the preceding -	14
2221 Ditto——ditto - - -	17

LOT		No.
2222	Various fine exotic species allied to the preceding	- 13
2223	Ditto——ditto - - -	- 16
2224	<i>Geometra punctularia</i> , <i>extersaria</i> , <i>Lichenaria</i> , <i>Br.</i>	- 18
2225	<i>Geometra favilla-acearia</i> , <i>Br.</i> - -	- 6
2226	<i>Geometra connectentaria</i> , 1. <i>nigricaria</i> , 2. <i>leucophæaria</i> , and varieties, <i>Br.</i> - - -	- 24
2227	<i>Geometra defoliaria</i> , and various varieties. <i>radiata</i> , 1. <i>Br.</i> - - -	- 17
2228	<i>Geometra luctuaria</i> , 2. <i>retata</i> , 1. <i>clathrata</i> , 4. <i>prosa-</i> <i>piaria</i> , <i>stictaria</i> , and varieties, <i>Br.</i> - -	- 28
2229	<i>Geometra pinearia</i> , <i>limbaria</i> , and varieties -	- 16
2230	<i>Geometra Glariaria</i> , <i>lebraria</i> , <i>roseidaria</i> , <i>carbonaria</i> , 2. <i>fuliginaria</i> , 1, and others, All <i>Br.</i> -	- 28
2231	<i>Geometra ericetaria</i> , <i>Glariaria</i> , with varieties -	- 25
2232	<i>Geometra limbata</i> , 1. <i>cutatomaria</i> , 1. <i>præatomata</i> , 1. <i>liturata</i> , 2, all rare, and others, <i>Br.</i> -	- 12
2233	<i>Geometra dolabraria</i> , 3. <i>amataria</i> , <i>initaria</i> , <i>vesper-</i> <i>taria</i> , <i>Br.</i> - - -	- 12
2234	Various exotic species of <i>Geometridæ</i> allied to the pre- ceding - - -	- 17
2235	Ditto——ditto - - -	- 17
2236	Ditto——ditto including <i>Geom. plumistriaria</i> , very fine - - -	- 12
2237	Ditto——ditto, very fine - -	- 12
2238	<i>Geometra conversaria</i> , 1, very rare; <i>dimidiata</i> , <i>emarginata</i> , <i>advenaria</i> , <i>Br.</i> - - -	- 11
2239	<i>Geometra repandularia</i> , 1, fine and rare; <i>Juliaria</i> and <i>illunaria</i> , <i>Br.</i> - - -	- 18
2240	<i>Geometra illustraria</i> , 2 & 1 artificial, <i>delunaria</i> , 1. <i>lunaria</i> , <i>Br.</i> - - -	- 10
2241	<i>Geometra unipunctata</i> , 2. <i>subrufata</i> , 1, both very rare; <i>flexula</i> , 3, <i>Syringaria</i> , 5, <i>Br.</i> - -	- 11

LOT	No.
2242 Geomentra bidentaria and angularia, and some fine varieties - - - - -	13
2243 Geometra quercinaria, 2. Tiliaria, Carpinaria, <i>Br.</i> -	15
2244 Geometra alniaria, 1. truncata, 1, rare; erosaria and Canariae, <i>Br.</i> - - - - -	14
2245 Geometra fuscantaria, 2, and var.? 1. elinguaris, <i>Br.</i> -	12
2246 Geometra politata, Lea, 1. sambucaria, Clk., 1, and other fine exotic species - - - - -	5
2247 Geometra sambucaria, 5 <i>Br.</i> unifasciata, 1 <i>Br.</i> , very rare	6
2248 Various fine exotic species of Geometridæ -	16
2249 Ditto ditto - - - - -	14
2250 Ditto ditto - - - - -	11
2251 Ditto ditto - - - - -	8
2252 Geometra petrata, gilvaria, citraria, <i>Br.</i> -	20
2253 Geometra plumbaria, 4-maculata, 1 very rare, maculata and cratægata, <i>Br.</i> - - - - -	23
2254 Geometra pennaria & fine varieties -	14
2255 Various fine & beautiful species of Geometridæ -	12
2256 Ditto——ditto - - - - -	14
2257 Ditto——ditto - - - - -	13
2258 Ditto——ditto - - - - -	12
2259 Geometra vernaria, 2. ditaria & Thymearia, <i>Br.</i> -	11
2260 Geometra putataria, volutaria, prasinaria, <i>Br.</i> -	14
2261 Geometra margaritaria, fasciaria & sordiatia, 2 <i>Br.</i> rare -	17
2262 Geometra papilionaria, 2. prunaria, a fine series of varieties, and 1 <i>Br.</i> - - - - -	10
2263 Geometra papilionaria, 2. prunaria, 3. pulveraria, 9. <i>Br.</i> - - - - -	14
2264 Geometra papilionaria, 2. Pruniaria, a fine series of varieties, <i>Br.</i> - - - - -	16
2265 Geometra Rhamnata, spartiata, petrificata, <i>Br.</i> -	14
2266 Geometra vitalbata, tersata, spartiata, <i>Br.</i> -	14

LOT	No.
2267 Various exotic species of Geometridæ in fine preservation	16
2268 Ditto———ditto, including a singular new Genus	- 11
2269 Ditto———ditto - - -	- 11
2270 Ditto———ditto - - -	- 15
2271 <i>Geometra incrassata</i> , 1 <i>Br.</i> rare. <i>clavaria</i> , <i>chenopodaria</i> , <i>Br.</i> - - -	- 18
2272 <i>Geometra duplicata</i> , 1 rare, <i>plagiata</i> , <i>cervinata</i> , <i>dubitata</i> , <i>Br.</i> - - -	- 15
2273 <i>Geometra angustata</i> , 1. <i>lineolata</i> , 2. <i>lignata</i> , 3. all rare, <i>bipunctaria</i> , 3. All <i>Br.</i> - -	- 9
2274 Various exotic species of Geometridæ, allied to the preceding	13
2275 <i>Geometra Betularia</i> and <i>prodromaria</i> , <i>Br.</i> -	- 12
2276 <i>Geometra trepidaria</i> , 1 <i>Br.</i> , rare; <i>prodromaria</i> , <i>hirtaria</i> , <i>Br.</i> - - -	- 11
2277 <i>Geometra congeneraria</i> , 2. <i>hispidaria</i> , 3. <i>pedaria</i> , 4. <i>pilosaria</i> , 5 <i>Br.</i> - - -	- 14
2278 Various exotic Geometridæ, in very fine preservation	- 7
2279 Ditto———ditto - - -	- 6
2280 Ditto———ditto, very beautiful -	- 6
2281 Ditto———ditto———ditto - - -	- 6
2282 Ditto———ditto———ditto - - -	- 8
2283 <i>Geometra muraria</i> , 1. <i>destrigaria</i> , 1, both rare; <i>repan-</i> <i>daria</i> with numerous varieties - -	- 23
2284 A corked box containing numerous specimens of a small exotic species of <i>Calandra</i>	
2285 A corked box containing various exotic <i>Chrysalides</i> , &c.	
2286 A corked box with upwards of 200 <i>Br.</i> <i>Tenthredinidæ</i> and other <i>Hymenoptera</i> , some rare	
2287 A corked box containing a great number of <i>Br.</i> White Butterflies collected from different parts of England	
2288 A corked box with various <i>Br.</i> and <i>Foreign</i> Insects, chiefly <i>Neuroptera</i>	

- 2289 A corked box containing many *Br.* Insects of different orders, some rare, including *Sapyga 6-punctata*, *Cræsus septentrionalis*, and two species of *Saropoda*
- 2290 The Insects on the opposite side of the box, some rare
- 2291 Four corked pocket boxes containing many *Br.* Insects
- 2292 Six empty corked store boxes
- 2293 Five ditto
- 2294 A variety of Crabs picturesquely arranged in a frame

CABINETS.

- 2295 Nest of 18 mahogany drawers, glazed and partly corked
- 2296 A Cherry-tree Cabinet of 33 drawers, corked and glazed
- 2297 MAHOGANY INLAID CABINET of 58 drawers, corked and glazed, the upper part enclosed by folding doors and green silk curtains
- 2298 HANDSOME MAHOGANY CABINET of 44 drawers, corked and glazed
- 2299 DITTO DITTO of 60 drawers, corked and glazed
- 2300 An EXCELLENT WELL MADE MAHOGANY CABINET, INLAID WITH ROSEWOOD, of 45 drawers, patent locks and key
- 2301 A VERY ELEGANT CABINET, COMPOSED OF A GREAT VARIETY OF THE MOST BEAUTIFUL FOREIGN WOODS, CONSISTING OF 42 DRAWERS, THE TOP AND SIDES GLAZED, WITH THREE FOLDING DOORS IN FRONT AND STAGE INSIDE, WELL ADAPTED FOR THE DISPLAY OF OBJECTS OF NATURAL HISTORY, brass knobs and patent locks and key
- 2302 A handsome mahogany Cabinet of 30 drawers, corked for Insects

FINIS.

